

---

LumCAT: 吊灯	
Luminaire: E31207-75PC	
Report No:	Voltage(V): 119.9900
Test No:	Current(A): 0.2820
LampCAT:	Power (W): 32.1760
Lamp flux(lm): -1.0	PF: 0.9509
Number of Lamps: 1	Ballast type:
Length(mm): 0	Width(mm): 0
Phm Type: C	Height(mm): 0

---

#### Photometric Results

Lumens(lm): 1256.24  
Efficiency(%): 0.00%  
Lumens(lm)/Power(W): 39.04  
Central intensity(cd): 436.263  
Maximum intensity(cd): 451.279  
Angle of maximum intensity: C=280.0  $\gamma$ =15.0  
Beam Angle(50%Imax): [C0/180]Total=109.8  
[C90/270]Total=110.1  
Field angle(10%Imax): [C0/180]Total=155.5  
[C90/270]Total=156.7  
Maximum s/h(1/2): C0\_180=1.38 C90\_270=1.33  
Maximum s/h(1/4): C0\_180=1.43 C90\_270=1.38  
Up flux rate of lamp(%): 0.00%  
Down flux rate of lamp(%): 0.00%  
Up flux rate of LUM(%): 2.66%  
Down flux rate of LUM(%): 97.34%  
CIE Type : Direct lighting  
Output flux ratio in  $\pi$  solid angle : 80.581%

# 吊灯

Zonal flux distribution table

Page: 2 Total:34

$\gamma(^{\circ})$	Average I(cd)	Zonal F(lm)	Sum F(lm)	Eff Flux(%)	Eff Sum(%)	Sum/Lum(%)
0.0	438.863	.000	.000	.000%	.000%	.000%
1.0	439.107	.420	.420	.000%	.000%	.033%
2.0	439.367	1.261	1.681	.000%	.000%	.134%
3.0	439.876	2.103	3.784	.000%	.000%	.301%
4.0	440.553	2.947	6.731	.000%	.000%	.536%
5.0	441.371	3.794	10.525	.000%	.000%	.838%
6.0	442.205	4.643	15.168	.000%	.000%	1.207%
7.0	443.067	5.495	20.663	.000%	.000%	1.645%
8.0	443.836	6.347	27.011	.000%	.000%	2.150%
9.0	444.621	7.200	34.211	.000%	.000%	2.723%
10.0	445.217	8.053	42.264	.000%	.000%	3.364%
11.0	445.764	8.903	51.166	.000%	.000%	4.073%
12.0	446.111	9.749	60.916	.000%	.000%	4.849%
13.0	446.301	10.591	71.507	.000%	.000%	5.692%
14.0	446.295	11.425	82.932	.000%	.000%	6.602%
15.0	446.073	12.251	95.183	.000%	.000%	7.577%
16.0	445.564	13.065	108.248	.000%	.000%	8.617%
17.0	444.816	13.866	122.113	.000%	.000%	9.721%
18.0	443.792	14.651	136.764	.000%	.000%	10.887%
19.0	442.400	15.418	152.182	.000%	.000%	12.114%
20.0	440.705	16.163	168.346	.000%	.000%	13.401%
21.0	438.619	16.885	185.230	.000%	.000%	14.745%
22.0	436.300	17.582	202.812	.000%	.000%	16.144%
23.0	433.624	18.253	221.066	.000%	.000%	17.597%
24.0	430.780	18.899	239.965	.000%	.000%	19.102%
25.0	427.454	19.514	259.479	.000%	.000%	20.655%
26.0	423.857	20.095	279.574	.000%	.000%	22.255%
27.0	419.805	20.640	300.215	.000%	.000%	23.898%
28.0	415.168	21.140	321.354	.000%	.000%	25.581%
29.0	410.054	21.590	342.945	.000%	.000%	27.299%
30.0	404.328	21.988	364.933	.000%	.000%	29.050%
31.0	398.418	22.339	387.272	.000%	.000%	30.828%
32.0	392.323	22.654	409.926	.000%	.000%	32.631%
33.0	385.844	22.925	432.851	.000%	.000%	34.456%
34.0	379.289	23.155	456.006	.000%	.000%	36.299%
35.0	372.382	23.344	479.350	.000%	.000%	38.158%
36.0	365.383	23.491	502.841	.000%	.000%	40.028%
37.0	357.945	23.591	526.432	.000%	.000%	41.905%

Equipment: GMS 2000  
Temperature( $^{\circ}\text{C}$ ): 25.0

Date: 2016-5-31  
Humidity(%): 60.0%

Operator: 王少  
Distance(m): 13.97

吊灯

Zonal flux distribution table

Page: 3 Total:34

$\gamma(^{\circ})$	Average I(cd)	Zonal F(lm)	Sum F(lm)	Eff Flux(%)	Eff Sum(%)	Sum/Lum(%)
38.0	350.681	23.653	550.085	.000%	.000%	43.788%
39.0	342.685	23.666	573.751	.000%	.000%	45.672%
40.0	334.759	23.627	597.378	.000%	.000%	47.553%
41.0	326.997	23.565	620.943	.000%	.000%	49.429%
42.0	318.795	23.463	644.405	.000%	.000%	51.296%
43.0	310.225	23.301	667.706	.000%	.000%	53.151%
44.0	302.050	23.109	690.815	.000%	.000%	54.991%
45.0	294.135	22.912	713.727	.000%	.000%	56.815%
46.0	285.246	22.658	736.386	.000%	.000%	58.618%
47.0	277.087	22.365	758.751	.000%	.000%	60.399%
48.0	268.691	22.063	780.814	.000%	.000%	62.155%
49.0	259.860	21.705	802.519	.000%	.000%	63.883%
50.0	252.049	21.343	823.863	.000%	.000%	65.582%
51.0	243.917	20.984	844.846	.000%	.000%	67.252%
52.0	235.141	20.557	865.403	.000%	.000%	68.888%
53.0	227.086	20.107	885.510	.000%	.000%	70.489%
54.0	219.253	19.673	905.183	.000%	.000%	72.055%
55.0	210.975	19.205	924.387	.000%	.000%	73.584%
56.0	202.530	18.685	943.072	.000%	.000%	75.071%
57.0	194.615	18.158	961.231	.000%	.000%	76.517%
58.0	186.316	17.616	978.846	.000%	.000%	77.919%
59.0	177.832	17.024	995.870	.000%	.000%	79.274%
60.0	169.674	16.417	1012.288	.000%	.000%	80.581%
61.0	161.516	15.805	1028.093	.000%	.000%	81.839%
62.0	153.233	15.166	1043.259	.000%	.000%	83.046%
63.0	145.724	14.540	1057.799	.000%	.000%	84.204%
64.0	137.923	13.918	1071.718	.000%	.000%	85.312%
65.0	130.296	13.274	1084.991	.000%	.000%	86.368%
66.0	123.172	12.646	1097.638	.000%	.000%	87.375%
67.0	115.924	12.022	1109.660	.000%	.000%	88.332%
68.0	108.676	11.377	1121.038	.000%	.000%	89.238%
69.0	101.622	10.728	1131.766	.000%	.000%	90.092%
70.0	94.444	10.070	1141.836	.000%	.000%	90.893%
71.0	88.058	9.433	1151.269	.000%	.000%	91.644%
72.0	80.983	8.790	1160.058	.000%	.000%	92.344%
73.0	74.563	8.134	1168.192	.000%	.000%	92.991%
74.0	68.274	7.509	1175.701	.000%	.000%	93.589%
75.0	61.914	6.879	1182.580	.000%	.000%	94.137%

吊灯

Zonal flux distribution table

Page: 4 Total:34

$\gamma(^{\circ})$	Average I(cd)	Zonal F(lm)	Sum F(lm)	Eff Flux(%)	Eff Sum(%)	Sum/Lum(%)
76.0	55.603	6.238	1188.818	.000%	.000%	94.633%
77.0	49.990	5.630	1194.448	.000%	.000%	95.081%
78.0	44.324	5.049	1199.497	.000%	.000%	95.483%
79.0	38.874	4.470	1203.967	.000%	.000%	95.839%
80.0	33.695	3.912	1207.879	.000%	.000%	96.151%
81.0	28.885	3.384	1211.264	.000%	.000%	96.420%
82.0	23.933	2.864	1214.128	.000%	.000%	96.648%
83.0	19.805	2.378	1216.505	.000%	.000%	96.837%
84.0	15.575	1.927	1218.433	.000%	.000%	96.991%
85.0	11.842	1.496	1219.929	.000%	.000%	97.110%
86.0	8.554	1.115	1221.044	.000%	.000%	97.198%
87.0	5.872	.790	1221.834	.000%	.000%	97.261%
88.0	3.592	.518	1222.352	.000%	.000%	97.303%
89.0	2.167	.316	1222.668	.000%	.000%	97.328%
90.0	1.224	.186	1222.854	.000%	.000%	97.343%
91.0	.845	.113	1222.967	.000%	.000%	97.352%
92.0	.764	.088	1223.055	.000%	.000%	97.359%
93.0	.786	.085	1223.140	.000%	.000%	97.365%
94.0	.813	.087	1223.228	.000%	.000%	97.372%
95.0	.796	.088	1223.315	.000%	.000%	97.379%
96.0	.867	.091	1223.406	.000%	.000%	97.386%
97.0	.981	.101	1223.507	.000%	.000%	97.395%
98.0	1.154	.116	1223.623	.000%	.000%	97.404%
99.0	1.322	.134	1223.757	.000%	.000%	97.414%
100.0	1.555	.156	1223.913	.000%	.000%	97.427%
101.0	1.853	.184	1224.096	.000%	.000%	97.441%
102.0	2.042	.209	1224.306	.000%	.000%	97.458%
103.0	2.086	.221	1224.527	.000%	.000%	97.476%
104.0	2.183	.228	1224.754	.000%	.000%	97.494%
105.0	2.232	.234	1224.989	.000%	.000%	97.512%
106.0	2.308	.240	1225.228	.000%	.000%	97.532%
107.0	2.389	.247	1225.475	.000%	.000%	97.551%
108.0	2.438	.252	1225.728	.000%	.000%	97.571%
109.0	2.530	.258	1225.986	.000%	.000%	97.592%
110.0	2.644	.267	1226.253	.000%	.000%	97.613%
111.0	2.817	.280	1226.534	.000%	.000%	97.635%
112.0	2.952	.294	1226.828	.000%	.000%	97.659%
113.0	3.007	.302	1227.130	.000%	.000%	97.683%

# 吊灯

Zonal flux distribution table

Page: 5 Total:34

$\gamma(^{\circ})$	Average I(cd)	Zonal F(lm)	Sum F(lm)	Eff Flux(%)	Eff Sum(%)	Sum/Lum(%)
114.0	3.077	.306	1227.436	.000%	.000%	97.707%
115.0	3.185	.312	1227.748	.000%	.000%	97.732%
116.0	3.256	.319	1228.067	.000%	.000%	97.758%
117.0	3.342	.324	1228.391	.000%	.000%	97.783%
118.0	3.472	.331	1228.722	.000%	.000%	97.810%
119.0	3.624	.342	1229.064	.000%	.000%	97.837%
120.0	3.846	.357	1229.421	.000%	.000%	97.865%
121.0	4.160	.378	1229.799	.000%	.000%	97.895%
122.0	4.464	.403	1230.202	.000%	.000%	97.927%
123.0	4.713	.424	1230.626	.000%	.000%	97.961%
124.0	4.951	.442	1231.068	.000%	.000%	97.996%
125.0	5.276	.462	1231.531	.000%	.000%	98.033%
126.0	5.531	.482	1232.013	.000%	.000%	98.072%
127.0	5.742	.497	1232.510	.000%	.000%	98.111%
128.0	5.954	.509	1233.019	.000%	.000%	98.152%
129.0	6.127	.518	1233.537	.000%	.000%	98.193%
130.0	6.295	.526	1234.063	.000%	.000%	98.235%
131.0	6.474	.532	1234.595	.000%	.000%	98.277%
132.0	6.658	.539	1235.134	.000%	.000%	98.320%
133.0	6.918	.549	1235.683	.000%	.000%	98.364%
134.0	7.194	.561	1236.244	.000%	.000%	98.408%
135.0	7.514	.575	1236.819	.000%	.000%	98.454%
136.0	7.860	.591	1237.410	.000%	.000%	98.501%
137.0	8.207	.606	1238.017	.000%	.000%	98.550%
138.0	8.576	.622	1238.638	.000%	.000%	98.599%
139.0	8.982	.638	1239.276	.000%	.000%	98.650%
140.0	9.334	.652	1239.929	.000%	.000%	98.702%
141.0	9.708	.664	1240.593	.000%	.000%	98.755%
142.0	10.044	.674	1241.267	.000%	.000%	98.808%
143.0	10.396	.682	1241.949	.000%	.000%	98.863%
144.0	10.732	.689	1242.638	.000%	.000%	98.917%
145.0	11.024	.693	1243.331	.000%	.000%	98.973%
146.0	11.327	.694	1244.025	.000%	.000%	99.028%
147.0	11.582	.693	1244.719	.000%	.000%	99.083%
148.0	11.826	.690	1245.408	.000%	.000%	99.138%
149.0	12.070	.685	1246.093	.000%	.000%	99.192%
150.0	12.221	.676	1246.769	.000%	.000%	99.246%
151.0	12.384	.664	1247.433	.000%	.000%	99.299%

# 吊灯

Zonal flux distribution table



Page: 6 Total:34

$\gamma(^{\circ})$	Average I(cd)	Zonal F(lm)	Sum F(lm)	Eff Flux(%)	Eff Sum(%)	Sum/Lum(%)
152.0	12.508	.651	1248.084	.000%	.000%	99.351%
153.0	12.622	.636	1248.720	.000%	.000%	99.402%
154.0	12.763	.621	1249.342	.000%	.000%	99.451%
155.0	12.855	.605	1249.946	.000%	.000%	99.499%
156.0	12.839	.584	1250.531	.000%	.000%	99.546%
157.0	12.779	.560	1251.091	.000%	.000%	99.590%
158.0	12.644	.533	1251.624	.000%	.000%	99.633%
159.0	12.416	.504	1252.128	.000%	.000%	99.673%
160.0	12.075	.470	1252.598	.000%	.000%	99.710%
161.0	11.718	.435	1253.033	.000%	.000%	99.745%
162.0	11.295	.400	1253.434	.000%	.000%	99.777%
163.0	10.835	.365	1253.799	.000%	.000%	99.806%
164.0	10.423	.331	1254.130	.000%	.000%	99.832%
165.0	10.022	.300	1254.429	.000%	.000%	99.856%
166.0	9.599	.269	1254.699	.000%	.000%	99.877%
167.0	9.285	.242	1254.940	.000%	.000%	99.897%
168.0	8.955	.216	1255.157	.000%	.000%	99.914%
169.0	8.641	.192	1255.349	.000%	.000%	99.929%
170.0	8.250	.169	1255.518	.000%	.000%	99.943%
171.0	7.823	.145	1255.663	.000%	.000%	99.954%
172.0	7.562	.125	1255.788	.000%	.000%	99.964%
173.0	7.476	.108	1255.896	.000%	.000%	99.973%
174.0	7.378	.092	1255.988	.000%	.000%	99.980%
175.0	7.248	.077	1256.065	.000%	.000%	99.986%
176.0	7.172	.062	1256.127	.000%	.000%	99.991%
177.0	7.107	.048	1256.175	.000%	.000%	99.995%
178.0	7.032	.034	1256.208	.000%	.000%	99.998%
179.0	7.015	.020	1256.229	.000%	.000%	99.999%
180.0	7.021	.007	1256.235	.000%	.000%	100.000%

ZONAL LUMEN SUMMARY			
Zone	Lumens	%Lamp	%Fixt
0-30	364.93	N.A.	29.05%
0-40	597.38	N.A.	47.55%
0-60	1012.29	N.A.	80.58%
0-90	1222.85	N.A.	97.34%
0-120	1229.42	N.A.	97.87%
0-180	1256.24	N.A.	100.00%
60-90	226.98	N.A.	18.07%
90-120	6.75	N.A.	0.54%
90-130	11.40	N.A.	0.91%
90-150	24.10	N.A.	1.92%
90-180	33.56	N.A.	2.67%
0-59.56	1004.99	N.A.	80.00%

ZONAL LUMEN SUMMARY

0-10	42.26
10-20	126.08
20-30	196.59
30-40	232.45
40-50	226.48
50-60	188.43
60-70	129.55
70-80	66.04
80-90	14.97
90-100	1.06
100-110	2.34
110-120	3.17
120-130	4.64
130-140	5.87
140-150	6.84
150-160	5.83
160-170	2.92
170-180	0.71



C280(Max): —————

C0/C180: —————

C90/C270: —————


Field angle(10%Imax):C0/180Left:63.7 Right:91.7

:C90/270Left:62.2 Right:94.5


Beam Angle(50%Imax):C0/180Left:39.9 Right:69.9


:C90/270Left:39.5 Right:70.5





Max , Ave      Beam angle of C280plane110.67






House


[Unit:cd]

Road

Imax:451.28	
(10%Imax) 45.1279	
(20%Imax) 90.2558	
(30%Imax) 135.384	
(40%Imax) 180.512	
(50%Imax) 225.64	
(60%Imax) 270.767	
(70%Imax) 315.895	
(80%Imax) 361.023	
(90%Imax) 406.151	



(10%Emax)	10.96857	—
(20%Emax)	21.93712	—
(30%Emax)	32.90575	—
(40%Emax)	43.87425	—
(50%Emax)	54.84275	—
(60%Emax)	65.8115	—
(70%Emax)	76.78	—
(80%Emax)	87.7485	—
(90%Emax)	98.717	—



# 吊灯

Intensity data(cd)									
C/γ(°)	0.0	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0
0.0	436.26	441.92	442.11	442.89	444.06	444.65	445.62	446.60	447.38
10.0	437.63	437.63	437.82	438.60	439.19	439.77	440.94	442.11	442.50
20.0	437.04	437.04	437.63	438.41	438.80	439.58	440.55	441.14	442.11
30.0	437.04	437.04	437.24	438.21	438.80	439.77	440.55	440.94	441.72
40.0	431.00	431.19	431.78	432.17	432.95	433.73	434.12	434.70	435.09
50.0	435.48	435.87	436.26	437.04	437.63	438.21	438.99	439.38	440.16
60.0	436.26	436.85	437.04	437.43	437.82	438.60	439.38	439.97	440.75
70.0	435.48	435.68	435.68	436.46	437.24	437.82	438.60	439.38	439.58
80.0	437.63	437.82	438.02	438.60	439.19	439.97	441.14	441.92	442.70
90.0	439.58	439.97	440.36	441.14	442.11	442.70	443.87	444.84	445.62
100.0	440.36	440.36	440.75	441.14	441.92	442.50	443.48	444.45	445.04
110.0	440.75	440.75	441.14	441.72	441.92	442.89	443.28	444.45	445.04
120.0	441.14	441.14	441.33	441.53	442.11	442.89	443.48	444.45	445.43
130.0	441.92	441.92	441.92	442.31	443.09	443.67	444.26	444.84	445.62
140.0	442.50	442.50	442.70	442.70	443.28	444.06	444.65	445.23	446.01
150.0	443.09	443.09	443.09	443.28	443.67	444.65	445.04	446.01	446.40
160.0	441.92	441.72	441.92	442.31	443.28	444.45	444.84	445.82	446.79
170.0	441.92	441.33	441.53	441.72	442.31	443.09	444.06	445.23	446.01
180.0	441.33	441.14	441.14	441.53	442.11	442.70	443.67	444.65	445.43
190.0	437.63	437.82	437.82	438.60	438.99	439.58	440.36	441.53	442.50
200.0	437.04	437.04	437.24	437.24	438.02	438.99	439.77	441.14	441.92
210.0	437.04	436.85	437.24	437.24	438.02	438.80	439.38	440.75	441.72
220.0	431.00	431.00	431.19	431.58	431.78	432.75	434.12	434.70	435.68
230.0	435.48	435.48	435.87	436.07	436.85	438.02	438.80	439.77	440.36
240.0	436.26	436.26	436.46	436.85	437.82	438.99	439.77	440.55	441.53
250.0	435.48	435.48	435.48	436.26	437.24	438.02	438.99	439.97	440.75
260.0	437.63	437.82	438.02	438.41	439.38	440.16	440.75	442.31	443.28
270.0	439.58	439.58	439.77	440.16	440.75	441.53	442.31	443.28	444.06
280.0	440.36	440.55	440.94	441.53	442.50	443.28	444.45	445.23	446.01
290.0	440.75	440.94	441.33	441.72	442.89	443.87	444.65	445.62	446.60
300.0	441.14	441.33	441.72	442.70	443.28	444.06	444.84	445.43	446.01
310.0	441.92	442.31	442.50	443.28	444.06	444.65	445.62	446.21	446.79
320.0	442.50	442.70	443.09	443.87	444.45	445.43	446.21	446.99	447.77
330.0	443.09	443.48	444.06	444.65	445.04	446.21	447.18	447.96	448.74
340.0	441.92	441.92	442.50	443.09	443.67	444.26	445.43	446.01	446.99
350.0	441.92	442.31	442.50	443.09	443.67	445.04	446.21	446.79	447.96
360.0	436.26	441.92	442.11	442.89	444.06	444.65	445.62	446.60	447.38

Page: 14 Total:34

# 吊灯

Intensity data(cd)

Page: 15 Total:34

C/γ(°)	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0
0.0	447.96	448.94	449.33	449.52	449.52	449.52	449.33	448.74	448.35
10.0	443.28	443.87	444.06	444.84	444.84	444.84	444.84	444.26	444.06
20.0	442.89	443.28	443.48	443.67	443.48	443.48	443.48	442.89	441.92
30.0	442.11	442.50	442.70	442.50	442.50	441.92	441.53	440.55	439.58
40.0	435.87	435.87	435.87	435.68	435.29	434.90	433.92	432.56	431.39
50.0	440.55	440.75	440.55	440.36	440.16	439.38	438.41	437.43	436.07
60.0	440.94	441.14	441.53	441.53	440.94	440.55	440.16	438.99	437.43
70.0	440.55	440.94	441.33	441.53	441.53	441.53	441.14	440.16	439.19
80.0	443.67	444.06	444.84	445.04	445.04	445.23	444.65	444.45	443.67
90.0	446.21	446.60	447.18	447.38	447.38	447.18	446.79	446.01	445.04
100.0	446.01	446.40	447.38	447.96	448.16	448.16	447.77	447.18	446.60
110.0	446.01	446.60	447.57	447.77	447.96	447.57	447.38	446.99	445.62
120.0	446.01	446.60	447.18	447.18	447.18	446.99	446.21	445.23	443.67
130.0	446.21	446.60	446.79	446.79	446.40	446.01	445.04	444.26	442.89
140.0	446.60	446.99	447.18	446.99	446.79	446.40	445.62	444.06	442.50
150.0	447.38	447.77	447.96	447.96	447.96	447.57	446.99	445.82	444.84
160.0	447.38	447.96	448.55	448.74	448.55	448.55	448.16	447.38	446.01
170.0	446.79	447.77	448.94	449.52	450.11	450.30	450.69	451.08	450.50
180.0	446.40	447.77	448.35	449.13	450.11	450.69	450.89	451.08	451.08
190.0	443.87	445.04	445.62	446.60	447.38	447.77	448.35	448.55	448.55
200.0	443.09	444.26	445.43	445.82	446.21	446.99	447.38	447.18	446.99
210.0	442.50	443.48	444.06	444.26	444.65	444.84	444.84	444.45	443.87
220.0	436.85	437.24	437.82	438.41	438.80	438.60	438.21	437.63	436.65
230.0	441.14	441.92	442.70	443.09	443.09	443.09	442.70	441.72	441.14
240.0	442.70	442.70	443.67	444.26	444.65	444.65	444.45	444.26	443.28
250.0	442.11	442.70	443.28	444.06	444.65	444.84	444.84	445.04	444.65
260.0	444.26	445.43	446.40	446.79	447.57	448.35	448.55	448.55	448.35
270.0	445.23	446.01	446.79	447.96	448.55	448.94	449.52	449.72	449.91
280.0	446.99	448.16	448.55	449.72	450.50	450.89	451.28	451.28	451.08
290.0	446.21	447.18	447.57	448.16	449.13	449.33	449.13	449.13	448.94
300.0	446.99	447.38	448.16	448.74	448.94	448.94	448.94	448.74	448.16
310.0	447.38	447.77	448.16	448.55	448.55	448.35	447.96	447.18	446.60
320.0	447.96	448.55	448.94	448.94	448.94	448.55	448.35	447.57	446.40
330.0	449.52	449.72	450.30	450.69	450.69	450.50	450.11	449.72	448.74
340.0	447.96	448.74	449.33	449.72	450.11	450.50	450.50	450.11	449.72
350.0	448.74	449.13	449.91	450.11	450.50	450.69	450.50	450.30	449.91
360.0	447.96	448.94	449.33	449.52	449.52	449.52	449.33	448.74	448.35

# 吊灯

Intensity data(cd)									Page: 16 Total:34
C/γ(°)	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0
0.0	447.38	446.21	445.23	443.28	441.53	439.97	437.24	434.31	431.97
10.0	443.09	441.72	440.94	439.19	436.85	435.29	433.14	429.44	427.88
20.0	440.55	439.58	437.82	435.87	434.31	431.78	428.27	425.93	422.61
30.0	438.41	436.46	434.70	431.78	429.63	426.90	424.56	420.27	416.57
40.0	430.02	427.88	426.32	423.98	420.66	418.32	415.20	410.71	407.59
50.0	433.92	432.56	430.61	427.49	426.12	422.42	418.91	416.37	411.30
60.0	436.46	434.51	432.36	430.80	427.68	424.95	422.42	419.49	414.62
70.0	438.21	436.65	435.29	433.53	431.00	429.05	426.12	422.03	419.30
80.0	442.89	441.53	439.77	438.21	436.65	433.92	431.39	429.05	424.76
90.0	443.87	442.11	440.55	438.60	435.48	433.34	430.22	427.49	423.39
100.0	445.43	444.45	441.92	439.77	437.82	434.31	431.00	427.68	424.95
110.0	444.45	442.89	440.16	438.21	435.48	431.58	428.85	425.34	421.44
120.0	442.50	440.16	437.04	434.70	431.78	429.24	425.73	420.86	417.93
130.0	440.16	438.41	435.68	431.58	429.05	425.34	420.86	418.91	413.45
140.0	441.14	438.02	434.90	431.00	428.66	424.95	422.22	417.35	412.66
150.0	443.09	440.55	438.60	435.48	431.78	429.44	425.73	420.66	417.74
160.0	445.04	442.70	440.55	438.41	434.70	431.58	429.24	424.56	420.47
170.0	449.91	448.94	447.38	446.21	443.87	440.75	438.60	435.68	431.39
180.0	450.69	450.11	449.33	447.77	446.21	444.65	441.92	439.19	436.85
190.0	447.96	446.79	446.01	444.06	442.11	440.55	438.02	435.68	431.58
200.0	446.40	445.62	444.45	442.31	440.36	437.04	434.70	431.19	428.46
210.0	443.09	441.92	439.58	438.02	435.48	431.78	429.63	425.93	420.86
220.0	435.48	434.31	431.58	429.05	426.90	422.81	419.10	416.18	410.71
230.0	439.97	437.63	435.87	433.14	429.24	427.10	423.20	417.93	415.40
240.0	441.72	440.55	438.41	435.68	433.53	430.61	428.07	424.17	419.10
250.0	443.67	442.70	441.33	439.58	437.04	435.09	432.17	428.07	425.34
260.0	447.96	447.18	445.62	444.65	442.89	440.36	438.60	435.87	432.75
270.0	449.72	449.52	449.13	447.77	446.79	445.62	443.48	441.33	439.77
280.0	450.69	450.11	449.52	448.35	446.99	445.82	443.48	441.14	438.80
290.0	448.55	447.77	447.18	446.21	444.65	442.11	440.16	437.24	433.14
300.0	447.38	446.60	445.04	443.09	441.14	437.63	434.70	432.36	429.24
310.0	445.62	443.87	442.50	439.77	435.87	434.51	430.41	427.49	425.15
320.0	445.62	443.87	441.92	439.77	437.04	432.95	430.41	427.10	422.81
330.0	447.38	446.60	444.26	442.11	439.97	436.26	432.95	430.41	426.12
340.0	449.33	448.16	447.18	446.01	444.26	441.33	438.21	435.68	431.19
350.0	448.74	447.77	446.60	444.84	443.28	441.14	439.19	435.29	431.58
360.0	447.38	446.21	445.23	443.28	441.53	439.97	437.24	434.31	431.97



# 吊灯

Intensity data(cd)

Page: 17 Total:34

C/γ(°)	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0
0.0	427.49	423.20	419.88	414.03	409.15	405.06	399.79	393.55	389.46
10.0	423.78	420.08	417.15	411.69	407.01	403.11	396.28	390.24	385.17
20.0	417.93	415.01	410.91	404.47	400.18	394.14	385.36	379.90	372.88
30.0	413.45	407.40	401.94	397.45	390.82	382.44	376.98	370.15	361.57
40.0	402.72	395.70	390.63	383.80	375.22	370.15	363.32	356.30	351.04
50.0	406.42	402.13	393.94	386.92	381.46	372.69	365.86	360.40	351.43
60.0	411.10	406.03	398.43	393.36	386.53	377.76	372.69	365.86	357.08
70.0	415.20	410.91	407.20	400.18	394.14	388.68	380.10	374.83	367.81
80.0	421.83	417.93	413.06	409.35	402.52	396.48	387.90	382.05	373.66
90.0	417.74	412.66	408.57	401.55	395.70	391.02	382.63	377.37	369.96
100.0	419.88	416.37	411.88	405.64	401.35	395.11	386.53	380.88	372.49
110.0	418.32	412.47	407.59	403.30	395.11	387.90	382.44	373.86	367.03
120.0	413.25	406.81	401.94	395.11	386.53	381.66	375.42	367.42	362.74
130.0	408.37	403.89	395.50	388.48	383.80	375.81	369.57	364.88	357.08
140.0	408.57	402.52	393.94	388.87	382.44	374.64	370.15	363.71	355.91
150.0	413.25	406.23	403.11	394.53	387.70	382.83	374.64	368.59	363.91
160.0	417.35	411.30	405.06	399.99	393.36	385.56	380.88	374.83	367.03
170.0	428.85	425.15	419.88	416.18	411.30	405.45	400.57	391.60	384.19
180.0	432.75	428.66	425.34	419.69	414.42	410.52	405.06	400.77	393.55
190.0	427.68	424.56	418.91	413.64	406.42	401.55	394.92	386.34	381.27
200.0	424.17	418.52	414.81	408.96	401.35	397.06	390.82	383.41	378.73
210.0	417.35	412.08	404.47	400.18	394.72	387.70	383.02	376.59	369.96
220.0	405.25	400.96	393.75	388.09	383.80	377.95	370.15	365.08	357.67
230.0	408.96	403.11	399.01	391.99	386.53	382.24	374.25	367.42	361.96
240.0	413.84	409.54	402.52	397.06	393.16	385.75	381.46	374.83	366.25
250.0	421.25	415.20	410.91	405.45	398.23	393.94	388.09	380.49	375.61
260.0	430.22	425.15	421.64	416.76	409.74	405.06	398.62	390.24	383.41
270.0	437.04	433.14	430.41	426.12	420.27	416.18	410.32	402.33	397.45
280.0	434.70	431.00	427.88	422.22	417.35	413.64	407.01	400.77	396.09
290.0	431.00	427.49	423.00	419.88	415.20	408.18	403.30	396.67	387.31
300.0	425.73	423.00	418.71	411.30	406.42	399.40	391.02	385.36	377.56
310.0	420.66	415.98	411.69	402.91	395.50	390.04	380.29	372.88	367.62
320.0	420.08	415.20	407.20	401.55	394.33	384.58	378.73	371.32	362.54
330.0	422.22	419.10	412.47	405.25	399.79	390.82	383.41	377.76	368.79
340.0	428.27	424.56	420.08	416.96	412.08	404.47	399.21	392.38	384.97
350.0	426.32	423.00	418.52	412.86	409.35	404.08	399.60	393.36	384.58
360.0	427.49	423.20	419.88	414.03	409.15	405.06	399.79	393.55	389.46

# 吊灯

Intensity data(cd)										Page: 18 Total:34
C/γ(°)	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	
0.0	383.22	374.44	368.98	360.98	350.26	343.43	334.07	321.98	314.96	
10.0	376.20	368.79	362.93	353.57	345.97	340.31	332.51	322.96	316.91	
20.0	363.71	358.45	351.23	344.21	338.56	329.00	320.81	314.37	303.26	
30.0	356.30	349.28	340.51	334.46	325.88	314.96	308.52	300.14	290.00	
40.0	342.07	334.46	328.42	317.49	308.33	301.70	290.97	282.78	276.35	
50.0	344.21	338.36	329.98	318.66	311.25	302.09	291.36	285.12	276.74	
60.0	351.82	344.02	334.27	328.03	319.25	310.08	303.65	292.92	284.73	
70.0	358.84	351.43	345.77	336.41	328.42	321.98	310.28	305.79	294.87	
80.0	367.62	357.67	349.87	344.02	334.27	326.47	320.42	310.08	301.70	
90.0	360.40	354.35	345.77	336.80	335.63	326.86	320.03	309.50	301.31	
100.0	362.54	357.08	349.67	340.70	337.00	328.03	320.42	314.76	305.21	
110.0	361.96	353.57	346.75	341.48	332.12	323.93	317.88	309.69	299.36	
120.0	356.69	348.31	344.60	335.24	327.05	320.61	310.28	302.28	296.63	
130.0	350.26	344.60	335.05	326.86	320.22	311.84	301.50	295.46	287.85	
140.0	350.65	343.43	333.29	327.25	318.66	307.94	304.04	293.70	286.10	
150.0	356.30	349.67	344.41	334.85	326.86	320.81	310.28	302.48	296.43	
160.0	362.35	355.72	346.36	340.70	332.71	322.18	316.32	308.33	300.72	
170.0	378.93	370.15	363.32	358.06	349.28	342.26	337.00	327.64	319.05	
180.0	387.31	378.34	372.10	363.91	353.77	347.72	339.92	333.88	324.52	
190.0	374.44	369.57	363.13	354.55	349.09	341.48	331.15	322.37	315.74	
200.0	372.49	363.71	358.06	350.45	340.51	336.22	325.69	317.30	306.96	
210.0	364.49	355.33	347.14	341.09	331.34	323.74	318.27	309.11	301.31	
220.0	348.11	342.26	334.07	324.32	318.86	311.45	302.09	296.24	288.44	
230.0	352.21	343.82	337.39	327.64	319.83	313.98	306.18	296.04	289.80	
240.0	360.59	352.79	344.41	334.27	328.42	321.00	315.54	305.79	297.80	
250.0	368.79	361.57	356.30	346.55	340.51	332.32	322.37	314.96	309.11	
260.0	378.34	369.57	362.15	356.89	349.28	343.43	333.10	324.91	314.18	
270.0	390.63	381.85	376.39	369.18	361.96	356.50	347.14	339.14	332.90	
280.0	387.12	379.32	373.27	365.08	354.35	347.92	339.34	328.22	321.59	
290.0	381.27	373.47	365.47	359.81	349.67	341.29	335.24	324.52	315.74	
300.0	368.59	363.13	355.72	345.97	339.53	330.95	320.03	313.40	304.62	
310.0	358.45	350.84	344.80	336.02	324.71	317.88	308.91	297.99	291.36	
320.0	357.08	349.67	341.29	334.46	322.96	313.79	307.35	296.04	287.27	
330.0	361.57	356.11	348.50	337.58	330.95	321.79	310.67	304.04	295.07	
340.0	379.32	369.76	362.15	356.30	346.94	338.95	332.32	321.79	313.40	
350.0	378.93	371.13	360.98	352.79	346.94	337.00	330.95	322.37	311.84	
360.0	383.22	374.44	368.98	360.98	350.26	343.43	334.07	321.98	314.96	

# 吊灯

Intensity data(cd)										Page: 19 Total:34
C/γ(°)	45.0	46.0	47.0	48.0	49.0	50.0	51.0	52.0	53.0	
0.0	305.79	294.29	290.00	279.08	270.10	263.47	252.36	243.58	236.56	
10.0	308.52	297.41	290.78	281.61	270.30	263.28	254.50	243.19	236.56	
20.0	294.68	288.24	277.91	269.32	263.08	252.55	244.17	237.93	227.20	
30.0	283.95	275.57	266.79	260.16	249.82	242.02	235.98	225.64	217.06	
40.0	265.42	256.06	249.04	239.10	231.88	226.22	218.03	207.70	201.65	
50.0	265.42	258.21	248.85	238.32	232.47	224.47	214.13	207.70	199.51	
60.0	278.69	267.96	258.79	252.16	242.02	234.03	227.78	217.45	209.26	
70.0	286.68	280.64	270.30	261.52	250.60	244.36	236.17	226.22	219.98	
80.0	295.26	286.29	275.37	269.13	260.74	250.02	243.19	234.42	224.27	
90.0	295.26	285.32	279.47	271.66	261.72	253.72	247.48	236.76	228.37	
100.0	297.02	290.78	280.25	271.66	265.62	255.67	247.87	242.02	231.88	
110.0	293.31	285.71	276.35	270.88	263.08	252.94	246.90	238.71	228.56	
120.0	287.07	279.86	274.20	264.45	256.45	250.21	239.68	232.08	226.03	
130.0	279.08	273.22	264.84	254.70	248.07	239.29	229.54	224.27	216.86	
140.0	280.64	270.49	262.11	256.26	245.14	236.37	230.71	221.15	213.55	
150.0	289.02	279.66	273.81	266.20	256.06	249.63	241.24	231.88	226.22	
160.0	294.87	285.71	278.30	272.05	261.91	253.92	247.48	237.34	229.54	
170.0	314.57	301.31	292.53	286.10	277.91	267.76	261.72	253.72	243.58	
180.0	316.91	310.86	300.53	291.75	283.17	276.54	265.62	256.65	250.41	
190.0	304.43	297.80	289.22	278.49	272.05	263.67	253.33	245.34	239.10	
200.0	300.92	292.92	287.07	276.93	268.93	262.69	252.36	243.97	237.73	
210.0	295.26	285.12	276.93	270.88	260.55	252.36	246.31	238.12	228.17	
220.0	278.30	272.05	264.25	255.87	249.24	238.90	230.91	224.86	214.91	
230.0	281.42	271.27	265.03	256.06	244.95	238.51	230.32	220.18	214.13	
240.0	291.56	281.22	272.83	262.89	256.65	247.87	241.44	231.30	223.30	
250.0	299.36	291.56	285.71	275.18	269.13	260.74	250.21	241.83	235.98	
260.0	308.13	299.75	290.19	284.34	276.15	270.30	259.96	251.97	245.53	
270.0	321.98	313.20	306.77	296.04	287.66	281.03	269.91	261.13	254.70	
280.0	313.01	302.09	295.65	287.27	276.35	269.91	261.33	250.41	243.97	
290.0	309.30	298.19	289.41	282.78	271.47	262.69	256.26	247.48	236.76	
300.0	293.51	286.88	278.10	267.37	261.33	252.75	244.36	237.93	227.20	
310.0	282.78	271.27	264.25	255.67	245.14	238.90	230.71	219.98	213.55	
320.0	280.44	268.54	259.38	252.75	242.02	233.64	227.39	216.47	207.70	
330.0	284.34	277.71	268.74	258.21	251.58	243.19	234.61	228.37	217.84	
340.0	306.57	295.46	286.68	280.25	262.69	260.55	254.11	245.53	234.81	
350.0	305.40	296.24	284.73	275.76	268.93	259.57	252.94	241.83	232.66	
360.0	305.79	294.29	290.00	279.08	270.10	263.47	252.36	243.58	236.56	

# 吊灯

Intensity data(cd)										Page: 20 Total:34	
C/γ(°)	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0		
0.0	224.86	215.30	207.70	195.80	186.05	179.03	167.52	160.70	152.31		
10.0	227.98	216.86	210.04	200.87	191.51	184.49	172.79	163.62	156.80		
20.0	219.01	212.57	204.77	194.83	188.39	180.00	169.47	163.43	155.24		
30.0	211.01	200.68	192.49	186.05	175.71	167.72	161.48	151.92	144.51		
40.0	193.66	184.10	177.86	169.47	159.33	153.29	145.49	136.71	131.64		
50.0	191.51	185.47	175.13	166.74	160.70	150.56	142.95	137.49	128.91		
60.0	203.02	192.88	184.69	178.83	170.45	160.31	154.26	146.66	137.49		
70.0	211.79	205.55	195.80	187.61	179.81	173.57	163.43	155.63	149.78		
80.0	216.28	210.04	199.70	194.05	186.05	175.91	171.81	161.09	152.51		
90.0	222.13	213.94	207.50	197.17	188.39	181.76	171.03	162.45	151.92		
100.0	223.88	217.84	209.45	199.12	193.07	184.30	173.57	167.13	158.36		
110.0	222.71	214.72	204.77	200.87	191.32	183.52	177.86	167.72	159.72		
120.0	218.81	209.45	203.21	193.07	185.27	179.22	171.23	161.28	155.63		
130.0	207.50	201.07	193.07	185.08	179.22	168.89	160.70	154.85	144.90		
140.0	207.89	198.14	189.95	184.10	176.30	165.77	159.53	151.34	141.39		
150.0	218.42	208.67	202.82	195.02	185.08	179.03	170.84	162.84	156.80		
160.0	223.30	213.16	205.16	199.31	189.37	181.56	175.71	167.72	157.97		
170.0	237.15	228.76	218.62	212.77	204.58	194.05	187.81	179.42	171.03		
180.0	239.88	233.64	224.47	213.55	205.16	199.12	188.59	179.81	173.37		
190.0	231.10	224.86	214.72	206.53	200.29	189.95	181.37	174.93	164.21		
200.0	227.78	219.59	213.55	205.36	195.41	189.17	181.17	171.23	165.38		
210.0	221.93	213.94	203.60	197.75	189.56	179.61	173.37	160.89	149.97		
220.0	207.11	201.07	191.32	183.52	177.86	167.91	160.31	154.46	145.10		
230.0	206.14	196.00	189.95	182.15	174.35	168.50	158.36	150.56	144.90		
240.0	217.25	209.26	199.51	193.46	185.66	175.91	168.11	162.26	152.70		
250.0	228.17	218.23	211.99	203.80	193.85	187.81	180.00	173.96	164.21		
260.0	234.81	226.61	218.03	211.79	201.46	193.07	186.64	175.52	168.89		
270.0	244.17	235.98	229.74	220.96	214.52	203.21	194.44	182.93	176.10		
280.0	235.39	227.00	220.76	209.84	200.68	194.24	182.73	173.57	166.74		
290.0	230.52	221.74	211.01	204.77	196.39	185.86	179.42	171.03	160.50		
300.0	218.62	211.99	201.07	192.68	186.25	175.91	167.72	161.67	151.73		
310.0	204.77	196.19	189.95	179.03	169.67	163.62	155.63	145.88	140.22		
320.0	201.26	193.07	182.34	175.71	167.33	156.99	150.95	143.15	133.98		
330.0	209.06	202.63	192.10	183.52	177.08	166.74	158.75	152.70	142.95		
340.0	228.37	219.40	208.48	202.04	193.66	182.93	176.49	168.11	157.77		
350.0	225.83	214.72	205.75	198.92	187.61	178.44	166.74	159.92	150.75		
360.0	224.86	215.30	207.70	195.80	186.05	179.03	167.52	160.70	152.31		

# 吊灯

Intensity data(cd)

Page: 21 Total:34

C/γ(°)	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0
0.0	144.12	133.98	128.13	120.13	110.58	104.73	96.93	86.98	80.93
10.0	145.88	137.69	132.03	122.67	117.40	110.38	101.02	93.22	87.37
20.0	144.90	138.86	130.66	120.52	114.67	106.68	97.32	94.00	85.42
30.0	138.86	131.64	122.67	117.21	109.99	100.63	95.17	87.95	79.37
40.0	124.62	117.79	112.33	103.75	96.54	91.07	82.49	76.45	71.96
50.0	122.47	117.01	108.43	101.22	95.95	87.17	80.35	75.67	70.01
60.0	132.42	125.40	116.62	111.36	104.34	95.56	90.29	83.47	75.67
70.0	140.42	134.76	127.35	118.38	112.72	105.31	96.15	88.73	83.27
80.0	146.27	135.93	127.54	120.33	115.26	106.87	99.85	94.59	87.56
90.0	146.07	138.27	128.71	123.45	116.23	111.16	102.78	95.95	90.88
100.0	147.63	141.59	133.59	124.23	119.16	112.53	104.34	99.27	92.25
110.0	153.68	143.54	135.73	129.88	120.52	113.31	108.04	98.88	91.86
120.0	148.02	138.86	133.20	126.37	117.60	112.53	105.51	96.93	91.66
130.0	137.88	132.61	124.03	117.60	112.33	103.75	97.12	91.86	83.86
140.0	135.73	128.71	120.52	116.04	109.21	101.02	95.76	89.12	81.32
150.0	147.24	140.03	134.56	125.98	119.35	114.28	106.09	99.07	94.20
160.0	152.31	144.51	135.15	129.69	122.47	113.50	108.04	100.63	91.66
170.0	164.60	153.87	145.49	139.05	129.30	121.89	116.62	108.24	103.56
180.0	162.65	158.55	148.41	140.42	134.56	125.20	117.79	108.82	103.75
190.0	155.82	145.29	139.25	131.44	125.79	117.01	110.19	105.51	98.88
200.0	157.38	147.83	142.17	134.37	125.20	119.74	112.33	103.36	97.90
210.0	144.90	137.88	130.86	125.79	117.79	111.16	106.29	97.90	91.46
220.0	138.08	132.61	126.18	117.99	112.92	106.09	97.32	92.44	86.00
230.0	135.93	128.91	124.23	116.04	109.21	104.14	95.37	88.54	83.47
240.0	147.24	139.83	131.05	126.18	119.35	110.58	105.31	98.29	91.46
250.0	156.41	146.85	141.20	133.78	124.42	118.77	111.36	103.56	97.90
260.0	159.72	149.00	142.95	134.76	125.20	118.38	113.31	104.73	99.27
270.0	167.13	156.41	150.17	141.78	132.03	126.37	118.38	109.02	105.12
280.0	155.63	146.85	140.61	130.86	123.25	117.99	110.97	102.00	96.34
290.0	154.65	146.27	135.93	130.08	122.08	114.28	108.43	98.88	91.66
300.0	144.12	138.47	129.30	121.89	116.43	109.02	99.66	94.00	86.98
310.0	133.00	124.03	118.57	110.77	101.61	95.95	88.54	81.91	77.03
320.0	128.91	121.50	111.94	106.29	98.49	89.12	84.05	77.42	71.18
330.0	135.54	130.08	120.52	112.92	107.26	99.66	90.49	85.22	78.40
340.0	151.53	143.73	133.78	129.69	119.94	111.75	105.90	96.15	88.73
350.0	144.32	136.12	126.76	121.30	114.09	104.73	98.88	91.27	81.71
360.0	144.12	133.98	128.13	120.13	110.58	104.73	96.93	86.98	80.93

# 吊灯

Intensity data(cd)									Page: 22 Total:34
C/γ(°)	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0
0.0	73.33	67.67	58.70	51.10	42.71	39.00	34.91	30.81	26.91
10.0	77.81	70.01	64.55	57.53	49.54	45.05	39.59	35.49	29.64
20.0	78.59	73.52	65.14	58.12	52.85	44.46	38.61	34.71	28.67
30.0	74.30	67.87	60.26	55.97	50.12	43.10	40.37	33.54	28.08
40.0	64.36	58.31	54.22	47.59	42.51	39.00	33.35	28.67	24.77
50.0	62.80	58.12	52.66	45.83	42.12	37.64	32.37	28.86	23.60
60.0	70.99	64.75	58.90	54.61	47.98	42.71	38.81	32.76	27.69
70.0	75.08	68.65	64.16	58.12	54.02	46.61	40.95	36.66	30.42
80.0	79.37	74.50	67.28	58.31	52.85	46.81	40.17	36.47	31.98
90.0	83.47	74.30	67.09	62.02	53.05	48.17	42.12	35.88	33.15
100.0	84.83	79.37	70.60	63.77	58.31	49.93	44.07	39.98	34.13
110.0	86.39	79.96	72.16	67.48	61.04	52.66	47.78	41.73	35.10
120.0	84.83	76.64	73.52	65.72	59.87	55.58	48.37	42.71	38.61
130.0	77.81	73.13	67.09	60.26	56.17	50.32	43.49	39.59	34.91
140.0	76.64	70.99	65.33	61.43	55.00	49.34	45.05	38.42	34.13
150.0	86.00	79.76	74.89	67.48	61.82	57.53	52.07	45.24	41.15
160.0	86.39	79.57	71.38	66.89	61.43	55.78	51.29	43.88	38.03
170.0	96.93	88.34	81.52	76.45	68.06	61.04	55.97	49.54	42.71
180.0	96.93	91.86	83.27	76.06	70.79	62.02	55.19	49.93	43.49
190.0	90.49	85.22	78.40	69.82	62.41	57.14	49.34	45.24	39.78
200.0	90.88	82.49	77.81	71.57	64.16	59.48	53.05	46.61	41.93
210.0	86.39	78.40	72.16	67.67	60.65	55.00	50.90	44.27	39.00
220.0	78.20	73.72	68.06	61.04	56.75	51.29	44.66	41.93	36.27
230.0	75.86	70.21	66.31	60.85	53.83	49.73	44.46	38.42	34.91
240.0	83.08	78.40	72.16	67.67	60.46	54.80	50.71	43.88	38.61
250.0	88.73	83.66	77.42	69.62	63.58	58.90	51.10	44.66	40.17
260.0	92.05	84.64	79.18	70.01	62.60	57.53	49.73	44.07	37.44
270.0	95.95	88.73	82.88	73.52	66.31	61.04	52.07	45.63	41.34
280.0	88.34	78.79	73.13	65.53	56.95	52.27	46.22	39.78	35.88
290.0	86.39	78.20	71.38	66.31	57.92	51.29	46.81	39.59	33.93
300.0	78.40	73.33	66.89	59.48	55.19	49.34	42.32	38.22	32.76
310.0	69.23	62.99	58.51	51.49	46.42	42.71	36.66	31.79	27.89
320.0	66.89	59.29	53.63	49.54	43.49	38.81	35.10	29.06	23.60
330.0	70.21	65.72	59.87	52.66	47.20	43.10	36.27	32.37	27.11
340.0	83.27	74.89	68.45	63.58	55.78	49.34	44.66	37.05	28.08
350.0	74.11	68.26	58.90	53.83	47.78	41.15	37.05	31.98	27.11
360.0	73.33	67.67	58.70	51.10	42.71	39.00	34.91	30.81	26.91

# 吊灯

Intensity data(cd)										Page: 23 Total:34	
C/γ(°)	81.0	82.0	83.0	84.0	85.0	86.0	87.0	88.0	89.0		
0.0	20.67	16.19	13.26	8.58	6.05	3.71	1.56	0.78	0.78		
10.0	28.47	18.92	15.99	11.90	7.61	5.27	3.12	1.37	1.37		
20.0	23.60	19.89	14.63	10.92	8.39	5.27	2.34	1.37	0.78		
30.0	24.38	18.53	14.04	11.51	7.41	4.49	2.73	1.17	0.59		
40.0	20.09	14.63	11.90	8.78	5.27	3.51	1.56	0.20	0.20		
50.0	17.55	14.63	10.92	7.22	6.05	3.12	1.37	0.20	0.00		
60.0	23.79	17.94	14.82	10.92	7.22	4.68	2.93	1.17	0.59		
70.0	25.74	19.70	16.58	12.48	8.39	6.24	3.71	2.54	1.37		
80.0	26.13	22.43	17.94	13.85	11.31	7.22	5.07	3.12	1.56		
90.0	29.06	23.01	19.70	15.60	10.92	7.61	5.27	3.12	2.15		
100.0	29.45	26.13	20.48	19.31	13.07	8.97	5.85	3.90	2.15		
110.0	31.20	26.72	20.67	17.36	13.26	9.17	6.83	4.10	2.34		
120.0	32.18	26.91	23.21	17.36	13.26	10.53	6.83	4.10	2.54		
130.0	29.45	25.94	21.06	15.41	12.48	9.17	6.05	4.49	1.95		
140.0	31.20	25.55	20.48	16.97	12.09	8.78	6.83	3.90	1.56		
150.0	35.88	30.03	26.33	21.26	15.80	12.68	9.36	5.85	3.90		
160.0	33.93	27.89	23.21	19.50	14.43	10.73	8.58	4.68	2.73		
170.0	38.81	33.93	30.42	24.57	20.28	15.02	12.29	8.97	5.27		
180.0	36.86	32.76	30.23	24.57	21.26	17.16	12.09	9.56	6.63		
190.0	33.74	30.23	25.74	20.28	18.14	13.26	9.95	6.24	4.29		
200.0	35.30	30.42	27.11	21.06	16.97	14.04	9.75	6.63	4.49		
210.0	35.10	30.03	23.99	20.48	16.19	11.51	9.17	6.24	3.12		
220.0	31.98	28.28	21.84	17.55	14.43	10.34	7.41	5.27	2.54		
230.0	30.81	24.57	20.67	16.19	11.70	9.36	6.83	3.71	2.54		
240.0	34.91	28.47	23.40	19.89	14.63	10.92	8.58	5.85	2.93		
250.0	33.54	28.86	24.96	20.28	16.97	12.29	8.78	4.88	3.32		
260.0	33.54	29.06	25.35	19.50	15.41	12.48	8.19	5.07	2.93		
270.0	35.88	33.15	28.47	22.23	17.75	14.63	10.92	6.83	4.68		
280.0	31.01	25.35	21.65	17.36	13.26	10.53	6.44	3.90	2.34		
290.0	30.42	24.18	19.50	16.19	12.09	7.80	5.66	3.12	1.37		
300.0	26.13	22.43	17.75	13.46	10.92	6.83	4.29	2.54	1.17		
310.0	21.65	17.16	14.04	9.75	7.02	4.88	2.73	0.78	0.20		
320.0	20.09	15.21	11.31	9.17	6.05	3.32	1.76	0.20	1.56		
330.0	20.87	17.55	13.46	9.75	7.41	4.10	1.95	1.17	0.39		
340.0	23.01	17.36	14.24	10.53	6.44	4.49	2.34	1.17	0.78		
350.0	23.40	17.55	13.65	8.97	6.44	3.90	2.34	1.17	0.98		
360.0	20.67	16.19	13.26	8.58	6.05	3.71	1.56	0.78	0.78		

吊灯

Intensity data(cd)									Page: 24 Total:34
C/γ(°)	90.0	91.0	92.0	93.0	94.0	95.0	96.0	97.0	98.0
0.0	0.78	0.98	0.78	0.78	0.78	1.17	1.37	1.76	1.76
10.0	1.17	1.17	1.17	1.17	1.17	1.37	1.37	1.56	1.56
20.0	0.78	0.98	1.17	1.17	1.17	0.98	1.37	1.56	1.56
30.0	0.78	0.78	0.98	0.78	0.78	0.78	0.78	0.98	1.37
40.0	0.20	0.20	0.39	0.20	0.20	0.20	0.20	0.39	0.59
50.0	0.00	0.00	0.20	0.20	0.20	0.00	0.20	0.20	0.78
60.0	0.59	0.59	0.78	0.78	0.78	0.59	0.78	0.98	1.17
70.0	1.37	1.17	1.37	1.37	1.17	1.17	1.17	1.37	1.56
80.0	1.17	1.17	1.37	1.37	1.37	1.37	1.56	1.56	2.15
90.0	1.17	1.17	1.17	1.37	1.17	1.17	1.37	1.56	1.76
100.0	1.37	1.17	1.17	1.37	1.37	1.37	1.37	1.37	1.56
110.0	1.37	1.17	0.98	1.17	1.17	1.37	1.37	1.17	1.17
120.0	1.37	0.78	0.78	0.78	0.78	0.78	0.78	0.98	0.98
130.0	0.59	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.39
140.0	0.59	0.20	0.00	0.20	0.20	0.20	0.20	0.20	0.20
150.0	1.95	0.98	0.59	0.59	0.78	0.78	0.78	0.78	0.78
160.0	1.76	1.37	1.17	1.37	1.17	1.17	1.17	1.17	1.37
170.0	3.51	2.15	1.37	1.17	1.37	1.37	1.37	1.37	1.37
180.0	3.51	2.15	1.37	1.17	1.17	1.17	1.17	1.17	1.17
190.0	2.34	1.56	1.17	1.17	1.37	1.17	1.17	1.37	1.37
200.0	2.15	1.17	0.98	1.17	1.37	1.17	1.17	0.98	1.17
210.0	1.95	0.78	0.39	0.39	0.59	0.59	0.59	0.59	0.59
220.0	0.59	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
230.0	0.20	0.00	0.20	0.20	0.20	0.00	0.20	0.20	0.78
240.0	1.56	0.59	0.20	0.39	0.59	0.59	0.20	0.39	0.39
250.0	1.56	0.78	0.78	0.78	0.78	0.78	0.59	0.78	0.78
260.0	1.76	0.98	0.98	0.98	1.17	0.98	0.98	0.98	0.98
270.0	2.54	1.17	0.78	0.78	0.98	0.98	0.98	1.17	0.98
280.0	1.17	0.98	0.98	1.17	1.17	0.98	1.17	1.37	1.76
290.0	0.98	0.78	0.78	0.98	0.98	1.17	1.17	1.17	1.37
300.0	0.59	0.39	0.59	0.59	0.59	0.39	0.59	0.78	0.98
310.0	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.78	1.17
320.0	0.59	0.20	0.00	0.20	0.20	0.20	0.20	0.39	1.17
330.0	0.20	0.59	0.39	0.39	0.20	0.39	0.98	1.17	1.37
340.0	0.78	0.78	0.98	0.59	0.78	0.78	1.17	1.17	1.37
350.0	0.98	0.98	0.98	0.98	0.98	0.98	1.17	1.56	1.95
360.0	0.78	0.98	0.78	0.78	0.78	1.17	1.37	1.76	1.76



# 吊灯

Intensity data(cd)									Page: 25 Total:34
C/γ(°)	99.0	100.0	101.0	102.0	103.0	104.0	105.0	106.0	107.0
0.0	1.56	1.95	2.34	2.93	3.12	3.12	2.93	2.93	3.32
10.0	2.15	2.34	2.73	3.12	3.12	3.12	2.73	2.73	2.73
20.0	1.76	1.95	1.95	1.95	1.95	2.34	2.73	2.93	2.93
30.0	1.37	1.56	2.15	2.34	2.54	2.73	2.93	2.93	2.93
40.0	1.17	1.37	1.56	1.95	2.15	2.15	2.15	2.15	2.34
50.0	1.17	0.98	1.17	1.37	1.56	1.56	1.37	1.37	1.37
60.0	1.37	1.56	1.76	2.15	2.15	2.34	2.34	2.34	2.54
70.0	1.76	1.76	1.76	1.95	2.15	2.15	2.34	2.54	2.73
80.0	2.15	1.95	2.34	2.54	2.54	2.34	2.34	2.54	2.93
90.0	2.15	2.15	2.15	2.15	2.73	2.93	2.93	2.93	3.12
100.0	1.95	2.15	2.93	3.12	3.12	3.12	2.93	2.73	2.73
110.0	1.17	1.95	2.15	1.95	2.15	2.34	2.54	2.54	2.34
120.0	0.98	1.56	1.76	1.95	1.95	2.15	2.15	2.54	2.54
130.0	0.20	0.39	1.56	1.95	1.76	1.76	1.56	1.76	1.95
140.0	0.20	0.20	1.17	1.56	1.56	1.37	1.37	1.56	1.56
150.0	0.78	0.98	1.37	1.56	1.76	1.95	2.15	2.15	2.34
160.0	1.37	1.76	1.95	1.76	1.76	1.95	2.15	2.34	2.54
170.0	1.37	1.95	2.54	2.73	2.34	2.54	2.54	2.54	2.34
180.0	1.37	1.56	2.15	2.15	1.95	2.15	2.54	2.73	2.73
190.0	1.56	2.15	2.54	2.54	2.54	2.73	2.93	2.73	2.34
200.0	1.37	1.56	1.76	1.95	1.76	1.56	1.56	2.15	2.34
210.0	0.78	0.98	1.17	1.37	1.37	1.76	1.95	2.15	2.15
220.0	0.20	0.59	1.17	1.56	1.37	1.56	1.76	1.95	1.95
230.0	0.20	0.59	1.17	1.17	0.78	1.17	1.17	1.37	1.37
240.0	0.59	1.17	1.37	1.56	1.76	1.95	2.15	2.15	2.34
250.0	1.37	1.56	1.37	1.56	1.56	1.56	1.95	1.95	1.95
260.0	1.37	1.95	2.15	2.34	2.15	2.15	2.15	2.15	2.15
270.0	1.37	2.34	2.34	1.76	1.76	2.15	2.15	2.34	2.54
280.0	2.15	2.34	2.54	2.54	2.54	2.54	2.34	2.34	2.54
290.0	1.37	1.37	1.37	1.56	1.95	2.15	2.15	2.15	2.15
300.0	1.37	1.37	1.56	1.95	2.15	2.54	2.54	2.54	2.54
310.0	1.37	1.37	1.37	2.15	2.34	2.34	2.34	2.34	2.34
320.0	0.78	0.59	1.17	1.76	1.95	1.56	1.37	1.37	1.37
330.0	1.56	1.56	1.95	2.15	2.34	2.34	2.73	2.54	2.73
340.0	1.95	2.15	1.95	2.15	2.34	2.34	2.34	2.34	2.34
350.0	2.34	2.34	2.34	2.34	2.15	2.15	2.15	2.34	2.93
360.0	1.56	1.95	2.34	2.93	3.12	3.12	2.93	2.93	3.32

# 吊灯

Intensity data(cd)										Page: 26 Total:34	
C/γ(°)	108.0	109.0	110.0	111.0	112.0	113.0	114.0	115.0	116.0		
0.0	3.32	3.51	3.51	3.71	3.51	2.93	2.93	3.32	3.71		
10.0	3.12	3.51	3.71	3.90	3.90	3.90	4.10	4.10	4.10		
20.0	2.73	2.93	2.93	3.12	3.12	3.32	3.51	3.71	4.10		
30.0	2.93	2.93	3.32	3.51	3.90	4.10	4.29	4.49	4.88		
40.0	2.15	2.15	1.95	1.95	1.95	1.95	1.95	1.95	1.95		
50.0	1.56	1.37	1.17	1.37	1.37	1.37	1.37	1.37	1.17		
60.0	2.73	2.93	2.93	3.12	3.71	3.71	3.90	4.10	4.29		
70.0	2.73	2.93	2.93	3.12	3.32	3.51	3.90	3.90	4.10		
80.0	3.12	3.32	3.51	3.90	4.10	4.10	4.29	4.29	4.29		
90.0	3.12	3.32	3.51	3.71	4.10	4.10	3.90	3.71	3.71		
100.0	2.93	2.93	3.32	3.71	3.90	4.10	4.29	4.49	4.49		
110.0	2.54	2.73	2.93	2.93	2.93	2.93	3.12	3.51	3.90		
120.0	2.73	2.73	2.93	2.93	2.93	3.12	3.32	3.71	3.71		
130.0	2.34	2.15	2.15	2.15	2.15	2.15	1.76	1.56	1.37		
140.0	1.56	1.56	1.56	1.56	1.76	1.76	1.76	1.56	1.37		
150.0	2.15	2.34	2.54	2.93	3.12	2.93	2.93	3.32	3.51		
160.0	2.54	2.54	2.54	2.54	2.73	2.93	3.12	3.32	3.71		
170.0	2.34	2.93	2.93	3.12	3.12	3.71	3.71	3.71	3.71		
180.0	2.73	2.73	2.93	3.12	3.32	3.51	3.71	3.71	3.51		
190.0	2.15	2.34	2.54	2.93	3.32	3.71	3.71	3.71	3.71		
200.0	2.34	2.34	2.34	2.73	3.12	3.32	3.32	3.32	3.32		
210.0	2.15	2.34	2.54	2.54	2.73	2.93	3.32	3.51	3.71		
220.0	1.95	1.95	2.15	2.15	2.15	1.95	1.95	1.95	1.76		
230.0	1.17	1.17	1.37	1.37	1.17	0.98	0.78	1.17	1.17		
240.0	2.34	2.54	2.73	2.93	2.93	3.12	3.32	3.71	3.71		
250.0	2.34	2.34	2.34	2.54	2.73	2.93	3.12	3.32	3.51		
260.0	2.15	2.34	2.73	3.32	3.51	3.71	3.51	3.71	3.51		
270.0	2.73	2.93	3.32	3.90	4.29	4.29	3.90	3.51	3.12		
280.0	2.54	2.93	3.32	3.71	3.90	3.71	3.51	3.51	3.51		
290.0	2.15	2.34	2.34	2.54	2.54	2.54	2.54	2.93	3.12		
300.0	2.54	2.54	2.93	3.12	3.12	3.12	3.71	3.90	4.29		
310.0	2.34	1.95	1.95	1.95	1.76	1.76	1.56	1.56	1.56		
320.0	1.37	1.17	0.78	0.59	0.78	0.59	0.59	0.20	0.20		
330.0	2.73	2.73	2.93	2.93	3.12	2.93	3.12	3.51	3.71		
340.0	2.34	2.34	2.34	2.54	2.73	2.93	3.32	3.71	3.90		
350.0	3.12	3.32	3.32	3.32	3.51	3.71	3.71	3.71	3.90		
360.0	3.32	3.51	3.51	3.71	3.51	2.93	2.93	3.32	3.71		

# 吊灯

Intensity data(cd)										Page: 27 Total:34
C/γ(°)	117.0	118.0	119.0	120.0	121.0	122.0	123.0	124.0	125.0	
0.0	4.29	4.49	5.07	5.46	6.05	6.05	6.24	6.24	6.24	
10.0	4.10	4.49	4.68	5.07	5.46	5.85	6.24	6.44	6.83	
20.0	4.10	4.29	4.49	5.07	5.27	6.05	6.63	7.02	7.61	
30.0	5.07	5.27	5.46	5.46	5.85	6.24	6.24	6.44	6.83	
40.0	1.95	2.15	2.15	2.54	2.93	3.12	3.51	3.71	3.90	
50.0	1.17	1.37	1.37	1.56	1.76	1.95	2.34	2.54	2.93	
60.0	4.49	4.49	4.49	4.68	4.88	5.27	5.27	5.66	6.24	
70.0	4.29	4.29	4.49	4.68	5.07	5.85	6.24	6.83	7.61	
80.0	4.49	4.29	4.49	4.88	5.27	6.05	6.63	6.83	7.22	
90.0	3.71	4.29	4.88	5.46	6.05	6.24	6.63	6.83	6.83	
100.0	4.68	4.68	4.88	5.07	5.27	5.46	6.05	6.05	6.24	
110.0	4.10	4.29	4.68	4.68	5.07	5.07	5.27	5.66	6.05	
120.0	3.90	4.10	4.29	4.49	4.68	4.88	5.07	5.27	5.85	
130.0	1.37	1.17	1.37	1.56	1.76	1.95	2.15	2.15	2.54	
140.0	1.37	1.17	1.37	1.37	1.56	1.95	2.15	2.34	2.73	
150.0	3.71	3.71	3.71	3.90	4.29	4.49	4.29	4.49	4.68	
160.0	3.71	4.10	4.29	4.49	4.68	4.88	5.27	5.27	5.66	
170.0	3.71	3.90	3.90	3.90	4.10	4.49	4.49	4.88	5.46	
180.0	3.32	3.32	3.51	3.71	3.90	4.49	4.68	4.88	5.07	
190.0	3.51	3.71	3.71	4.10	4.29	4.49	4.88	4.88	5.07	
200.0	3.12	3.51	3.51	3.71	4.29	4.49	4.88	5.27	5.66	
210.0	3.71	3.90	3.90	4.10	4.29	4.68	5.07	5.46	5.66	
220.0	1.95	1.95	1.76	1.95	2.15	2.54	2.73	2.93	3.12	
230.0	1.17	0.59	0.78	0.78	0.98	0.98	1.17	1.37	1.56	
240.0	3.71	3.90	4.10	4.10	4.29	4.49	4.49	4.49	4.49	
250.0	3.71	3.90	4.10	4.29	4.49	4.88	5.27	5.46	5.66	
260.0	3.71	3.71	3.71	3.71	4.29	4.29	4.68	5.07	5.46	
270.0	2.93	3.12	3.12	3.51	4.10	4.49	4.68	4.88	5.07	
280.0	3.51	3.90	4.10	4.49	4.88	5.07	5.07	5.07	5.27	
290.0	3.12	3.32	3.71	3.90	4.29	4.88	5.07	5.46	5.85	
300.0	4.49	4.49	4.49	4.49	4.68	4.88	5.27	5.46	6.05	
310.0	1.76	1.95	2.15	2.34	2.34	2.54	2.54	2.93	3.12	
320.0	0.39	0.78	0.78	0.98	1.37	1.76	1.76	1.95	2.15	
330.0	3.71	3.71	3.71	3.71	3.90	3.90	4.29	4.49	4.88	
340.0	4.29	4.49	4.68	5.07	5.66	6.05	6.44	7.02	7.41	
350.0	4.10	4.29	4.68	5.27	5.66	6.05	6.05	6.63	7.02	
360.0	4.29	4.49	5.07	5.46	6.05	6.05	6.24	6.24	6.24	

# 吊灯

Intensity data(cd)										Page: 28 Total:34
C/γ(°)	126.0	127.0	128.0	129.0	130.0	131.0	132.0	133.0	134.0	
0.0	6.44	6.44	6.83	7.41	7.61	8.39	9.17	10.14	11.31	
10.0	7.22	7.41	7.61	7.61	7.61	7.61	8.00	8.39	8.58	
20.0	8.19	8.39	8.58	8.58	8.58	8.78	8.97	8.97	8.97	
30.0	6.83	7.22	7.61	7.61	7.61	7.41	7.41	7.41	7.80	
40.0	4.10	4.10	4.29	4.49	4.68	4.68	4.88	4.88	5.27	
50.0	3.12	3.12	3.32	3.71	3.71	3.90	4.10	4.10	4.49	
60.0	6.63	7.02	7.41	7.41	7.61	7.41	7.41	7.61	7.61	
70.0	8.00	8.58	8.78	8.97	8.78	8.78	8.58	8.78	8.97	
80.0	7.61	7.61	7.61	7.61	7.61	7.61	7.61	7.61	7.61	
90.0	6.63	6.83	6.83	7.02	7.02	7.41	7.41	7.61	7.80	
100.0	6.44	6.44	6.83	6.83	6.83	7.02	7.61	8.00	8.58	
110.0	6.44	7.02	7.61	7.80	8.39	8.78	9.17	9.75	9.75	
120.0	6.05	6.05	6.05	6.44	6.44	6.63	6.63	7.02	7.22	
130.0	2.93	2.93	3.12	3.32	3.51	3.51	3.51	3.71	4.10	
140.0	2.93	2.93	3.32	3.32	3.71	3.90	4.10	4.10	4.49	
150.0	4.68	4.88	5.07	5.27	5.66	5.66	5.66	6.05	6.24	
160.0	5.85	6.24	6.63	6.83	7.22	7.61	7.61	8.00	8.39	
170.0	5.66	6.05	6.24	6.24	6.83	7.02	7.41	7.80	8.19	
180.0	5.46	5.66	5.85	6.05	6.05	6.44	6.83	7.02	7.80	
190.0	5.27	5.27	5.27	5.46	5.46	5.85	6.05	6.44	6.83	
200.0	6.05	6.24	6.24	6.24	6.63	6.63	6.83	7.02	7.22	
210.0	5.85	5.85	6.05	6.05	6.05	6.24	6.24	6.44	6.44	
220.0	3.32	3.51	3.71	3.71	3.71	3.71	3.90	3.90	3.90	
230.0	1.76	2.15	2.34	2.54	2.73	2.93	3.12	3.51	3.71	
240.0	4.68	4.88	5.46	5.85	6.05	6.05	6.24	6.44	6.83	
250.0	6.05	6.44	6.63	6.83	7.02	7.22	7.61	7.61	7.61	
260.0	5.66	6.05	6.24	6.44	6.83	7.02	7.02	7.41	7.80	
270.0	5.27	5.85	6.05	6.24	6.44	6.44	6.63	6.63	6.83	
280.0	5.27	5.46	5.46	5.66	6.05	6.44	6.83	8.00	8.39	
290.0	6.24	6.44	6.83	7.22	7.61	8.00	8.00	8.58	8.97	
300.0	6.05	6.24	6.24	6.24	6.05	6.05	6.05	6.24	6.24	
310.0	3.71	3.90	3.90	4.10	4.29	4.29	4.49	4.49	4.68	
320.0	2.54	3.12	3.32	3.51	3.71	4.10	4.49	4.49	4.29	
330.0	5.27	5.27	5.46	5.66	5.85	6.05	5.85	6.05	6.05	
340.0	7.80	8.00	8.00	8.19	8.19	8.19	8.19	8.19	8.39	
350.0	7.22	7.22	7.61	8.19	8.58	9.36	10.14	10.73	11.70	
360.0	6.44	6.44	6.83	7.41	7.61	8.39	9.17	10.14	11.31	

吊灯

Intensity data(cd)										Page: 29 Total:34
C/γ(°)	135.0	136.0	137.0	138.0	139.0	140.0	141.0	142.0	143.0	
0.0	11.51	12.29	12.68	13.46	13.85	14.43	14.63	14.63	14.63	
10.0	9.17	9.75	10.34	10.92	11.90	12.29	12.87	13.46	13.65	
20.0	9.17	9.17	9.36	9.56	9.75	10.34	11.12	11.51	12.48	
30.0	8.00	8.19	8.58	8.97	9.36	9.56	9.95	10.53	10.92	
40.0	5.85	6.05	6.24	6.24	6.63	6.83	7.02	7.22	7.61	
50.0	4.88	5.07	5.46	5.66	6.05	6.05	6.24	6.24	6.44	
60.0	7.80	8.19	8.00	8.19	8.39	8.58	8.39	8.58	9.17	
70.0	9.17	9.17	9.36	9.56	9.95	10.14	10.73	11.31	11.70	
80.0	8.00	8.39	8.97	9.75	10.34	11.12	12.09	12.87	13.65	
90.0	7.80	8.19	8.58	9.17	9.95	10.73	11.31	12.29	13.07	
100.0	8.58	9.56	10.14	10.53	10.92	11.51	11.70	11.90	12.29	
110.0	9.95	9.95	10.14	10.34	10.34	10.53	10.53	10.53	10.53	
120.0	7.41	7.61	7.80	8.00	8.19	8.39	8.39	8.39	8.39	
130.0	4.49	4.68	5.27	5.85	6.24	6.63	7.22	7.41	7.61	
140.0	4.88	5.46	6.05	6.24	7.22	7.80	8.19	8.58	8.78	
150.0	6.83	7.41	7.61	7.80	8.39	8.58	8.97	9.36	9.75	
160.0	8.58	8.78	9.17	9.17	9.17	9.36	9.75	9.75	9.75	
170.0	8.39	8.78	9.36	9.95	9.95	10.34	10.14	9.95	9.75	
180.0	8.19	8.39	8.97	9.17	9.56	9.95	10.14	10.53	10.92	
190.0	7.41	8.19	8.39	8.97	9.75	10.14	10.92	11.70	12.48	
200.0	7.61	8.19	8.58	9.17	9.95	10.34	10.73	11.31	11.70	
210.0	6.44	6.83	7.22	7.41	7.80	8.39	8.78	9.17	9.56	
220.0	4.29	4.29	4.49	5.07	5.46	6.05	6.63	6.63	7.22	
230.0	4.10	4.29	4.49	4.68	5.27	5.46	6.05	6.24	6.44	
240.0	7.41	7.41	7.61	7.61	7.80	8.19	8.58	8.78	9.17	
250.0	7.80	8.00	8.19	8.39	8.78	9.17	9.75	10.34	10.73	
260.0	8.19	8.39	8.97	9.17	9.75	9.95	10.14	10.73	11.31	
270.0	7.02	7.61	8.00	8.78	9.75	10.34	11.12	11.90	12.29	
280.0	8.97	9.75	10.14	10.73	11.31	11.51	11.90	12.29	12.48	
290.0	9.17	9.75	9.95	9.95	10.14	10.14	10.53	10.92	11.12	
300.0	6.83	7.02	7.61	8.39	8.58	8.78	9.17	9.36	9.56	
310.0	4.88	5.27	5.66	6.24	6.63	7.02	7.61	8.00	8.39	
320.0	4.49	4.68	5.07	5.27	5.66	6.24	6.44	7.02	7.80	
330.0	6.24	6.44	7.02	7.61	7.61	8.00	8.19	8.39	8.97	
340.0	8.58	9.17	9.17	9.75	9.95	10.14	10.34	10.53	10.73	
350.0	12.48	12.68	12.87	13.07	13.07	13.07	13.26	13.26	13.26	
360.0	11.51	12.29	12.68	13.46	13.85	14.43	14.63	14.63	14.63	

# 吊灯

Intensity data(cd)

Page: 30 Total:34

C/γ(°)	144.0	145.0	146.0	147.0	148.0	149.0	150.0	151.0	152.0
0.0	14.63	14.43	14.24	14.04	13.85	13.85	13.46	13.46	13.46
10.0	14.04	14.43	14.43	14.82	14.82	15.02	15.02	15.02	15.02
20.0	13.26	13.85	14.63	15.21	15.41	15.80	15.99	15.99	15.80
30.0	11.31	11.90	12.48	12.87	13.65	14.04	14.43	14.43	14.63
40.0	8.00	8.78	9.17	9.75	10.73	11.31	11.90	12.09	12.48
50.0	6.83	7.22	8.19	8.78	9.36	10.14	10.53	10.73	11.12
60.0	9.56	10.14	10.92	11.31	12.09	12.87	12.87	13.07	13.07
70.0	12.29	12.48	13.07	13.85	14.43	14.63	14.82	15.02	15.02
80.0	14.63	15.21	15.60	15.80	15.99	15.99	15.80	15.80	15.41
90.0	13.65	14.43	15.21	15.60	15.80	15.99	15.99	15.99	15.60
100.0	12.29	12.48	12.48	12.68	13.07	13.26	13.65	14.04	13.85
110.0	10.73	10.73	10.73	10.53	10.14	10.14	10.34	10.53	11.12
120.0	8.58	8.58	8.58	8.78	8.78	8.97	9.17	9.36	9.75
130.0	8.00	8.19	8.19	8.00	8.00	8.19	8.00	8.19	8.39
140.0	8.97	9.17	8.97	8.78	8.39	8.39	8.39	8.19	8.58
150.0	9.95	10.14	9.95	9.95	9.95	9.95	9.95	10.34	10.73
160.0	9.75	9.75	9.75	9.95	10.34	10.92	11.70	12.48	12.87
170.0	9.75	9.56	9.75	9.75	9.95	10.53	10.73	11.12	11.70
180.0	11.31	11.51	11.70	11.90	12.09	12.09	12.29	12.48	12.68
190.0	12.87	13.46	13.65	13.85	13.85	13.85	13.65	13.26	13.07
200.0	12.09	12.09	12.48	12.68	12.87	12.87	12.87	12.87	12.68
210.0	9.75	9.75	10.14	10.14	10.53	10.92	11.31	11.51	11.51
220.0	7.61	7.80	8.19	8.39	8.58	9.17	9.56	9.75	10.14
230.0	6.63	6.83	7.02	7.61	8.19	8.78	9.17	9.75	9.95
240.0	9.36	9.36	9.75	10.53	10.92	11.70	12.09	12.48	12.48
250.0	11.12	11.70	12.09	12.68	13.46	13.85	14.04	14.24	14.24
260.0	11.70	12.29	13.07	13.46	13.85	13.85	14.24	14.43	14.43
270.0	12.87	13.26	13.26	13.46	13.46	13.46	13.46	13.46	13.46
280.0	12.87	13.07	13.26	13.26	13.26	13.26	13.07	13.07	12.87
290.0	11.31	11.70	11.90	12.09	12.09	12.09	12.09	11.90	12.09
300.0	9.95	10.14	10.73	11.12	11.51	11.90	12.09	12.29	12.48
310.0	8.97	9.56	9.95	10.53	10.73	10.92	11.12	11.51	11.90
320.0	8.19	8.78	9.56	9.75	10.14	10.34	10.34	10.73	11.31
330.0	9.56	9.95	10.53	10.92	11.12	11.31	11.51	11.70	12.09
340.0	10.92	11.12	11.31	11.51	11.70	11.70	11.90	12.09	12.09
350.0	13.07	13.07	12.87	12.68	12.68	12.48	12.48	12.48	12.29
360.0	14.63	14.43	14.24	14.04	13.85	13.85	13.46	13.46	13.46

# 吊灯

Intensity data(cd)										Page: 31 Total:34
C/γ(°)	153.0	154.0	155.0	156.0	157.0	158.0	159.0	160.0	161.0	
0.0	13.26	13.26	13.26	13.07	12.87	12.68	12.48	12.48	12.29	
10.0	14.82	14.63	14.63	14.24	13.65	13.46	13.26	12.68	11.90	
20.0	15.60	15.41	15.21	14.63	14.24	13.85	12.87	12.09	11.31	
30.0	14.63	14.63	14.43	14.24	14.04	13.46	13.07	12.48	11.51	
40.0	12.48	12.68	12.87	12.87	12.87	12.87	12.48	12.29	11.90	
50.0	11.51	11.70	11.90	12.09	12.29	12.09	11.90	11.70	11.31	
60.0	13.26	13.26	13.26	13.07	13.07	12.87	12.68	11.90	11.31	
70.0	15.02	14.82	14.82	14.63	14.24	13.85	13.26	12.68	12.09	
80.0	15.41	15.41	14.82	14.43	14.04	13.46	12.68	12.09	11.31	
90.0	15.41	14.82	14.24	13.65	13.07	12.29	11.70	11.12	10.53	
100.0	13.65	13.46	13.46	12.87	12.48	12.09	11.51	10.73	10.14	
110.0	11.70	12.09	12.09	12.09	11.90	11.70	11.31	10.53	10.14	
120.0	10.34	11.12	11.31	11.51	11.90	11.70	11.70	11.51	11.31	
130.0	8.97	9.75	11.12	11.70	12.09	12.48	12.87	12.87	12.87	
140.0	9.17	10.34	11.70	12.09	12.68	13.26	13.26	13.26	13.07	
150.0	11.70	12.68	13.07	13.46	13.65	13.85	13.85	13.85	13.65	
160.0	13.46	13.85	13.85	14.04	14.04	14.04	13.85	13.65	13.46	
170.0	12.09	12.48	12.87	12.87	13.07	13.26	13.07	12.87	12.87	
180.0	12.68	12.48	12.48	12.48	12.29	12.29	11.90	11.70	11.51	
190.0	12.87	12.68	12.29	12.09	11.70	11.51	10.92	10.73	10.73	
200.0	12.48	12.48	12.68	12.68	12.48	12.29	11.90	11.51	10.73	
210.0	11.51	11.70	11.51	11.70	11.51	11.12	11.12	10.53	10.14	
220.0	10.14	10.34	10.73	10.92	10.92	10.92	10.73	10.34	9.75	
230.0	10.14	10.53	10.73	11.31	11.31	11.31	11.12	10.73	9.95	
240.0	12.48	12.48	12.68	13.07	12.87	12.68	12.29	11.90	11.12	
250.0	14.04	14.04	13.85	13.85	13.46	13.26	12.87	12.09	11.70	
260.0	14.43	14.24	13.85	13.65	13.46	12.68	12.68	11.90	11.51	
270.0	13.65	13.65	13.85	13.65	13.46	13.46	12.87	12.29	12.09	
280.0	12.87	12.87	12.87	12.68	12.68	12.68	12.68	12.29	12.29	
290.0	12.09	12.29	12.48	12.87	13.07	13.26	13.46	13.46	13.07	
300.0	12.48	12.48	12.48	12.48	12.68	12.87	12.87	12.87	12.87	
310.0	12.09	12.48	12.68	12.87	13.26	13.26	13.26	13.07	12.87	
320.0	11.51	11.90	12.09	12.29	12.48	12.68	12.87	12.87	12.68	
330.0	12.09	12.09	12.09	12.09	12.29	12.29	12.48	12.48	12.29	
340.0	12.09	12.09	12.29	11.90	11.90	11.31	11.31	11.31	11.51	
350.0	12.29	12.29	12.29	12.09	12.09	12.09	11.90	11.90	12.09	
360.0	13.26	13.26	13.26	13.07	12.87	12.68	12.48	12.48	12.29	

# 吊灯

Intensity data(cd)										Page: 32 Total:34
C/γ(°)	162.0	163.0	164.0	165.0	166.0	167.0	168.0	169.0	170.0	
0.0	11.90	11.70	10.92	10.14	8.97	8.39	8.19	8.00	7.80	
10.0	11.12	10.34	9.75	9.36	8.97	8.58	8.19	7.41	7.02	
20.0	10.53	10.14	9.75	9.36	9.17	8.78	8.19	8.00	7.41	
30.0	10.92	10.34	9.75	9.17	8.97	8.58	8.39	8.19	7.61	
40.0	11.31	10.34	9.75	9.17	8.19	8.19	8.19	8.00	7.80	
50.0	10.34	9.75	9.17	8.58	8.00	7.41	7.22	6.83	6.83	
60.0	10.92	9.95	8.97	8.58	8.00	7.61	7.22	7.02	6.63	
70.0	11.12	10.14	9.75	9.17	8.58	8.39	7.41	6.24	5.66	
80.0	10.53	10.14	9.56	8.97	8.00	7.02	6.24	5.85	5.66	
90.0	9.95	9.56	8.78	8.19	7.22	6.83	6.63	6.24	6.05	
100.0	9.17	8.58	8.00	7.61	7.41	6.83	6.83	7.02	7.41	
110.0	9.95	9.17	8.58	8.39	8.39	8.39	8.39	8.58	8.58	
120.0	11.12	10.92	10.53	9.95	9.75	9.75	9.56	9.95	9.75	
130.0	12.48	12.29	11.70	10.92	10.73	10.73	10.73	10.53	9.56	
140.0	12.87	12.48	12.29	11.51	10.92	10.73	9.95	10.14	9.75	
150.0	13.65	13.26	13.07	12.29	11.51	11.12	10.73	10.53	10.14	
160.0	12.87	11.90	11.70	11.12	10.53	9.75	9.17	8.39	8.00	
170.0	12.87	12.29	11.70	11.12	10.14	9.56	9.17	8.78	8.39	
180.0	10.92	10.73	10.14	9.56	9.17	8.97	8.78	8.58	8.39	
190.0	10.53	9.95	9.56	9.36	8.78	8.58	8.39	8.19	8.39	
200.0	10.34	9.95	9.56	9.36	8.97	8.58	8.39	8.00	7.61	
210.0	9.75	9.17	8.97	8.97	8.78	8.78	8.78	8.19	7.61	
220.0	9.17	8.78	8.39	8.39	8.78	8.78	9.36	9.56	8.97	
230.0	9.75	9.36	8.97	8.97	9.17	9.17	9.75	9.56	9.17	
240.0	10.73	10.34	10.14	9.95	10.34	10.53	10.73	10.34	9.56	
250.0	11.12	10.73	10.53	10.53	10.73	10.92	10.53	10.34	9.75	
260.0	11.12	10.92	10.73	10.73	10.53	10.34	10.14	9.95	9.17	
270.0	11.70	11.31	10.73	10.53	10.14	10.14	9.75	9.36	8.97	
280.0	11.70	11.31	11.12	10.73	9.75	9.17	8.58	8.39	8.39	
290.0	12.68	12.09	11.31	10.73	10.34	9.75	9.17	8.39	8.00	
300.0	12.87	12.68	12.48	11.70	11.12	10.73	9.75	8.97	8.78	
310.0	12.68	12.48	12.29	12.09	11.51	11.12	9.95	9.36	8.78	
320.0	12.68	12.48	12.29	12.09	11.70	10.92	10.53	9.75	8.58	
330.0	12.29	12.09	12.09	11.70	11.12	10.92	10.34	9.75	8.97	
340.0	11.51	11.51	11.51	11.70	11.51	11.12	10.53	10.34	9.56	
350.0	11.51	10.92	10.73	10.14	9.75	9.17	8.58	8.39	8.39	
360.0	11.90	11.70	10.92	10.14	8.97	8.39	8.19	8.00	7.80	



吊灯

Intensity data(cd)									Page: 33 Total:34
C/γ(°)	171.0	172.0	173.0	174.0	175.0	176.0	177.0	178.0	179.0
0.0	7.61	7.41	7.22	7.22	7.02	7.22	7.02	7.41	7.22
10.0	7.22	7.22	6.83	6.63	6.44	6.44	6.44	6.44	6.24
20.0	7.02	6.83	6.44	6.24	6.24	6.05	6.05	6.24	6.83
30.0	7.22	6.44	6.05	5.85	5.85	6.05	6.24	6.63	6.83
40.0	6.44	5.85	5.85	6.24	6.24	6.24	6.63	6.83	6.63
50.0	6.44	6.24	6.24	6.05	6.24	6.24	6.44	6.05	5.85
60.0	6.24	6.05	5.66	5.27	5.27	5.27	5.46	5.85	6.24
70.0	5.07	5.07	5.27	5.46	5.46	5.85	6.44	6.83	7.02
80.0	5.27	5.46	6.05	6.63	6.83	7.02	7.02	7.02	7.22
90.0	6.24	7.02	7.41	7.41	7.02	7.02	7.02	6.83	6.83
100.0	7.61	7.61	7.61	7.61	7.02	6.83	6.83	6.83	7.02
110.0	8.39	8.00	7.61	7.61	6.83	7.02	7.02	7.22	7.22
120.0	8.97	8.19	7.61	7.41	7.61	7.61	7.41	7.41	7.61
130.0	8.97	8.58	8.39	8.00	7.80	7.80	7.61	7.41	7.02
140.0	9.56	8.97	8.39	8.00	7.80	8.00	7.61	6.44	6.24
150.0	9.56	8.58	8.00	7.22	6.83	6.83	6.83	6.83	6.83
160.0	7.41	7.41	7.61	7.61	7.80	7.80	7.61	7.61	7.41
170.0	8.19	7.80	8.00	8.39	8.58	8.39	8.39	7.80	7.61
180.0	8.58	8.78	9.17	8.78	8.39	8.19	8.00	7.61	7.41
190.0	8.19	8.58	8.78	8.58	8.00	7.80	7.61	7.22	7.02
200.0	7.41	7.61	7.80	8.00	8.00	8.00	7.80	7.61	7.22
210.0	7.02	6.63	6.63	6.63	6.83	7.22	7.22	7.41	7.41
220.0	8.19	7.61	7.41	7.41	7.02	6.63	6.44	6.44	6.83
230.0	8.39	8.19	8.00	7.80	7.61	7.22	7.02	6.63	6.24
240.0	8.39	7.80	7.80	8.00	7.80	7.61	7.61	7.41	7.02
250.0	8.78	8.19	8.00	7.80	7.80	7.61	7.61	7.41	7.41
260.0	8.58	8.39	8.19	8.00	7.80	7.41	7.22	7.41	7.41
270.0	8.58	8.39	8.39	8.39	8.39	8.19	7.61	7.41	7.22
280.0	8.39	8.00	8.39	8.39	8.19	7.80	7.80	7.61	7.22
290.0	7.80	7.61	7.61	7.61	7.80	7.80	7.61	7.61	7.61
300.0	8.00	7.61	7.41	7.22	7.22	7.02	7.02	7.02	7.22
310.0	8.39	7.80	7.80	7.61	7.41	6.83	6.63	6.24	6.63
320.0	8.39	8.19	8.00	7.80	7.61	7.41	6.83	6.83	6.63
330.0	8.39	8.00	7.80	7.61	7.61	7.41	7.61	7.41	7.41
340.0	8.97	8.58	8.39	7.80	7.61	7.41	7.22	7.22	7.41
350.0	7.80	7.61	7.41	7.41	7.02	7.02	7.02	7.02	7.41
360.0	7.61	7.41	7.22	7.22	7.02	7.22	7.02	7.41	7.22

## 吊灯

Intensity data(cd)

Page: 34 Total:34

C/γ(°)	180.0
0.0	7.41
10.0	6.83
20.0	7.02
30.0	7.22
40.0	6.83
50.0	5.85
60.0	6.44
70.0	7.41
80.0	7.22
90.0	7.02
100.0	7.02
110.0	7.41
120.0	7.41
130.0	6.83
140.0	6.24
150.0	7.22
160.0	7.41
170.0	7.61
180.0	7.41
190.0	6.83
200.0	7.02
210.0	7.22
220.0	6.83
230.0	5.85
240.0	6.44
250.0	7.41
260.0	7.22
270.0	7.02
280.0	7.02
290.0	7.41
300.0	7.41
310.0	6.83
320.0	6.24
330.0	7.22
340.0	7.41
350.0	7.61
360.0	7.41