





Contemporary Lighting™



 Contemporary Lighting™

Cultured. Cosmopolitan. Contemporary. ET2 Contemporary Lighting collections artfully blend luxurious finishes, smooth surfaces, and bold angles with creative shapes and forms that transform ordinary rooms into exceptional spaces. Intelligent design meets sophisticated style through the remarkably fresh use of translucent crystals, sculpted glass, fluid chrome, and powerful lamps. Satisfying a range of design sensibilities from eccentric to refined, the ET2 Contemporary Lighting collections define the rooms they grace and make an undeniable statement about the people and places they illuminate. Each unique collection embraces advanced technology and forward-thinking style, and makes it accessible and achievable in everyday lighting.

COLLECTIONS

Agron 171	Crystal Sensation 23	Krisp 139	Spiral 1
Alpha-V 47	Curva 157	L.E.D.-1 207	Starburst 87
Alumina 153	Cypher 175	Larmes 99	StarStrand 297
Andretti 123	Eco-Task 191	Lattice 189	StarStrand Kits 321
Anglex 154	Edinburgh I 141	Linea 208	Stealth 282
Bangle 33	Edinburgh II 142	Luna 122	Stellar 281
Belleza 113	Elements 212	Mesh 119	Steps 163
Bijou 17	Ellipse 79	Metro 125	Strato 161
Blocs 94	ET-LED-A 319	Minx 233	Study 187
Bloom 269	ET-LED-B 320	Neo 43	Sundae 133
Blossom 55	Evolution 273	Nin 177	Teardrop 127
Brahma 283	Fizz 83	Nucleus 109	Tuxedo 188
Brilliant 7	Flash 169	Oracle 267	Ufo 285
Buttons 263	Flora 271	Orb 51	Vision 147
Caps 264	Flute 265	Passion 181	Visione 103
Carnivale 286	Flux 148	Pearl 209	Vortex 73
Carte 288	Frost 107	Percussion 251	Vox 129
Cascada 25	Gem 66	Piccolo 167	Wall 180
Cassini 61	Graffiti 268	Pivot 143	Wand 144
Champagne 284	Hagen 206	Ports 185	Wink 128
Chic 115	Helix 211	Prisms 105	Zen 21
Cilandro I 145	Hue 259	Ripple 257	Zenith II 155
Cilandro II 146	Hydrox 121	Rondelle 262	Zion 137
Circolo 71	Inca 37	Seep 261	Zodiac 287
Conico 111	Infinity 179	Sense 29	
Contempra 149	Jetson 190	Solara 1 277	

MORE

Displays 322	Glass 329	Lamping Guide 331	Shades 329
Finishes 329	Index 323	Replacement Bulbs 330	Warranty 331

LEGEND



ADA
Compliant



Driver
Power Source



Installs
Up or Down



Adjustable



Low-Voltage
Electronic
Dimmer



Slope

HCO | Height from Center of Outlet
Incl. | Bulb(s) Included
OAH | Overall Height



Ballast
Power Source



Energy
Efficient




Transformer
Power Source



The Spiral Collection's twisted metal tubing sparkles like diamonds in the sun. Strands of high quality K9 crystal beads add to the impact making this fixture look as brilliant on as it does off.




SPIRAL



E23144-10PC 6-Light Pendant
Finish: Polished Chrome
Shade: Aluminum
6 x 40w G9 Bulbs (Incl.) | 3,000 Lumens
27" / 127" OAH



E23135-10PC 7-Light Pendant
Finish: Polished Chrome
Shade: Aluminum
7 x 40w G9 Bulbs (Incl.) | 3,500 Lumens
30" / 130" OAH




10.75"



22.5"

E23137-10PC 10-Light Pendant
Finish: Polished Chrome
Shade: Aluminum
10 x 40w G9 Bulbs (Incl.) | 5,000 Lumens
30" / 130" OAH






E23139-10PC 3-Light Pendant
 Finish: Polished Chrome
 Shade: Aluminum
 3 x 60w G9 Bulbs (Incl.) | 2,400 Lumens
 26" / 126" OAH




E23138-10PC 3-Light Pendant
 Finish: Polished Chrome
 Shade: Aluminum
 3 x 60w G9 Bulbs (Incl.) | 2,400 Lumens
 13" / 126" OAH







E23133-10PC 7-Light Flush Mount
Finish: Polished Chrome
Shade: Aluminum
7 x 40w G9 Bulb (Incl.) | 3,500 Lumens




E23132-10PC 10-Light Flush Mount
Finish: Polished Chrome
Shade: Aluminum
10 x 40w G9 Bulb (Incl.) | 5,000 Lumens



E23131-10PC 2-Light Wall Mount
 Finish: Polished Chrome
 Shade: Aluminum
 2 x 60w G9 Bulbs (Incl.) | 1,600 Lumens
 HCO: 6"



E23130-10PC 1-Light Wall Mount
 Finish: Polished Chrome
 Shade: Aluminum
 1 x 60w G9 Bulb (Incl.) | 800 Lumens
 HCO: 3.25"




E23140-10PC 1-Light Pendant
 Finish: Polished Chrome
 Shade: Aluminum
 1 x 60w G9 Bulb (Incl.) | 800 Lumens
 30" / 130" OAH





The Brilliant Collection starts with formed metal spheres of Polished Chrome, and then frames multifaceted crystal jewelry to add contemporary elegance to even the largest rooms. The brilliance of xenon lamps reflects through the crystal creating a spectrum of color.

BRILLIANT




E24013-20PC 12-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 12 x 60w G9 Bulbs (Incl.) | 9,600 Lumens
 18" / 132" OAH and 72" of chain




E24012-20PC 8-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 8 x 60w G9 Bulbs (Incl.) | 6,400 Lumens
 18" / 130" OAH and 72" of chain






E24018-20PC 15-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 15 x 40w G9 Bulbs (Incl.) | 7,500 Lumens
 40" / 156" OAH and 72" of chain



E24016-20PC 8-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 8 x 60w G9 Bulbs (Incl.) | 6,400 Lumens
 20" / 136" OAH and 72" of chain






E24011-20PC 6-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 6 x 60w G9 Bulbs (Incl.) | 4,800 Lumens
 18" / 130" OAH and 72" of chain




E24010-20PC 3-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 3 x 60w G9 Bulbs (Incl.) | 2,400 Lumens
 18" / 128" OAH and 72" of chain




E24017-20PC 12-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 12 x 60w G9 Bulbs (Incl.) | 9,600 Lumens
 28" / 144" OAH and 72" of chain






E24029-20PC 14-Light Pendant
Finish: Polished Chrome
Glass: Clear Crystal
14 x 40w G9 Bulbs (Incl.) | 7,000 Lumens
18" / 128" OAH






E24028-20PC 10-Light Pendant
Finish: Polished Chrome
Glass: Clear Crystal
10 x 40w G9 Bulbs (Incl.) | 5,000 Lumens
18" / 128" OAH







E24025-20PC 5-Light Pendant
Finish: Polished Chrome
Glass: Clear Crystal
5 x 40w G9 Bulbs (Incl.) | 2,500 Lumens
18" / 128" OAH



E24023-20PC 1-Light Pendant
Finish: Polished Chrome
Glass: Clear Crystal
1 x 40w G9 Bulb (Incl.) | 500 Lumens
18" / 128" OAH






E24020-20PC 9-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 9 x 40w G9 Bulbs (Incl.) | 4,500 Lumens
 18" / 128" OAH





SQUARE




E24026-20PC 9-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 9 x 40w G9 Bulbs (Incl.) | 4,500 Lumens
 18" / 128" OAH







E24007-20PC 2-Light Wall Mount
Finish: Polished Chrome
Glass: Clear Crystal
2 x 40w G9 Bulbs (Incl.) | 1,000 Lumens
HCO: 2.5"



E24002-20PC 29-Light Flush Mount
Finish: Polished Chrome
Glass: Clear Crystal
29 x 25w G9 Bulbs (Incl.) | 6,960 Lumens




E24000-20PC 16-Light Flush Mount
Finish: Polished Chrome
Glass: Clear Crystal
16 x 25w G9 Bulbs (Incl.) | 3,840 Lumens



E24001-20PC 24-Light Flush Mount
Finish: Polished Chrome
Glass: Clear Crystal
24 x 25w G9 Bulbs (Incl.) | 5,760 Lumens




Bejeweled in thousands of crystals over gleaming K9 crystals, Bijou glitters with the unmistakable radiance of rare diamonds. Encasing warm, soft glow within, the smooth orbs of chrome come to life as light shimmers and dances off the crystal-encrusted surface. Whether pendant, sconce, or flush mount, Bijou adorns the room in beauty and richness.




E21805-20PC 10-Light Pendant
Finish: Polished Chrome
Glass: Clear Crystal
10 x 40w G9 Bulbs (Incl.) | 5,000 Lumens
18" / 120" OAH
Frosted White Glass Diffuser








E21806-20PC 3-Light Wall Mount
 Finish: Polished Chrome
 Glass: Clear Crystal
 3 x 40w G9 Bulbs (Incl.) | 1,500 Lumens
 HCO: 1.5"
 Frosted White Glass Diffuser




E21804-20PC 8-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 8 x 40w G9 Bulbs (Incl.) | 4,000 Lumens
 18" / 120" OAH
 Frosted White Glass Diffuser




E21803-20PC 3-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 3 x 40w G9 Bulbs (Incl.) | 1,500 Lumens
 18" / 120" OAH
 Frosted White Glass Diffuser



E21800-20PC 4-Light Flush Mount
Finish: Polished Chrome
Glass: Clear Crystal
4 x 40w G9 Bulbs (Incl.) | 2,000 Lumens
Frosted White Glass Diffuser




E21801-20PC 6-Light Flush Mount
Finish: Polished Chrome
Glass: Clear Crystal
6 x 40w G9 Bulbs (Incl.) | 3,000 Lumens
Frosted White Glass Diffuser



E21802-20PC 9-Light Flush Mount
Finish: Polished Chrome
Glass: Clear Crystal
9 x 40w G9 Bulbs (Incl.) | 4,500 Lumens
Frosted White Glass Diffuser

Appealing to mind, body, and spirit, the Zen collection represents wisdom in its structural integrity and self-realization through its multifaceted Clear Crystals that, in turn, illuminate its xenon soul. Symmetry and angles balance the twists and curves at its core and offer a harmonious blend of opposites. These intriguing fixtures feature a Polished Chrome finish that infinitely mirror its radiant reflections.





E20408-20PC 3-Light Wall Mount

Finish: Polished Chrome

Glass: Clear Crystal

3 x 25w G9 Bulbs (Incl.) | 1,500 Lumens

HCO.3"




E20405-20PC 9-Light Pendant

Finish: Polished Chrome


Glass: Clear Crystal

9 x 25w G9 Bulbs (Incl.) | 2,160 Lumens


18" / 130" OAH



E20400-20PC 9-Light Flush Mount
 Finish: Polished Chrome
 Glass: Clear Crystal
 9 x 25w G9 Bulbs (Incl.) | 2,160 Lumens





E20402-20PC 20-Light Flush Mount
 Finish: Polished Chrome
 Glass: Clear Crystal
 20 x 25w G9 Bulbs (Incl.) | 4,800 Lumens





E20404-20PC 25-Light Flush Mount
 Finish: Polished Chrome
 Glass: Clear Crystal
 25 x 25w G9 Bulbs (Incl.) | 6,000 Lumens




Dripping with sheer elegance, Crystal Sensation bejewels a room with exquisite diamond pendants delicately draped from a curvaceous and sleek chrome neckline. Each graceful strand of Egyptian crystal brilliantly reflects light from the next, culminating in a mesmerizing play of sparkle and glow.



E20804-20 10-Light Pendant
 Finish: Polished Chrome
 Glass: Egyptian Crystal
 10 x 20w GZ4 MR11 Bulbs (Incl.) | 7,000 Lumens
 40" / 120" OAH



E20802-20 6-Light Pendant
 Finish: Polished Chrome
 Glass: Egyptian Crystal
 6 x 20w GZ4 MR11 Bulbs (Incl.) | 4,200 Lumens
 36" / 120" OAH





E20803-20 8-Light Pendant
 Finish: Polished Chrome
 Glass: Egyptian Crystal
 8 x 20w GZ4 MR11 Bulbs (Incl.) | 5,600 Lumens
 34" / 120" OAH



CASCADA

A natural wonder sculpted in glass, Cascada evokes the feeling of a rain shower in a graceful swirl of Egyptian crystal spheres. The rainfall that is evoked by the large and small crystals is made possible by their suspension from strands of sheer monofilament that hang in natural torrents from a chrome flush mounted canopy with puffed metal-vented trim. A conversation piece wherever it's placed, Cascada is illuminated drama on a grand scale.




E20797-20 9-Light Flush Mount
Finish: Polished Chrome
Glass: Egyptian Crystal
9 x 50w GU10 MR16 Bulbs (Incl.) | 15,300 Lumens



105"

35.5" Dia



E20798-20 22-Light Flush Mount
Finish: Polished Chrome
Glass: Egyptian Crystal
22 x 50w GU10 MR16 Bulbs (Incl.) | 37,400 Lumens




40"

20" Dia


E20796-20 7-Light Flush Mount
Finish: Polished Chrome
Glass: Egyptian Crystal
7 x 50w GU10 MR16 Bulbs (Incl.) | 11,900 Lumens



E20792-20 5-Light Flush Mount
Finish: Polished Chrome
Glass: Egyptian Crystal
5 x 50w GU10 MR16 Bulbs (Incl.) | 8,500 Lumens



E20791-20 6-Light Flush Mount
 Finish: Polished Chrome
 Glass: Egyptian Crystal
 6 x 50w GU10 MR16 Bulbs (Incl.) | 10,200 Lumens





E20794-20 18-Light Flush Mount
 Finish: Polished Chrome
 Glass: Egyptian Crystal
 18 x 50w GU10 MR16 Bulbs (Incl.) | 30,600 Lumens


SENSE Biology meets technology in the Sense life source. Chrome mirrored glass envelops a sphere of Xenon and seems to emanate the heart and soul of the space it inhabits. The clean, simple orb hovers closely or falls gracefully from the ceiling on its gently swirling lifeline.




e2online.com | 800.486.2946




E21204-10PC 3-Light Pendant
 Finish: Polished Chrome
 Glass: Mirror Chrome (-81)
 3 x 75w G9 Bulbs (Incl.) | 3,900 Lumens
 18" / 120" OAH



E21201-10PC 6-Light Flush Mount
 Finish: Polished Chrome
 Glass: Mirror Chrome (-81)
 6 x 40w G9 Bulbs (Incl.) | 3,000 Lumens




E21200-10PC 5-Light Flush Mount
Finish: Polished Chrome
Glass: Mirror Chrome (-81)
5 x 40w G9 Bulbs (Incl.) | 2,500 Lumens




E21203-10PC 3-Light Pendant
Finish: Polished Chrome
Glass: Mirror Chrome (-81)
3 x 75w G9 Bulbs (Incl.) | 3,900 Lumens
18" / 120" OAH





E21205-10PC 5-Light Pendant
 Finish: Polished Chrome
 Glass: Mirror Chrome (-81)
 5 x 40w G9 Bulbs (Incl.) | 2,500 Lumens
 18" / 120" OAH




E21206-10PC 6-Light Pendant
 Finish: Polished Chrome
 Glass: Mirror Chrome (-81)
 6 x 40w G9 Bulbs (Incl.) | 3,000 Lumens
 18" / 120" OAH




BANGLE

Shimmering like fine jewelry, the Bangle Collection combines strands of square-cut crystal supported by Polished Chrome frames. The clear natural light of xenon lamps enhances the sparkle.




E23244-20PC 8-Light Flush Mount
Finish: Polished Chrome
Glass: Clear Crystal
8 x 20w G4 Bulbs (Incl.) | 2,560 Lumens
18" / 133" OAH






E23241-20PC 1-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 1 x 20w G4 Bulb (Incl.) | 320 Lumens
 18" / 133" OAH




E23240-20PC 1-Light Wall Mount
 Finish: Polished Chrome
 Glass: Clear Crystal
 1 x 20w G4 Bulb (Incl.) | 320 Lumens
 HCO: 2.5"




E23242-20PC 5-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 5 x 20w G4 Bulbs (Incl.) | 1,600 Lumens
 18" / 133" OAH









E23259-20PC 28-Light Flush Mount
Finish: Polished Chrome
Glass: Clear Crystal
28 x 25w G9 T4 Bulbs (Incl.) | 6,720 Lumens





E23257-20PC 12-Light Flush Mount
Finish: Polished Chrome
Glass: Clear Crystal
12 x 25w G9 T4 Bulbs (Incl.) | 2,880 Lumens





E23258-20PC 20-Light Flush Mount
Finish: Polished Chrome
Glass: Clear Crystal
20 x 25w G9 T4 Bulbs (Incl.) | 4,800 Lumens





E23251-20PC 1-Light Wall Mount
 Finish: Polished Chrome
 Glass: Clear Crystal
 1 x 50w G9 Bulb (Incl.) | 750 Lumens
 HCO: 2.5"





E23252-20PC 2-Light Wall Mount
 Finish: Polished Chrome
 Glass: Clear Crystal
 2 x 50w G9 Bulbs (Incl.) | 1,500 Lumens
 HCO: 2.5"



E23253-20PC 3-Light Wall Mount
 Finish: Polished Chrome
 Glass: Clear Crystal
 3 x 50w G9 Bulbs (Incl.) | 2,250 Lumens
 HCO: 2.5"



E23254-20PC 4-Light Wall Mount
 Finish: Polished Chrome
 Glass: Clear Crystal
 4 x 50w G9 Bulbs (Incl.) | 3,000 Lumens
 HCO: 2.5"




E23255-20PC 5-Light Wall Mount
 Finish: Polished Chrome
 Glass: Clear Crystal
 5 x 50w G9 Bulbs (Incl.) | 3,750 Lumens
 HCO: 2.5"






Legendary Incan tears of the sun encrust the clearest crystal cylinder producing a radiant glimmer of ancient riches. A gold glow of Xenon sparkles through a laser-cut metal sheath with precision, perfectly illuminating the treasures that adorn its outer transparent layer.

INCA





E21304-10PC 3-Light Pendant
Finish: Polished Chrome
Metal Shade: Steel Web (-SW)
3 x 75w G9 Bulbs (Incl.) | 3,900 Lumens
18" / 120" OAH






E21306-10PC 1-Light Pendant
 Finish: Polished Chrome
 Metal Shade: Steel Web [-SW]
 1 x 60w G9 Bulb (Incl.) | 675 Lumens
 18" / 120" OAH




E21303-10PC 3-Light Pendant
 Finish: Polished Chrome
 Metal Shade: Steel Web [-SW]
 3 x 75w G9 Bulb (Incl.) | 3,900 Lumens
 18" / 120" OAH






E21310-10PC 9-Light Pendant
 Finish: Polished Chrome
 Metal Shade: Steel Web (-SW)
 9 x 40w G9 Bulbs (Incl.) | 4,500 Lumens
 12" / 120" OAH





E21308-10PC 9-Light Pendant
 Finish: Polished Chrome
 Metal Shade: Steel Web (-SW)
 9 x 40w G9 Bulbs (Incl.) | 4,500 Lumens
 18" / 120" OAH






E21300-10PC 7-Light Flush Mount
Finish: Polished Chrome
Metal Shade: Steel Web [-SW]
7 x 40w G9 Bulbs (Incl.) | 3,500 Lumens



E21301-10PC 9-Light Flush Mount
Finish: Polished Chrome
Metal Shade: Steel Web [-SW]
9 x 40w G9 Bulbs (Incl.) | 4,500 Lumens



E21309-10PC 7-Light Pendant
Finish: Polished Chrome
Metal Shade: Steel Web [-SW]
7 x 40w G9 Bulbs (Incl.) | 3,500 Lumens
18" / 120" OAH






3.75"

E21302-10PC 1-Light Wall Mount
 Finish: Polished Chrome
 Metal Shade: Steel Web (-SW)
 1 x 75w G9 Bulb (Incl.) | 1,300 Lumens
 HCO: 2.75"



3.75"

E21311-10PC 2-Light Wall Mount
 Finish: Polished Chrome
 Metal Shade: Steel Web (-SW)
 2 x 75w G9 Bulbs (Incl.) | 2,600 Lumens
 HCO: 2.5"



5.75"

7.75"




5"

15.75"



3.75"

E21312-10PC 3-Light Wall Mount
 Finish: Polished Chrome
 Metal Shade: Steel Web (-SW)
 3 x 75w G9 Bulbs (Incl.) | 3,900 Lumens
 HCO: 2.5"




5"

24"



3.75"

E21313-10PC 4-Light Wall Mount
 Finish: Polished Chrome
 Metal Shade: Steel Web (-SW)
 4 x 75w G9 Bulbs (Incl.) | 5,200 Lumens
 HCO: 2.5"





5"



32.75"



As cool, glossy ice reflects the darks and lights filtering through a highball of fine liqueur, Neo collection's Crystal glass cubes take on the hues and tones of the room they inhabit. Weighty and dense, each crystal envelops its own xenon bulb, illuminating it from within, and suspends/extends from a sleek Polished Chrome surface.




E30505-20 5-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Crystal
 5 x 20w G4 Bulbs (Incl.) | 1,600 Lumens
 18" / 120" OAH




E30503-20 3-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Crystal
 3 x 20w G4 Bulbs (Incl.) | 960 Lumens
 18" / 120" OAH






E30507-20 1-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Crystal
 1 x 20w G4 Bulb (Incl.) | 320 Lumens
 18" / 120" OAH




E30509-20 9-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Crystal
 9 x 20w G4 Bulbs (Incl.) | 2,880 Lumens
 18" / 120" OAH






E30500-20 8-Light Flush Mount
 Finish: Polished Chrome (PC)
 Glass: Crystal
 8 x 20w G4 Bulbs (Incl.) | 2,560 Lumens



E30501-20 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: Crystal
 1 x 20w G4 Bulb (Incl.) | 320 Lumens
 HCO: 4"




E30502-20 2-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: Crystal
 2 x 20w G4 Bulbs (Incl.) | 640 Lumens
 HCO: 2.5"






An example of bold contemporary design, the Alpha-V collection combines angular cast Crystal glass lamp covers within a narrow profile Brushed Aluminum finish base. The end result is a unique and striking combination of silicon tubes reflected in crystal chevrons and illuminated with low voltage xenon fixtures for ease of maintenance. The secured mount attachment is just one more feature that makes it perfect for the modern interior.



E20285-20 10-Light Pendant
Finish: Brushed Aluminum (AL)
Glass: Crystal
10 x 20w G4 Bulbs (Incl.) | 3,200 Lumens







E20282-20 2-Light Wall Mount
 Finish: Brushed Aluminum (AL)
 Glass: Crystal
 2 x 20w G4 Bulbs (Incl.) | 640 Lumens
 HCO: 4"




E20283-20 3-Light Wall Mount
 Finish: Brushed Aluminum (AL)
 Glass: Crystal
 3 x 20w G4 Bulbs (Incl.) | 960 Lumens
 HCO: 6.75"







E20286-20 1-Light Pendant
 Finish: Brushed Aluminum (AL)
 Glass: Crystal
 1 x 20w G4 Bulb (Incl.) | 320 Lumens
 18" / 96" OAH




E20281-20 1-Light Wall Mount
 Finish: Brushed Aluminum (AL)
 Glass: Crystal
 1 x 20w G4 Bulb (Incl.) | 320 Lumens
 HCO: 2.5"



E20280-20 1-Light Wall Mount
 Finish: Brushed Aluminum (AL)
 Glass: Crystal
 1 x 20w G4 Bulb (Incl.) | 320 Lumens
 HCO: 2.5"





ORB Brilliant Xenon lamps radiate from the center of perfect spheres in the Orb Collection. Clear Bubble glass allows for a brilliant glow as it mimics the fluid play of water and air and adds a theatrical sense of drama to the room. The restrained use of Polished Chrome complements the globes without detracting from their ability to mesmerize onlookers with an innate mystery.




E24256-91PC 10-Light Pendant
Finish: Polished Chrome
Glass: Clear Crystal
10 x 20w G4 Bulbs (Incl.) | 3,200 Lumens
18" / 128" OAH






E24257-91PC 5-Light Pendant
Finish: Polished Chrome
Glass: Clear Crystal
5 x 20w G4 Bulbs (Incl.) | 1,600 Lumens
18" / 128" OAH






E24254-91PC 9-Light Pendant
Finish: Polished Chrome
Glass: Clear Crystal
9 x 20w G4 Bulbs (Incl.) | 2,880 Lumens
18" / 128" OAH





E24250-91PC 1-Light Wall Mount
 Finish: Polished Chrome
 Glass: Clear Crystal
 1 x 20w G4 Bulb (Incl.) | 320 Lumens
 HCO: 3"




E24251-91PC 1-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 1 x 20w G4 Bulb (Incl.) | 320 Lumens
 18" / 128" OAH





BLOSSOM

Clear Crystal petals gently unfold into layers of light in the delicate Blossom collection. Intricate tiers of translucent leaves surround the Xenon light source. The Polished Chrome finish adds just the right amount of gleam as it cradles the crystal petals in a sleek calyx and forms stems of shiny support.




E23010-20PC 9-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 9 x 40w G9 Bulbs (Incl.) | 4,500 Lumens
 18" / 126" OAH




E23003-20PC 1-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 18" / 126" OAH






E23008-20PC 10-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 10 x 40w G9 Bulbs (Incl.) | 5,000 Lumens
 18" / 126" OAH




E23009-20PC 14-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 14 x 40w G9 Bulbs (Incl.) | 7,000 Lumens
 18" / 126" OAH






E23006-20PC 9-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 9 x 40w G9 Bulbs (Incl.) | 4,500 Lumens
 18" / 126" OAH




E23005-20PC 5-Light Pendant
 Finish: Polished Chrome
 Glass: Clear Crystal
 5 x 40w G9 Bulbs (Incl.) | 2,500 Lumens
 18" / 125" OAH







E23000-20PC 1-Light Flush Mount
Finish: Polished Chrome
Glass: Clear Crystal
1 x 40w G9 Bulbs (Incl.) | 500 Lumens




E23001-20PC 3-Light Flush Mount
Finish: Polished Chrome
Glass: Clear Crystal
3 x 40w G9 Bulbs (Incl.) | 1,500 Lumens



E23002-20PC 5-Light Flush Mount
Finish: Polished Chrome
Glass: Clear Crystal
5 x 40w G9 Bulbs (Incl.) | 2,500 Lumens




6.5"



6"

6"

E23011-20PC 1-Light Bath Vanity
 Finish: Polished Chrome
 Glass: Clear Crystal
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 HCO: 3"




6.5"


6"

12.25"

E23012-20PC 2-Light Bath Vanity
 Finish: Polished Chrome
 Glass: Clear Crystal
 2 x 40w G9 Bulbs (Incl.) | 1,000 Lumens
 HCO: 3"



6.5"




6"

20"

E23013-20PC 3-Light Bath Vanity
 Finish: Polished Chrome
 Glass: Clear Crystal
 3 x 40w G9 Bulbs (Incl.) | 1,500 Lumens
 HCO: 3"






E23014-20PC 4-Light Bath Vanity

Finish: Polished Chrome

Glass: Clear Crystal

4 x 40w G9 Bulbs (Incl.) | 2,000 Lumens

HCO: 3"



E23015-20PC 5-Light Bath Vanity


Finish: Polished Chrome

Glass: Clear Crystal


5 x 40w G9 Bulbs (Incl.) | 2,500 Lumens

HCO: 3"







Contemporary design fuses with historic craftsmanship in this amazing ball of light, glass and chrome. The floral sphere is comprised of hand-frosted, clear Murano glass petals mounted on individual arms, with simple spherical finials for the look of an illuminated hydranges suspended in space. If you are looking to make a statement this beautiful accent speaks louder than words.




E22094-28 20-Light Pendant
Finish: Polished Chrome (-PC)
Glass: Clear Murano
20 x 40w G9 Bulbs (Incl.) | 10,000 Lumens
36" / 130" OAH and 36" of chain



E22094-26 20-Light Pendant
Finish: Bronze (-BZ)
Glass: Amber Murano
20 x 40w G9 Bulbs (Incl.) | 10,000 Lumens
36" / 130" OAH and 36" of chain



E22093-28 12-Light Pendant
Finish: Polished Chrome (-PC)
Glass: Clear Murano
12 x 40w G9 Bulbs (Incl.) | 6,000 Lumens
36" / 130" OAH and 36" of chain




E22093-26 12-Light Pendant
Finish: Bronze (-BZ)
Glass: Amber Murano
12 x 40w G9 Bulbs (Incl.) | 6,000 Lumens
36" / 130" OAH and 36" of chain







E22090-26 8-Light Pendant
 Finish: Bronze (-BZ)
 Glass: Amber Murano
 8 x 40w G9 Bulbs (Incl.) | 4,000 Lumens
 36" / 130" OAH and 36" of chain




E22090-28 8-Light Pendant
 Finish: Polished Chrome (-PC)
 Glass: Clear Murano
 8 x 40w G9 Bulbs (Incl.) | 4,000 Lumens
 36" / 130" OAH and 36" of chain




E22091-26 3-Light Wall/Flush Mount
 Finish: Bronze (-BZ)
 Glass: Amber Murano
 3 x 40w G9 Bulbs (Incl.) | 1,500 Lumens
 HCO: 7.75"



E22091-28 3-Light Wall/Flush Mount
 Finish: Polished Chrome (-PC)
 Glass: Clear Murano
 3 x 40w G9 Bulbs (Incl.) | 1,500 Lumens
 HCO: 7.75"




E22092-28 8-Light Wall/Flush Mount
 Finish: Polished Chrome (-PC)
 Glass: Clear Murano
 8 x 40w G9 Bulbs (Incl.) | 4,000 Lumens
 HCO: 8.25"



E22092-26 8-Light Wall/Flush Mount
 Finish: Bronze (-BZ)
 Glass: Amber Murano
 8 x 40w G9 Bulbs (Incl.) | 4,000 Lumens
 HCO: 8.25"




The Gem Collection's clear, square-glass cubes float on a Polished Chrome metal frame. Suspended inside the cubes, woven metal cubes sparkle with a crystal gem embedded on the side. The xenon lamps beam crystal clear light to bring the gem to life.





E22837-18PC 6-Light Pendant
 Finish: Polished Chrome
 Glass: Clear
 6 x 40w G9 Bulbs (Incl.) | 3,000 Lumens
 18" / 120" OAH








E22838-18PC 4-Light Flush Mount
 Finish: Polished Chrome
 Glass: Clear
 4 x 40w G9 Bulbs (Incl.) | 1,600 Lumens





E22836-18PC 6-Light Flush Mount
 Finish: Polished Chrome
 Glass: Clear
 6 x 40w G9 Bulbs (Incl.) | 3,000 Lumens




E22830-18PC 1-Light Wall Mount
 Finish: Polished Chrome
 Glass: Clear
 1 x 60w G9 Bulb (Incl.) | 500 Lumens
 HCO: 2"





E22832-18PC 2-Light Bath Vanity
 Finish: Polished Chrome
 Glass: Clear
 2 x 60w G9 Bulb (Incl.) | 1,500 Lumens
 HCO: 2"



E22833-18PC 3-Light Bath Vanity
 Finish: Polished Chrome
 Glass: Clear
 3 x 60w G9 Bulb (Incl.) | 2,250 Lumens
 HCO: 2"




E22834-18PC 4-Light Bath Vanity
 Finish: Polished Chrome
 Glass: Clear
 4x 60w G9 Bulb (Incl.) | 3,000 Lumens
 HCO: 2"





E22835-18PC 5-Light Bath Vanity
 Finish: Polished Chrome
 Glass: Clear
 5x 60w G9 Bulb (Incl.) | 3,750 Lumens
 HCO: 2"

If the Knights of the Round Table met in the 21st century, they would have gathered under an impressive Circolo pendant. Harmonious concentric circles suspended from delicate cables seem to defy gravity as they support Polished Chrome pillars standing vigil on regal rings. The xenon lamps boost the luminosity and make the piece as practical as it is beautiful.




E23180-20PC 2-Light Wall Mount
 Finish: Polished Chrome
 Shade: Clear Crystal
 2 x 20w G4 Bulbs | 640 Lumens
 HCO: 9.75



E23185-20PC 20-Light Pendant
 Finish: Polished Chrome
 Shade: Clear Crystal
 20 x 10w G4 Bulbs | 2,400 Lumens
 26" / 126" OAH







E23183-20PC 8-Light Pendant

Finish: Polished Chrome

Shade: Clear Crystal

8 x 20w G4 Bulbs | 2,560 Lumens

18" / 138" OAH



E23184-20PC 12-Light Pendant

Finish: Polished Chrome

Shade: Clear Crystal


12 x 20w G4 Bulbs | 3,840 Lumens

18" / 126" OAH



VORTEX

A strong elliptical structure formed from rectangular metal tubing creates the Vortex Collection, finished in a choice of Oil Rubbed Bronze or a mirror-like Polished Chrome. Frosted White glass shades gently diffuse the powerful light created from xenon lamps. The large-scale pendants make a statement in a variety of rooms.



E22807-0901, PC 8-Light Pendant

Finish: See Image

Glass: Frost White

8 x 40w G9 Bulbs (Incl.) | 4,000 Lumens


39" / 75" OAH



Includes One 6" stems (ESTR0750601, PC)
and three 12" stems (ESTR0751201, PC)



PC Polished Chrome



E22808-0901, PC 9-Light Pendant

Finish: See Image

Glass: Frost White

9 x 40w G9 Bulbs (Incl.) | 4,500 Lumens

62" / 98" OAH




Includes One 6" stems (ESTR075060I, PC)
and three 12" stems (ESTR075120I, PC)

01 Oil Rubbed Bronze



01 Oil Rubbed Bronze



E22806-0901, PC 8-Light Pendant

Finish: See Image

Glass: Frost White

8 x 75w G9 Bulbs (Incl.) | 10,400 Lumens


29" / 65" OAH



Includes One 6" stems (ESTR075060I, PC)
and three 12" stems (ESTR075120I, PC)



PC Polished Chrome



E22805-0901, PC 5-Light Pendant

Finish: See Image


Glass: Frost White

5 x 75w G9 Bulbs (Incl.) | 6,500 Lumens

28" / 64" OAH



Includes One 6" stems (ESTR075060I, PC)
and three 12" stems (ESTR075120I, PC)




E22803-0901, PC 1-Light Wall Mount
 Finish: See Image
 Glass: Frost White
 1 x 75w G9 Bulb (Incl.) | 1,300 Lumens
 HCO: 4"



PC Polished Chrome




OI Oil Rubbed Bronze



E22812-0901, PC 2-Light Bath Vanity
 Finish: See Image
 Glass: Frost White
 2 x 40w G9 Bulbs (Incl.) | 1,000 Lumens
 HCO: 2.5"




PC Polished Chrome



E22813-0901, PC 3-Light Bath Vanity
 Finish: See Image
 Glass: Frost White
 3 x 40w G9 Bulbs (Incl.) | 1,500 Lumens
 HCO: 2.5"




O1 Oil Rubbed Bronze



E22811-090I, PC 1-Light Bath Vanity
 Finish: See Image
 Glass: Frost White
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 HCO: 2.5"




O1 Oil Rubbed Bronze



E22814-090I, PC 4-Light Bath Vanity
 Finish: See Image
 Glass: Frost White
 4 x 40w G9 Bulbs (Incl.) | 2,000 Lumens
 HCO: 2.5"




PC Polished Chrome



E22815-090I, PC 5-Light Bath Vanity
 Finish: See Image
 Glass: Frost White
 5 x 40w G9 Bulbs (Incl.) | 2,500 Lumens
 HCO: 2.5"

ELLIPSE

Ultra modern design featuring oval shape cast heads finished in your choice of Satin Nickel or Polished Chrome. Contoured Matte White glass adorns the top for up-lighting and a Frost glass disc in the bottom allows for ambient down-lighting. Powerful xenon lamps make this fixture as functional as it is beautiful.



E22139-11PC, SN 8-Light Pendant

Finish: See Image

Glass: Matte White

8 x 75w G9 Bulbs (Incl.) | 10,400 Lumens

14" / 46" OAH


Frosted White Glass Diffusers



Includes One 6" stems (ESTR04506PC, SN)
and three 12" stems (ESTR04512PC, SN)



SN Satin Nickel



E22138-11PC, SN 8-Light Pendant

Finish: See Image

Glass: Matte White

8 x 75w G9 Bulbs (Incl.) | 10,400 Lumens


18" / 120" OAH

Frosted White Glass Diffusers





SN Satin Nickel




E21131-11PC, SN 1-Light Wall Mount

Finish: See Image
 Glass: Matte White
 1 x 75w G9 Bulb (Incl.) | 1,300 Lumens
 HCO: 2.25"
 Frosted White Glass Diffuser



PC Polished Chrome




E21132-11PC, SN 2-Light Bath Vanity

Finish: See Image
 Glass: Matte White
 2 x 75w G9 Bulbs (Incl.) | 2,600 Lumens
 HCO: 2.25"
 Frosted White Glass Diffusers




SN Satin Nickel




E21133-11PC, SN 3-Light Bath Vanity

Finish: See Image
 Glass: Matte White
 3 x 75w G9 Bulbs (Incl.) | 3,900 Lumens
 HCO: 2.25"
 Frosted White Glass Diffusers





PC Polished Chrome



E21134-11PC, SN 4-Light Bath Vanity

Finish: See Image

Glass: Matte White


4 x 75w G9 Bulbs (Incl.) | 5,200 Lumens

HCO: 2.25"

Frosted White Glass Diffusers



SN Satin Nickel



E21136-11PC, SN 6-Light Bath Vanity

Finish: See Image

Glass: Matte White


6 x 75w G9 Bulbs (Incl.) | 7,800 Lumens

HCO: 2.25"



Frosted White Glass Diffusers



FIZZ The Fizz Collection's effervescent bubbles encased in rectangular glass cubes come to life when illuminated by halogen reflector lamps. The Etched/Bubble glass add linear detail as they extend from the Polished Chrome fitters.





E22729-89PC 9-Light Flush Mount
 Finish: Polished Chrome
 Glass: Etched/Bubble
 9 x 35w MR11 Bulbs (Incl.) | 11,700 Lumens
 135" OAH




E22721-89PC 1-Light Pendant
 Finish: Polished Chrome
 Glass: Etched/Bubble
 1 x 35w MR11 Bulb (Incl.) | 1,300 Lumens
 18" / 134" OAH






E22723-89PC 3-Light Pendant
 Finish: Polished Chrome
 Glass: Etched/Bubble
 3 x 35w MR11 Bulbs (Incl.) | 3,900 Lumens
 18" / 134" OAH




E22725-89PC 5-Light Flush Mount
 Finish: Polished Chrome
 Glass: Etched/Bubble
 5 x 35w MR11 Bulbs (Incl.) | 6,500 Lumens
 135" OAH







E22720-89PC 1-Light Wall Mount
 Finish: Polished Chrome
 Glass: Etched/Bubble
 1 x 35w MR11 Bulb (Incl.) | 1,300 Lumens
 HCO: 6"



E22731-89PC 1-Light Bath Vanity
 Finish: Polished Chrome
 Glass: Etched/Bubble
 1 x 50w G9 Bulb (Incl.) | 750 Lumens
 HCO: 3"



Frosted White Glass Diffuser




E22732-89PC 2-Light Bath Vanity
 Finish: Polished Chrome
 Glass: Etched/Bubble
 2 x 50w G9 Bulbs (Incl.) | 1,500 Lumens
 HCO: 3"

Frosted White Glass Diffusers





3.75"



5.5"

22"

E22733-89PC 3-Light Bath Vanity



Finish: Polished Chrome

Glass: Etched/Bubble


3 x 50w G9 Bulbs (Incl.) | 2,250 Lumens

HCO: 3"

Frosted White Glass Diffusers



3.75"



5.5"

29.5"

E22734-89PC 4-Light Bath Vanity

Finish: Polished Chrome

Glass: Etched/Bubble

4 x 50w G9 Bulbs (Incl.) | 3,000 Lumens

HCO: 3"

Frosted White Glass Diffusers






It was Shakespeare that said, "The stars above us, govern our conditions." And so it is with this amazing multi-light pendant series. Each unique handmade globe - available in Violet, Clear, Amber, Mesh, Threaded and Mirror Chrome- is suspended on its own. Polished Chrome hardware and a Satin Nickel finish canopy complete each structure, and every little piece is adjustable to enhance your galaxy in a variety of different ways.




24 Clear



25 Amber



E20112-21,24,25,78,79,81 37-Light Pendant
Finish: Satin Nickel (SN)
Glass: See Image
37 x 10w G4 Bulbs (Incl.) | 4,440 Lumens
42" / 72" OAH



21 Violet



78 Mesh




79 Threaded



81 Mirror Chrome



81 Mirror Chrome



21 Violet




24 Clear




25 Amber



79 Threaded



78 Mesh



E20113-21,24,25,78,79,81 19-Light Pendant


Finish: Satin Nickel (SN)

Glass: See Image

19 x 10w G4 Bulbs (Incl.) | 2,280 Lumens

24" / 53" OAH






79 Threaded



21 Violet



24 Clear




25 Amber



78 Mesh



81 Mirror Chrome



E20114-21,24,25,78,79,81 7-Light Pendant


Finish: Satin Nickel (SN)

Glass: See Image

7 x 20w G4 Bulbs (Incl.) | 2,240 Lumens

24" / 54" OAH






E20107-21, 24, 25, 78, 79, 81 8-Light Pendant

Finish: Satin Nickel (SN)

Glass: See Image

8 x 20w G4 Bulbs (Incl.) | 2,560 Lumens

18" / 96" OAH



81 Mirror Glass



79 Threaded



78 Mesh




21 Violet



25 Amber



24 Clear



78 Mesh



21 Violet



25 Amber



24 Clear




79 Threaded



81 Mirror Chrome

SQUARE



E20106-21,24,25,78,79,81 9-Light Pendant

Finish: Satin Nickel (SN)

Glass: See Image

9 x 20w G4 Bulbs (Incl.) | 2,880 Lumens

18" / 96" OAH






79 Threaded



E20108-21,24,25,78,79,81 1-Light Pendant
 Finish: Satin Nickel (SN)
 Glass: See Image
 1 x 20w G4 Bulb (Incl.) | 320 Lumens
 18" / 120" OAH



78 Mesh



81 Mirror Chrome



21 Violet




24 Clear




25 Amber

The building blocks of style, these lighting components come in a wide variety of applications for the most innovative illumination solutions. The adjustable ceiling lamp configuration boasts thick, Clear/Frosted square fixtures encasing xenon lighting elements. Light blocks are anchored to a reflective square Polished Chrome frame that reflects their simple elegance. Perfectly suited for singular or multiple applications where understated elegance is the preferred solution.





E22036-18 8-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Clear/Frosted
 8 x 40w G9 Bulbs (Incl.) | 4,000 Lumens
 24" / 120" OAH






E22034-18 6-Light Pendant
Finish: Polished Chrome (PC)
Glass: Clear/Frosted
6 x 40w G9 Bulbs (Incl.) | 3,000 Lumens
24" / 120" OAH






E22035-18 4-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Clear/Frosted
 4 x 40w G9 Bulbs (Incl.) | 2,000 Lumens
 24" / 120" OAH




E22037-18 8-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Clear/Frosted
 8 x 40w G9 Bulbs (Incl.) | 4,000 Lumens
 24" / 120" OAH







E22030-18 1-Light Table Lamp
 Finish: Polished Chrome (PC)
 Glass: Clear/Frosted
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 96" power cord with on/off switch




E22038-18 4-Light Flush Mount
 Finish: Polished Chrome (PC)
 Glass: Clear/Frosted
 4 x 40w G9 Bulbs (Incl.) | 2,000 Lumens




E22031-18 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: Clear/Frosted
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 HCO: 2.25"




E22032-18 2-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: Clear/Frosted
 2 x 40w G9 Bulbs (Incl.) | 1,000 Lumens
 HCO: 2.25"



E22033-18 3-Light Bath Vanity
 Finish: Polished Chrome (PC)
 Glass: Clear/Frosted
 3 x 40w G9 Bulbs (Incl.) | 1,500 Lumens
 HCO: 2.25"





E22170-18 4-Light Bath Vanity
 Finish: Polished Chrome (PC)
 Glass: Clear/Frosted
 4 x 40w G9 Bulbs (Incl.) | 2,000 Lumens
 HCO: 2.25"



E22171-18 5-Light Bath Vanity
 Finish: Polished Chrome (PC)
 Glass: Clear/Frosted
 5 x 40w G9 Bulbs (Incl.) | 2,500 Lumens
 HCO: 2.25"


LARMES

A simple idea gracefully executed in the Larmes collection. Row upon row of Clear oversized teardrops, mounted onto an extended Polished Chrome lamp holder that supports xenon lamps sets the stage. Individually adjustable drops for custom stagger effects allow for dramatic impact. An added benefit of each drop being aircraft cable-suspended is the ability to adjust the overall height of the piece to fit the space. The overall result is stark and stunning.




E20117-18 16-Light Pendant
Finish: Polished Chrome (PC)
Glass: Clear
16 x 10w G4 Bulbs (Incl.) | 1,920 Lumens
11" / 75" OAH





E20115-18 9-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Clear
 9 x 10w G4 Bulbs (Incl.) | 1,080 Lumens
 12" / 76" OAH





E20116-18 9-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Clear
 9 x 10w G4 Bulbs (Incl.) | 1,080 Lumens
 18" / 66" OAH







E23111-18 1-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Clear
 1 x 20w G4 Bulbs (Incl.) | 320 Lumens
 18" / 66" OAH





E23119-18 9-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Clear
 9 x 20w G4 Bulbs (Incl.) | 2,880 Lumens
 18" / 66" OAH





E20118-18 24-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Clear
 24 x 10w G4 Bulbs (Incl.) | 2,880 Lumens
 18" / 66" OAH




E23115-18 5-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Clear
 5 x 20w G4 Bulbs (Incl.) | 1,600 Lumens
 18" / 66" OAH







Consider the bare essentials taken to their ultimate conclusion and you will have the stunning Visione collection. The eye focuses immediately on the thick optical hand blown Clear glass shade whose fluted surface divides the illuminated source within to an infinite number of shimmering shards of light reflecting off the Polished Chrome hardware.



E22109-18 8-Light Flush Mount
 Finish: Polished Chrome (PC)
 Glass: Clear
 8 x 20w G4 Bulbs (Incl.) | 2,560 Lumens



E20191-19 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: Clear
 1 x 40w CA Bulb | 384 Lumens
 HCO: 10.5"





E20190-19 1-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Clear
 1 x 40w CA Bulb | 384 Lumens
 18" / 120" OAH




PRISMS

"Design is so simple, that's why it is so complicated." Nothing proves this point as well as this elegant pendant. Prisms is comprised of simple, solid Crystal rods with integrated lamp holders, elegantly suspended by aircraft cables. This low-voltage, xenon masterwork quietly boasts a Polished Chrome finish and invites multiple applications to increase the simplicity of its functional grace.






E20103-19 3-Light Pendant
Finish: Polished Chrome (PC)
Glass: Crystal (20)
3 x 20w G4 Bulbs (Incl.) | 960 Lumens
Not Adjustable





E20100-19 1-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Crystal (20)
 1 x 20w G4 Bulb (Incl.) | 320 Lumens
 24" / 69" OAH




E20104-19 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: Crystal (20)
 1 x 20w G4 Bulb (Incl.) | 320 Lumens
 HCO: 1"




FROST

Illumination on ice best describes the contemporary Frost collection. Exquisite design Clear/White glass cylinders, accented by Polished Chrome ring spacers deliver on the promise of chic. With each light individually hung, this fixture provides illumination from each lamp for high-key drama that is perfect for kitchen utility or dining elegance.




E22001-10 4-Light Pendant
Finish: Polished Chrome (PC)
Glass: Clear/White
4 x 50w MB PAR20 Bulbs | 2,200 Lumens
36" / 136" OAH





E22000-10 1-Light Pendant
Finish: Polished Chrome (PC)
Glass: Clear/White
1 x 50w MB PAR20 Bulb | 550 Lumens
36" / 136" OAH






E22002-10 6-Light Pendant
Finish: Polished Chrome (PC)
Glass: Clear/White
6 x 50w MB PAR20 Bulbs | 3,300 Lumens
36" / 136" OAH



NUCLEUS

Circle meets the square in the contemporary pendant Nucleus collection. The sophisticated design of the double layer Clear/White glass shade speaks volumes as to the truth of less equaling more. Clear-glass spheres define the unique profile of this exquisite kitchen island/billiard application. And nestled inside each sphere is an inner cube of opal glass which holds a xenon light source, secured by a Polished Chrome lamp holder and a Brushed Aluminum frame.




E20056-10 4-Light Pendant
 Finish: Brushed Aluminum/Polished Chrome (ALPC)
 Glass: Clear/White
 4 x 20w G4 Bulbs (Incl.) | 1,280 Lumens
 18" / 120" OAH





E20051-10 1-Light Pendant
 Finish: Brushed Aluminum/
 Polished Chrome (ALPC)
 Glass: Clear/White
 1 x 20w G4 Bulb (Incl.) | 320 Lumens
 18" / 120" OAH





E20058-10 6-Light Pendant
 Finish: Brushed Aluminum/
 Polished Chrome (ALPC)
 Glass: Clear/White
 6 x 20w G4 Bulbs (Incl.) | 1,920 Lumens
 18" / 120" OAH




E20057-10 4-Light Pendant
 Finish: Brushed Aluminum/Polished Chrome (ALPC)
 Glass: Clear/White
 4 x 20w G4 Bulbs (Incl.) | 1,280 Lumens
 18" / 120" OAH




CONICO

Like a translucent sheath delicately draped around the female form, Conico floats a delicate Opal White panel of glass over a slender Satin Nickel metal rod like a sophisticated designer dress awaiting the red carpet. A study in simplicity, the hour glass shape and understated light speak of classic sophistication and impeccable taste.




E20419-09 1-Light Pendant
Finish: Satin Nickel (SN)
Glass: Opal White (85)
1 x 100w MB Bulb | 1,150 Lumens
48" / 120" OAH




E20420-09 1-Light Pendant
Finish: Satin Nickel (SN)
Glass: Opal White (85)
1 x 60w CA Bulb | 672 Lumens
36" / 120" OAH






E20413-09 1-Light Wall Mount
 Finish: Satin Nickel (SN)
 Glass: Opal White (85)
 1 x 60w CA Bulb | 672 Lumens
 HCO: 10"




E20412-09 2-Light Wall Mount
 Finish: Satin Nickel (SN)
 Glass: Opal White (85)
 2 x 60w CA Bulbs | 1,344 Lumens
 HCO: 10"



E20410-09 1-Light Wall Mount
 Finish: Satin Nickel (SN)
 Glass: Opal White (85)
 1 x 100w MB Bulb | 1,150 Lumens
 HCO: 12.75"

BELLEZA

The ultra-contemporary tendrils shapes of this hand-blown clear glass masterpiece are complemented by Egyptian crystals, steel-made Polished Chrome plated tubing and Satin Nickel framing. The tubing is hand formed into an elaborate scrollwork to compliment the conical Clear glass low-voltage xenon lamp sheaths. Ideal for entryway or dining area, Belleza will make a statement that will be hard to forget.




E20716-18 8-Light Chandelier
Finish: Satin Nickel/Polished Chrome (SNPC)
Glass: Clear
8 x 20w G4 Bulbs (Incl.) | 1,600 Lumens
36" / 73" OAH





E20717-18 2-Light Wall Mount
 Finish: Satin Nickel/Polished Chrome (SNPC)
 Glass: Clear
 2 x 20w G4 Bulbs (Incl.) | 640 Lumens
 HCO: 6"




E20715-18 5-Light Chandelier
 Finish: Satin Nickel/Polished Chrome (SNPC)
 Glass: Clear
 5 x 20w G4 Bulbs (Incl.) | 1,600 Lumens
 36" / 73" OAH






A new look at a classic silhouette, Chic brings light into your dining room with an elegant combination of candle-like xenon lights shrouded in conical clear glass shades. Each of the fluid chrome curves enhances the organic simplicity of the sleek and stylish design as they flow into Polished Chrome adjustable stems. A noteworthy addition to the most elegant or most contemporary room setting. Now let the festivities begin.




E20291-10 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: Clear (18)
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 HCO: 10.5"



E20292-10 5-Light Chandelier
 Finish: Polished Chrome (PC)
 Glass: Clear (18)
 5 x 40w G9 Bulbs (Incl.) | 2,500 Lumens
 15" / 46" OAH



Includes One 6" stem (ESTR06005PC)
 and Three 12" stems (ESTR12005PC)



E20294-10 16-Light Chandelier

Finish: Polished Chrome (PC)


Glass: Clear (18)

16 x 40w G9 Bulbs (Incl.) | 8,000 Lumens

23" / 46" OAH



Includes One 6" stem (ESTR06005PC)
and Three 12" stems (ESTR12005PC)




E20293-10 9-Light Chandelier
 Finish: Polished Chrome (PC)
 Glass: Clear (18)
 9 x 40w G9 Bulbs (Incl.) | 4,500 Lumens
 21" / 46" OAH



Includes One 6" stem (ESTR06005PC)
 and Three 12" stems (ESTR12005PC)

MESH

The Mesh collection starts with an industrial look, then takes it to another level with unmistakable touches of class and sophistication. Stout cylinders of clean, White glass and a textural layer of silver mesh mount onto a slice of reflective mirror to double their presence. Sleek disks of gleaming Polished Chrome form the cap and base for each cylinder, which house a xenon bulb for the ultimate in aesthetics and function.




E22341-10PC 1-Light Wall Mount

Finish: Polished Chrome


Glass: White (01)

1 x 40w G9 Bulb (Incl.) | 500 Lumens


HCO: 2.25"




E22342-10PC 2-Light Wall Mount
 Finish: Polished Chrome
 Glass: White (01)
 2 x 40w G9 Bulbs (Incl.) | 1000 Lumens
 HCO: 2.25"



E22343-10PC 3-Light Wall Mount
 Finish: Polished Chrome
 Glass: White (01)
 3 x 40w G9 Bulbs (Incl.) | 1500 Lumens
 HCO: 2.25"



E22344-10PC 4-Light Wall Mount
 Finish: Polished Chrome
 Glass: White (01)
 4 x 40w G9 Bulbs (Incl.) | 2000 Lumens
 HCO: 2.25"




E22345-10PC 5-Light Wall Mount
 Finish: Polished Chrome
 Glass: White (01)
 5 x 40w G9 Bulbs (Incl.) | 2500 Lumens
 HCO: 2.25"

HYDROX

In a ballet of fluid grace, drips in White or Black finish from a spiraling Polished Chrome pendant and pools into a transparent teardrop of soft light. A Frost White glass core encases the gentle incandescent source for a sheer glow that dances and sways like the natural ebb and flow of the ocean.




BK Black



E21502-09BK,WT 1-Light Pendant
 Finish: See Image
 Glass: Frost White
 1 x 150w MB Bulb | 1,570 Lumens
 36" / 120" OAH
 Steel lacquered frame and
 Polished Chrome accents and canopy



WT White



E21501-09BK,WT 1-Light Pendant
 Finish: See Image
 Glass: Frost White
 1 x 100w MB Bulb | 1,150 Lumens
 30" / 120" OAH
 Steel lacquered frame and
 Polished Chrome accents and canopy



A Saarinen-inspired, single light suspended within a Black or White glass orb that reveals it. The Polished Chrome finish of the Luna collection enhances the ultra-modern space-aged effect and provides high key illumination to any room.



02 Black

01 White

E20166-01,02 1-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: See Image
 1 x 100w MB G40 Bulb / 1550 Lumens
 24" / 120" OAH


With skillful balance, positive and negative space encircle a cylinder of satiny light. Inwhite, the warm glow complements frosted metallic bands in a showcase of monochromatic glamour. Inblack, the contrasting rings of dark and light play up the dramatic effect.



02 Black




5"



5.5"

10"


E20821-02 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: Frost
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 HCO: 2.75"



E20824-01,02 4-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Frost
 4 x 100w MB G30 Bulbs | 6,200 Lumens
 22" / 56.5" OAH



Includes One 6" stem (ESTR20825-A)
 and three 12" stems (ESTR20825-B)




E20823-01 3-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Frost
 3 x 100w MB G30 Bulbs | 4,650 Lumens
 22" / 56.5" OAH




Includes One 6" stem (ESTR20825-A)
 and three 12" stems (ESTR20825-B)






E20820-02 1-Light Flush Mount
 Finish: Polished Chrome (PC)
 Glass: Frost
 1 x 100w MB G40 Bulb | 1,550 Lumens



E20825-01,02 1-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Frost
 1 x 100w MB G30 Bulb | 1,550 Lumens
 18" / 52" OAH
 Includes One 6" stem (ESTR20825-A)
 and three 12" stems (ESTR20825-B)



01 White




E20826-01,02 1-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Frost
 1 x 100w MB G40 Bulb | 1,550 Lumens
 22.5" / 56" OAH
 Includes One 6" stem (ESTR20825-A)
 and three 12" stems (ESTR20825-B)

02 Black

METRO

An object d'art, or a graphic statement, Metro punctuates a space. Triled-smoked sand-blasted glass shade with matte finish design in white or black, Metro works well in multiple installations and is highly compatible with the Graffiti line. Single 60w light source throws off plenty of light while adding a touch of artistic flair.



E20218-43,44 1-Light Pendant
Finish: Satin Nickel (SN)
Glass: See Image
1 x 100w MB Bulb | 1,150 Lumens
24" / 120" OAH



43 Clear / Black




44 White / Black



11 Matte White



12 Matte Black




E20216-11,12 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: See Image
 1 x 60w CA Bulb | 672 Lumens
 HCO: 4"



11 Matte White



12 Matte Black



E20215-11,12 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: See Image
 1 x 60w CA Bulb | 672 Lumens
 HCO: 3"



TEARDROP

Dripping from the ceiling in solitary droplets, the Teardrop collection of pendants enter the room on a long, narrow cord that seems to stretch under the weight of a single, voluptuous, pear-shaped shade in either Satin Nickel, White, or Polished Chrome. Regardless of the finish, the incandescent bulb glows from within the curvaceous tear and generously spills its light into a warm pool below.




SN Satin Nickel



WT White



PC Polished Chrome



E24055-PC,WT,SN 1-Light Pendant
Finish: See Image
1 x 75w MB Bulb | 1,150 Lumens
18" / 146" OAH



Modern art meets modern light, the Wink collection combines form and function in a unique, wall-mounted hemisphere. Powerful, but hidden, Xenon lamps spill light through elliptical orifices in the dome refracting and diffusing the warm glow. In Polished Chrome, reflections radiate and add to the dance of light; a Satin Nickel finish creates a more subtle effect; and Matte Black makes an understated impact.




PC Polished Chrome



SN Satin Nickel



2.75"



5.25"

5.25"


E20540-BK,PC,SN 1-Light Wall Mount
Finish: See Image
1 x 40w G9 Bulb (Incl.) | 500 Lumens
HCO: 2.5"



BK Black





Streamlined and sensual is the perfect descriptor for Vox, whose Polished Chrome finish and Black metal shade immediately sets it apart from the everyday lighting fixture. A simple Frost White glass diffuser provides lots of light output, while an unexpected red cord accent provides a stab of color to set it apart.





E20464-09BK/PC 3-Light Pendant
Finish: Polished Chrome (PC)
Metal Shade: Black (BK)
3 x 100w MB Bulbs | 3,450 Lumens
24" / 120" OAH
Frost White Glass Diffuser






E20463-09BK/PC 3-Light Pendant
 Finish: Polished Chrome (PC)
 Metal Shade: Black (BK)
 3 x 100w MB Bulbs / 3,450 Lumens
 24" / 120" OAH
 Frost White Glass Diffuser




E20462-09BK/PC 2-Light Pendant
 Finish: Polished Chrome (PC)
 Metal Shade: Black (BK)
 2 x 100w MB Bulbs / 2,300 Lumens
 24" / 120" OAH
 Frost White Glass Diffuser






E20461-09BK/PC 2-Light Flush Mount
 Finish: Polished Chrome (PC)
 Metal Shade: Black (BK)
 2 x 40w G9 Bulbs (Incl) | 1,000 Lumens
 Frost White Glass Diffuser



E20465-09BK/PC 3-Light Flush Mount
 Finish: Polished Chrome (PC)
 Metal Shade: Black (BK)
 3 x 60w MB Bulbs | 1,152 Lumens
 Frost White Glass Diffuser




E20468-09BK/PC 8-Light Flush Mount
 Finish: Polished Chrome (PC)
 Metal Shade: Black (BK)
 8 x 25w G9 Bulbs (Incl) | 1,920 Lumens
 Frost White Glass Diffuser



If ever a lamp could be described as mouth-watering, this would be it. This collection presents a modern look with Chocolate Sundae glass, hand-blown white and chocolate clear-cased opal glass that is perfect for the kitchen island or basement ice cream bar. Certainly a unique lighting treatment that you won't see every day, the lighting provides the perfect illumination against a Polished Chrome or Black finish with a cherry on top.





E20187-34 5-Light Pendant
 Finish: Black
 Glass: Chocolate Sundae
 5 x 60w CA Bulbs / 3,360 Lumens
 36" / 120" OAH





et2online.com | 800.486.2946




E20185-34 1-Light Wall Mount
 Finish: Polished Chrome
 Glass: Chocolate Sundae
 1 x 60w CA Bulb | 672 Lumens
 HCO: 5.25"







E20186-34 2-Light Wall Mount
 Finish: Polished Chrome
 Glass: Chocolate Sundae
 2 x 100w MB Bulbs | 2,300 Lumens
 HCO: 8.25"






E20183-34 1-Light Floor Lamp
 Finish: Polished Chrome
 Glass: Chocolate Sundae
 1 x 100w MB Bulb | 1150 Lumens
 120" cord included




E20182-34 3-Light Pendant
 Finish: Black
 Glass: Chocolate Sundae
 3 x 60w CA Bulbs | 2,016 Lumens
 36" / 120" OAH
 





E20181-34 1-Light Pendant
 Finish: Polished Chrome
 Glass: Chocolate Sundae
 1 x 60w CA Bulb | 672 Lumens
 36" / 120" OAH
 




E20180-34 1-Light Wall Mount
 Finish: Polished Chrome
 Glass: Chocolate Sundae
 1 x 60w CA Bulb | 672 Lumens
 HCO: 5.25"




In a brilliant showcase of positive and negative space, Zion diffuses energy-saving fluorescent light through White acrylic lens panels encased by laser cut Polished Chrome. Intersecting shards of chrome sprawl in a latticework of crystalline-like structures, offering a scintillating contrast to the Lucite lens beneath. The effect brings a pleasing softness to the sharp geometric lines.




E22500-61 3-Light Pendant
 Finish: Polished Chrome (PC)
 Acrylic Lens: White
 3 x 36w 2G11 Twin T5 CFL Bulbs (Incl.) | 8,700 Lumens
 30" / 120" OAH



E22501-61 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Acrylic Lens: White
 1 x 24w 2G11 Twin T5 CFL Bulb (Incl.) | 1,800 Lumens
 HCO: 2.5"




The amazing white light on the flying trapeze. A symphony in simplicity, provides a fluorescent bar of light behind a White Acrylic shade and Polished Chrome hardware. A beautiful, yet inexpensive solution for any room.



E22320-61 1-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: White Acrylic
 1 x 21w Mini Bi Pin T5 Bulb (Incl.) | 2,000 Lumens
 24" / 120" OAH






E22322-61 1-Light Wall Mount
Finish: Polished Chrome (PC)
Glass: White Acrylic
1 x 21w Mini Bi Pin T5 Bulb (Incl.) | 2,000 Lumens
HCO: 4"

Can be installed horizontally or vertically




The art of geometry finds a perfect outlet in Edinburgh I collection's bold sconces. Sharp angles finished in Satin Nickel support simply shaped White Linen shades for a smart minimalist look. Energy-saving GU24 fluorescent light glows warmly from within adding heart and soul to the angular structure.




E21091-01SN 2-Light Wall Mount
 Finish: Satin Nickel
 Shade: White Linen (WL)
 2 x 26w GU24 Bulbs (Incl.) | 3,360 Lumens
 HCO: 5.75"

Shade is enclosed on top



E21090-01SN 1-Light Wall Mount
 Finish: Satin Nickel
 Shade: White Linen (WL)
 1 x 26w GU24 Bulb (Incl.) | 1,680 Lumens
 HCO: 5"

Shade is enclosed on top




E21092-01SN 1-Light Wall Mount
 Finish: Satin Nickel
 Shade: White Linen (WL)
 1 x 26w GU24 Bulb (Incl.) | 1,680 Lumens
 HCO: 6.75"


Shade is enclosed on bottom and top




The art of geometry finds a perfect outlet in Edinburgh II collection's bold sconces. Sharp angles finished in Satin Nickel support simply shaped White Linen shades for a smart minimalist look. Energy-saving PL fluorescent light glows warmly from within adding heart and soul to the angular structure.



E21094-01SN 2-Light Wall Mount
 Finish: Satin Nickel
 Shade: White Linen (WL)
 2 x 18w G24q-2 Quad T4 CFL Bulbs (Incl.) | 2,500 Lumens
 HCO: 5.75"
 Shade is enclosed on top



E21093-01SN 1-Light Wall Mount
 Finish: Satin Nickel
 Shade: White Linen (WL)
 1 x 18w G24q-2 Quad T4 CFL Bulb (Incl.) | 1,250 Lumens
 HCO: 5"
 Shade is enclosed on top







E21095-01SN 1-Light Wall Mount
 Finish: Satin Nickel
 Shade: White Linen (WL)
 1 x 18w G24q-2 Quad T4 CFL Bulb (Incl.) | 1,250 Lumens
 HCO: 6.75"
 Shade is enclosed on bottom and top



PIVOT

Redefining wall-mounted lighting, the Pivot collection brings versatility to a once static fixture. Install this sleek Polished Chrome bar in any room or office and simply pivot it to instantly change the focus and the mood. Angled over a fluorescent bulb that saves energy, the elongated Clear acrylic with frosted edges diffuses harsh beams and casts the room in a pleasant light.





E22372-18PC 1-Light Wall Mount

Finish: Polished Chrome

Shade: Clear

1 x F24 T5/HO Bulb | 2,000 Lumens

HCO: 1"



E22373-18PC 1-Light Wall Mount

Finish: Polished Chrome


Shade: Clear

1 x F39 T5/HO Bulb | 3,000 Lumens

HCO: 1"




The ultimate in modern lighting, the Wand collection of wall-mounted fixtures satisfies the most discerning futurists. Sleek and narrow, the Clear/Frosted acrylic saber sheaths a thin fluorescent bulb that lights the space unobtrusively. Capped on either end with Polished Chrome cylinders, each luminescent wand makes itself at home in any high tech environment.



E22362-18PC 1-Light Wall Mount

Finish: Polished Chrome
Shade: Clear/Frosted (93)
1 x F24 T5/HO Bulb | 2,000 Lumens
HCO: 1"




E22363-18PC 1-Light Wall Mount


Finish: Polished Chrome
Shade: Clear/Frosted (93)
1 x F39 T5/HO Bulb | 3,000 Lumens
HCO: 1"




Poetry in motion and efficient as it is beautiful. Cilandro I presents a simple statement with both style and grace. Presented in a combination of cylinder Matte White glass and a Satin Nickel finish, Cilandro I collection's incandescent illumination is a warm flare for the heroic.




E53009-11 1-Light Pendant
Finish: Satin Nickel (SN)
Glass: Matte White
1 x 60w MB T10 Bulb | 745 Lumens
24" / 134" OAH
Glass is enclosed



E53006-11 1-Light Wall Mount
Finish: Satin Nickel (SN)
Glass: Matte White
1 x 60w MB T10 Bulb | 745 Lumens
HCO:10"
Glass is enclosed





E53007-11 2-Light Wall Mount
Finish: Satin Nickel (SN)
Glass: Matte White
2 x 60w MB T10 Bulbs | 1,490 Lumens
HCO:2.5"
Glass is enclosed




E53008-11 4-Light Bath Vanity
Finish: Satin Nickel (SN)
Glass: Matte White
4 x 60w MB T10 Bulbs | 2,980 Lumens
HCO:2"
Glass is enclosed




Poetry in motion and efficient as it is beautiful. Cilandro II presents a simple statement with both style and grace. Presented in a combination of cylinder Matte White glass and a Satin Nickel finish, Cilandro II collection's energy saving fluorescent illumination is a flare for the heroic.




E63009-11 1-Light Pendant
 Finish: Satin Nickel (SN)
 Glass: Matte White
 1 x 18w G24q-2 Quad T4 CFL Bulb (Incl.) | 1,250 Lumens
 24" / 134" OAH
 Glass is enclosed



E63006-11 1-Light Wall Mount
 Finish: Satin Nickel (SN)
 Glass: Matte White
 1 x 18w G24q-2 Quad T4 CFL Bulb (Incl.) | 1,250 Lumens
 HCO:10"
 Glass is enclosed




E63007-11 2-Light Wall Mount
 Finish: Satin Nickel (SN)
 Glass: Matte White
 2 x 13w GX23-2 Twin T4 CFL Bulbs (Incl.) | 1,560 Lumens
 HCO:2.5"
 Glass is enclosed



E63008-11 4-Light Wall Mount
 Finish: Satin Nickel (SN)
 Glass: Matte White
 4 x 13w GX23-2 Twin T4 CFL Bulbs (Incl.) | 3,120 Lumens
 HCO:2"
 Glass is enclosed




High style at a low price. The Frosted White glass shade provides a hint of bygone eras while the Satin Nickel surface brings it right up to the design aesthetic of today. All of that and affordable pricing add up to a combination that is hard to beat.




E22011-09 1-Light Wall/Flush Mount
Finish: Satin Nickel (SN)
Glass: Frosted White
1 x 40w 2GX13 T5 Circuline Bulb (Incl.) | 3,200 Lumens
HCO: 7.25"




The Flux Collection starts with strong steel bases finished in Polished Chrome. Extra-thick, clear glass coated White on the inside allows for excellent light diffusion.




E21039-01PC 2-Light Flush Mount
 Finish: Polished Chrome
 Glass: White
 2 x 18w G24q-2 Quad T4 CFL Bulbs (Incl.) | 2,500 Lumens



E21038-01PC 2-Light Flush Mount
 Finish: Polished Chrome
 Glass: White
 2 x 13w G24q-1 Quad T4 CFL Bulbs (Incl.) | 1,800 Lumens



E21036-01PC 2-Light Flush Mount
 Finish: Polished Chrome
 Glass: White
 2 x 18w G24q-2 Quad T4 CFL Bulbs (Incl.) | 2,500 Lumens




E21035-01PC 2-Light Flush Mount
 Finish: Polished Chrome
 Glass: White
 2 x 13w G24q-1 Quad T4 CFL Bulbs (Incl.) | 1,800 Lumens





CONTEMPRA

This trestle Contempra collection features thick Clear/White glass plates with polished edges accented by Brushed Aluminum finish. The fluorescent light source assures energy saving operation and the cable-suspension system of the pendants add to the contemporary flare. Perfect for the kitchen island or the well-designed workspace.




E22124-10 1-Light Pendant
Finish: Brushed Aluminum (AL)
Glass: Clear/White
1 x 14w Mini Bi Pin T5 Bulb (Incl.) | 1,275 Lumens
24" / 90" OAH






E22127-10 1-Light Pendant
 Finish: Brushed Aluminum (AL)
 Glass: Clear/White
 1 x 21w Mini Bi Pin T5 Bulb (Incl.) | 2,000 Lumens
 24" / 90" OAH




E22126-10 2-Light Pendant
 Finish: Brushed Aluminum (AL)
 Glass: Clear/White
 2 x 21w Mini Bi Pin T5 Bulb (Incl.) 2,000 Lumens
 24" / 90" OAH






E22123-10 2-Light Pendant
 Finish: Brushed Aluminum (AL)
 Glass: Clear/White
 2 x 21w Mini Bi Pin T5 Bulb (Incl.) | 2,000 Lumens
 24" / 90" OAH




E22122-10 2-Light Flush Mount
 Finish: Brushed Aluminum (AL)
 Glass: Clear/White
 2 x 18w 2G11 Twin T5 CFL Bulbs (Incl.) | 2,500 Lumens





E22120-10 4-Light Flush Mount
 Finish: Brushed Aluminum (AL)
 Glass: Clear/White
 4 x 36w 2G11 Twin T5 CFL Bulbs (Incl.) | 11,600 Lumens




E22121-10 2-Light Flush Mount
 Finish: Brushed Aluminum (AL)
 Glass: Clear/White
 2 x 36w 2G11 Twin T5 CFL Bulbs (Incl.) | 5,800 Lumens



ALUMINA


The essence of the streamline movement. Alumina provides you with the perfect flush mounted application for foyer or hallway, bath or walk-in. This timeless yet contemporary energy efficient design piece combines the classic elements of Brushed Aluminum and black anodized rings encasing an inner Matte White glass cave. Now you can add a dramatic lighting accent in a singular fixture or a stunning row. And the fluorescent illumination assures ease of upkeep and minimum energy usage.



E22180-11 1-Light Flush Mount
Finish: Brushed Aluminum (AL)
Glass: Matte White
1 x 40w 2GX13 T5 Circuline Bulb (Incl.) | 3,200 Lumens



Softly glowing from within a circle of White acrylic strategically set into a Matte White tile, Anglex elevates the proverbial round peg in a square hole to a new level. The sleek, contemporary slab of luminescence inconspicuously hugs the ceiling while casting cool light throughout the room.




E21011-10WT 2-Light Flush Mount

Finish: Matte White (MW)

Acrylic Lens: White (01)

1 x 22w + 1 x 55w 2GX13 T5 Circuline Bulbs (Incl.) | 5,000 Lumens

HCO: 4"



E21010-10WT 2-Light Flush Mount

Finish: Matte White (MW)

Acrylic Lens: White (01)


1 x 22w + 1 x 55w 2GX13 T5 Circuline Bulbs (Incl.) | 5,000 Lumens

HCO: 4"




ZENITH II


These contemporary, European-designed fluorescent outdoor fixtures are a perfect combination of energy efficiency and durability. The Zenith II Collection features die-cast metal frames painted with a polyurethane powder coat, finished in Platinum. The durable White acrylic lens diffuses the light nicely. The fluorescent light source gives the ultimate in energy saving and long life.



E21053-61PL 2-Light Wall Mount
 Finish: Platinum
 Acrylic Lens: White
 2 x 13w 2GX7 Twin T4 CFL Bulbs (Incl.) | 1680 Lumens
 HCO: 6.75"




E21051-61PL 2-Light Wall Mount
 Finish: Platinum
 Acrylic Lens: White
 2 x 13w G2X7 Twin T4 CFL Bulbs (Incl.) | 1,680 Lumens
 HCO: 6.75"




E21052-61PL 2-Light Wall Mount
 Finish: Platinum
 Acrylic Lens: White
 2 x 13w G2X7 Twin T4 CFL Bulbs (Incl.) | 1,680 Lumens
 HCO: 6.75"





E21050-61PL 1-Light Wall Mount
 Finish: Platinum
 Acrylic Lens: White
 1 x 18w G24q-2 Quad T4 CFL Bulb (Incl.) | 1,250 Lumens
 HCO: 6"




E21054-61PL 1-Light Wall Mount
 Finish: Platinum
 Acrylic Lens: White
 1 x 18w G24q-2 Quad T4 CFL Bulb (Incl.) | 1,250 Lumens
 HCO: 6.75"



CURVA

Inspired by our visions of visitors from other galaxies, Curva is a study in minimalist design and maximum functionality. In every aspect of its conceptual elegance, the perfectly proportioned curves and exquisitely selected materials harkens to the deco interpretation of our modern age. The thick, beveled, polished Clear/White glass stream merges perfectly with its opal bent shade. The Polished Chrome support hardware complete the statement with utilitarian simplicity.



E20523-10 3-Light Pendant

Finish: Polished Chrome (PC)


Glass: Clear/White

3 x 50w G9 Bulbs (Incl.) | 2,250 Lumens


16" / 49.5" OAH




Includes One 6" stem (ESTR06625PC)
and Three 12" stems (ESTR12625PC)



E20522-10 3-Light Flush Mount
 Finish: Polished Chrome (PC)
 Glass: Clear/White
 3 x 50w G9 Bulbs (Incl.) | 2,250 Lumens




E20521-10 2-Light Flush Mount
 Finish: Polished Chrome (PC)
 Glass: Clear/White
 2 x 50w G9 Bulbs (Incl.) | 1,500 Lumens




E20520-10 1-Light Flush Mount
 Finish: Polished Chrome (PC)
 Glass: Clear/White
 1 x 50w G9 Bulb (Incl.) | 750 Lumens






E20525-10 3-Light Flush Mount
Finish: Polished Chrome (PC)
Glass: Clear/White
3 x 50w G9 Bulbs (Incl.) | 2,250 Lumens




E20526-10 1-Light Flush Mount
 Finish: Polished Chrome (PC)
 Glass: Clear/White
 1 x 50w G9 Bulb (Incl.) | 750 Lumens



E20524-10 2-Light Flush Mount
 Finish: Polished Chrome (PC)
 Glass: Clear/White
 2 x 50w G9 Bulbs (Incl.) | 1,500 Lumens


STRATO

"Beam me up Scotty," because the Strato collection looks like it came from a trek to the stars. Stark and dramatic at the same time, this engineering marvel is made up of levels of stacked thick beveled Clear glass completely hung on a Polished Chrome housing that contains the xenon lamps. The perfect application for a modern kitchen or a workstation in the distant future, the impression it gives is out of this world.




E20725-18 5-Light Pendant
Finish: Polished Chrome (PC)
Glass: Clear
5 x 40w G9 Bulbs (Incl.) | 2,500 Lumens
24" / 48" OAH






E20721-18 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: Clear
 1 x 100w R7S T3 Bulb (Incl.) | 500 Lumens
 HCO: 2.5"




E20720-18 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: Clear
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 HCO: 1.75"




Precisely stacked beveled Clear glass symmetrically positioned in a linear design evokes images of grand city skylines. As the bevels reflect light from within, above, and below, each facet and Polished Chrome surface takes on new depths and hues that draw the eye and inspire the senses. The architectural pattern brings a modern edge to a classic 1980s style.



E30400-18 4-Light Flush Mount
Finish: Polished Chrome (PC)
Glass: Clear
4 x 40w G9 Bulbs (Incl.) | 2,000 Lumens




E30406-18 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: Clear
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 HCO: 3.25"



E30407-18 1-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Clear
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 24" / 120" OAH





E30402-18 2-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: Clear
 2 x 40w G9 Bulbs (Incl.) | 1,000 Lumens
 HCO: 2.5"




E30408-18 1-Light Pendant
 Finish: Polished Chrome (PC)
 Glass: Clear
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 24" / 120" OAH




PICCOLO

Think Simple. That idea is certainly at the heart of this flush mounted-ceiling/wall series. Comprised of a Satin Nickel or Satin Nickel/ Polished Chrome disc sets designed to hold a sandblasted Frost White glass diffuser, this xenon-illuminated lighting fixture makes a quiet statement of the value of efficient design.




E20533-09 1-Light Flush/Wall Mount
Finish: Satin Nickel/Polished Chrome [SNPC]
Glass: Frosted White
1 x 40w G9 Bulb (Incl.) | 500 Lumens
HCO: 2.5"






E20530-09 1-Light Flush/Wall Mount
 Finish: Satin Nickel (SN)
 Glass: Frosted White
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 HCO: 2.75"



E20532-09 1-Light Flush/Wall Mount
 Finish: Satin Nickel/Polished Chrome (SNPC)
 Glass: Frosted White
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 HCO: 2.5"




E20531-09 1-Light Flush/Wall Mount
 Finish: Satin Nickel (SN)
 Glass: Frosted White
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 HCO: 2.75"




FLASH


The perfect graphic statement for the long corridor or dramatic entryway. The mod Clear glass cylinders that cover the entire lighting fixture give the impression of high technology at work. Complimented by a Polished Chrome tubular frame that houses two adjustable halogen spot headers, Flash is designed to impress in the design of the fixture and the throw of its light source. Equally at home in the residential or commercial setting, this collection covers all the bases with quiet, utilitarian elegance.




E22029-18 4-Light Flush Mount
Finish: Polished Chrome (PC)
Glass: Clear
4 x 50w GU10 MR16 Bulbs (Incl.) | 6,800 Lumens




E22039-18 1-Light Table Lamp
Finish: Polished Chrome (PC)
Glass: Clear
1 x 50w GU10 MR16 Bulb (Incl.) | 1,700 Lumens
96" power cord with on/off switch




E22028-18 1-Light Wall/Ceiling Mount
 Finish: Polished Chrome (PC)
 Glass: Clear
 1 x 50w GU10 MR16 Bulb (Incl.) | 1,700 Lumens
 HCO: 4"



E22027-18 2-Light Wall/Ceiling Mount
 Finish: Polished Chrome (PC)
 Glass: Clear
 2 x 50w GU10 MR16 Bulbs (Incl.) | 3,400 Lumens
 HCO: 4"




E22026-18 2-Light Wall/Ceiling Mount
 Finish: Polished Chrome (PC)
 Glass: Clear
 2 x 50w GU10 MR16 Bulbs (Incl.) | 3,400 Lumens
 HCO: 2.5"





E22025-18 3-Light Wall/Ceiling Mount
 Finish: Polished Chrome (PC)
 Glass: Clear
 3 x 50w GU10 MR16 Bulbs (Incl.) | 5,100 Lumens
 HCO: 2.5"



The essence of clean design is simplicity of function. This austere lighting series features adjustable halogen spotlights and is available in curved or straight styles. Available in either Satin Nickel or Bronze finishes for maximum adaptability, Agron promises to be an instant classic. This unique streamlined design is also surprisingly affordable. Ideal for either singular or multiple installations, Agron is the ideal application for dramatic lighting at reasonable cost.



E30006-10 Satin Nickel (SN)
E30016-10 Bronze (BZ)
 4-Light Pendant
 4 x 50w GU10 MR16 Bulbs (Incl.) | 6,800 Lumens
 17.5" / 51" OAH


 
 Includes two 6" stems (ESTR06461BZ,SN),
 two 16" stems (ESTR16461BZ,SN)
 and two 22" stems (ESTR22461BZ,SN)





Bronze




Satin Nickel



E30005-10 Satin Nickel (SN)
E30015-10 Bronze (BZ)
 3-Light Pendant
 3 x 50w GU10 MR16 Bulbs (Incl.) | 5,100 Lumens
 17.5" / 51" OAH

 
 Includes two 6" stems (ESTR06461BZ,SN),
 two 16" stems (ESTR16461BZ,SN)
 and two 22" stems (ESTR22461BZ,SN)




E30001-10 Satin Nickel (SN)
E30011-10 Bronze (BZ)
3-Light Flush Mount
3 x 50w GU10 MR16 Bulbs (Incl.) | 5,100 Lumens



Satin Nickel




Bronze



E30002-10 Satin Nickel (SN)
E30012-10 Bronze (BZ)
3-Light Flush Mount
3 x 50w GU10 MR16 Bulbs (Incl.) | 5,100 Lumens




Satin Nickel



E30003-10 Satin Nickel (SN)
E30013-10 Bronze (BZ)
 3-Light Flush Mount
 3 x 50w GU10 MR16 Bulbs (Incl.) | 5,100 Lumens



Bronze




E30004-10 Satin Nickel (SN)
E30014-10 Bronze (BZ)
 4-Light Flush Mount
 4 x 50w GU10 MR16 Bulbs (Incl.) | 6,800 Lumens



CYPHER

Cypher offers the ultimate in beauty and control. Never has directional lighting blended intelligence and inspiration so flawlessly. Thick Clear glass orbs of halogen light swivel 360 degrees for unlimited lighting options and hang from Satin Nickel telescoping tubes adding yet another level of control.



E30708-18 8-Light Pendant
Finish: Satin Nickel (SN)
Glass: Clear
8 x 35w GU10 MR16 Bulbs (Incl.) | 12,000 Lumens
24" / 40" OAH






E30700-18 4-Light Flush Mount
 Finish: Satin Nickel (SN)
 Glass: Clear
 4 x 35w GU10 MR16 Bulbs (Incl.) | 6,000 Lumens



E30701-18 1-Light Pendant
 Finish: Satin Nickel (SN)
 Glass: Clear
 1 x 35w GU10 MR16 Bulb (Incl.) | 1500 Lumens
 52" OAH



NIN Form follows function in this ceiling and flush-mounted collection. As a contemporary design piece meant to provide elegance on a budget, every element – from the frosted glass shade plate to the 50w halogen light sources – have been designed with value in mind. With finishes in either satin nickel or bronze and adjustable height, this lamp has the flexibility to fit any installation.



E30300-09 4-Light Pendant


Finish: Satin Nickel

Glass: Frosted


4 x 50w GU10 MR16 Bulbs (Incl.) | 6,800 Lumens

18" / 120" OAH







E30100-09 3-Light Flush Mount
 Finish: Satin Nickel
 Glass: Frosted
 3 x 50w GU10 MR16 Bulbs (Incl.) | 5,100 Lumens



E30200-09 3-Light Pendant
 Finish: Satin Nickel
 Glass: Frosted
 3 x 50w GU10 MR16 Bulbs (Incl.) | 5,100 Lumens
 18" / 120" OAH




Special effects on high with Infinity. This distinctive design creates an infinity effect by using the laws of physics and the reflective properties of two opposing, Smoked Mirror glass plates. Images of the light and colored crystals mounted in Polished Chrome frames are sent from zero to infinity and back again. Truly a new age conversation piece that bridges into the next dimension.



E20735-72 15-Light Floor Lamp
 Finish: Polished Chrome (PC)
 Glass: Smoked Mirror
 15 x 10w G4 Bulbs (Incl.) | 1,800 Lumens
 120" cord with dimmer switch



The wall sconce defined in this elegant single-light solution presents a trumpet shape defined in blown Matte White glass that mounts to a Satin Nickel bracket. This handsome mid-level lighting fixture also provides an open bottom for the perfect down light accent.



E20240-11 1-Light Wall Mount
 Finish: Satin Nickel (SN)
 Glass: Matte White
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 HCO: 8.75"





"Passion is energy." This energetic collection showcases drum-style hardback shades accented with wire frames in choice of Black, Red or White. Passion certainly lives up to its name. The steel, Satin Nickel finished body, aluminum canopy and elegant Polished Chrome stems all engage the beholder with a sensual experience that transcends a mere lighting fixture for something far more emotional.



03 Red


E22317-01,02,03 8-Light Pendant
 Finish: Satin Nickel/Polished Chrome (SNPC)
 Fabric Shade: See Image
 8 x 60w MB Bulbs / 5,376 Lumens
 28" / 52" OAH

 Includes One 6" stem (ESTR22315-A) and Three 12" stems (ESTR22315-B)




01 White

E22316-01,02,03 5-Light Pendant
 Finish: Satin Nickel/Polished Chrome (SNPC)
 Fabric Shade: See Image
 5 x 60w MB Bulbs / 3,360 Lumens
 28" / 52" OAH

 Includes One 6" stem (ESTR22315-A) and Three 12" stems (ESTR22315-B)


01 White




E22312-01,02,03 2-Light Wall Mount
 Finish: Satin Nickel/Polished Chrome (SNPC)
 Fabric Shade: See Image
 2 x 60w CA Bulbs | 1,344 Lumens
 HCO: 11"



01 White




E22311-01,02,03 1-Light Wall Mount
 Finish: Satin Nickel/Polished Chrome (SNPC)
 Fabric Shade: See Image
 1 x 60w CA Bulb | 672 Lumens
 HCO: 11"




E22310-01,02,03 1-Light Pendant
 Finish: Satin Nickel/Polished Chrome (SNPC)
 Fabric Shade: See Image
 1 x 100w MB Bulb | 1,150 Lumens
 50" / 140" OAH




02 Black







03 Red



E22314-01,02,03 1-Light Floor Lamp
 Finish: Satin Nickel/Polished Chrome (SNPC)
 Fabric Shade: See Image
 1 x 150w MB Bulb | 1,570 Lumens
 120" power cord with dimmer switch




02 Black





E22313-01,02,03 1-Light Table Lamp
 Finish: Satin Nickel/Polished Chrome (SNPC)
 Fabric Shade: See Image
 1 x 100w MB Bulb | 1,150 Lumens
 96" power cord with on/off switch

PORTS


This stunning collection of evocative light sources elevates the mundane desk and table lamp from a workhorse to a thoroughbred. The Ports collection Satin Nickel finish and Matte White glass add to the graceful movement of sweeping lines and bring a whole new light to the task at hand.




E20012-11 1-Light Table Lamp
 Finish: Satin Nickel (SN)
 Glass: Matte White
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 96" power cord with on/off switch



E20013-11 1-Light Table Lamp
 Finish: Satin Nickel (SN)
 Glass: Matte White
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 96" power cord with on/off switch




E20126-11 2-Light Table Lamp
 Finish: Satin Nickel (SN)
 Glass: Matte White
 2 x 20w G4 Bulbs (Incl.) | 300 Lumens
 96" power cord with on/off switch



E20011-11 1-Light Table Lamp
 Finish: Satin Nickel (SN)
 Glass: Matte White
 1 x 100w MB Bulb | 1,150 Lumens
 96" power cord with on/off switch

STUDY

Inspired by the bygone era of private reading rooms and libraries, these elegantly proportioned Study collection wall and floor lamps bespeak hushed elegance. Featuring a Polished Chrome finished combined aluminum steel counter balance; an adjustable skunk enables you to vary the height for the perfect page illumination through its Black with White Accents shade.




E22134-11 3-Light Floor Lamp
 Finish: Polished Chrome (PC)
 Fabric Shade: Black with White Accents (BA)
 3 x 60w MB Bulbs | 2,016 Lumens
 144" cord included
 Shade: 22.5"D x 7"H
 Adjustable counter balance




E22133-11 3-Light Wall Mount
 Finish: Polished Chrome (PC)
 Fabric Shade: Black with White Accents (BA)
 3 x 40w CA Bulbs | 1,152 Lumens
 HCO: 1.5"
 Shade: 16"D x 5"H
 Adjustable counter balance

e2online.com | 800.486.2946

A visit to the dictionary under elegant is sure to find a picture of this exquisite Tuxedo collection single light floor or table lamp. The striking White or Black hardback linen shade provides the perfect detail for any eclectic room, as the synthetic strings complete the desired effect. An elegant adjustable mechanism for a wide variety of vertical or horizontal positions sports a Satin Nickel finish that dresses up wherever it stands.




E22019-01,30 1-Light Floor Lamp
 Finish: Satin Nickel (SN)
 Linen Shade: See Image
 1 x 150w MB Bulb | 1,570 Lumens
 120" power cord with on/off switch




E22020-01,30 1-Light Table Lamp
 Finish: Satin Nickel (SN)
 Linen Shade: See Image
 1 x 100w MB Bulb | 1,150 Lumens
 96" power cord with on/off switch

LATTICE

Intricate laser-cuts transform thin sheets of chrome into artistic works of lace and lattice. Gentle incandescent light peeks through the negative space, illuminating a filigree of form and function. Draped from its lower edge, delicate crystals catch and cast the dancing light.



E21700-69PC 1-Light Table Lamp
 Finish: Polished Chrome
 Metal Shade: Silver Plated
 1 x 100w MB Bulb | 1,150 Lumens
 96" power cord with inline switch




E21701-69PC 1-Light Pendant
 Finish: Polished Chrome
 Metal Shade: Silver Plated
 1 x 100w MB Bulb | 1,150 Lumens
 24" / 120" OAH




* A frosted white glass diffuser is included

Jetson launches lighting into a whole new dimension. Gleaming chrome layers seem to defy gravity, hovering over one another in perfect symmetry and balance. Diffused white light seeps through the tiers, refracting off mirrored surfaces for a cosmic show of shine and shimmer.



E21601-69PC 1-Light Pendant
 Finish: Polished Chrome
 Metal Shade: Perferated Steel
 1 x 75w MB Bulb | 1,150 Lumens
 18" / 120" OAH



E21600-69PC 1-Light Table Lamp
 Finish: Polished Chrome
 Metal Shade: Perferated Steel
 1 x 75w MB Bulb | 1,150 Lumens
 96" power cord with inline switch



A minimalist's dream, the Eco-Task Collection creates a brilliant light source without intruding on the task it illuminates. Whether crunching numbers or creating masterpieces, these workhorses light the way in a sleek style all their own. With finishes ranging from Polished Chrome to Satin Chrome, from Satin Black to Aluminum, these table, floor, and desk lamps make sense in any décor and employ energy-saving LEDs that make every task eco friendly and economical.





Eco-TASK™



et2online.com

- Powerful 5 Watt LED
- 225 Lumens
- 3300K Neutral White Color
- Touch Dimmer with Night Light
- Adjustable Height
- Swivels 350 Degrees
- Rotating Head




E41023-BK/PC 1-Light LED Table Lamp
 Finish: Chrome+Satin Nickel
 1 x 5w LED Bulb (Incl.) | 225 Lumens
 72" power cord with driver housed in the plug



ECO-TASK



- Powerful 5 Watt LED
- 225 Lumens
- 3300K Neutral White Color
- Touch Dimmer with Night Light
- Adjustable Height
- Swivels 350 Degrees
- Rotating Head



E41006-SN 1-Light LED Table Lamp
Finish: Satin Nickel
1 x 5w LED Bulb (Incl.) | 225 Lumens
72" power cord with driver housed in the plug



- Powerful 5 Watt LED
- 225 Lumens
- 3300K Neutral White Color
- Touch Dimmer with Night Light
- Adjustable Height
- Swivels 350 Degrees
- Rotating Head




E41007-SN 1-Light LED Floor Lamp
 Finish: Satin Nickel
 1 x 5w LED Bulb (Incl.) | 225 Lumens
 72" power cord with driver housed in the plug



ECO-TASK



- Powerful 5 Watt LED
- 225 Lumens
- 3300K Neutral White Color
- Touch Dimmer with Night Light
- Adjustable Height
- Swivels 350 Degrees
- Rotating Head



E41020-BK/PC 1-Light LED Table Lamp
Finish: Chrome+Satin Black
1 x 5w LED Bulb (Incl.) | 225 Lumens
72" power cord with driver housed in the plug



- Powerful 5 Watt LED
- 225 Lumens
- 3300K Neutral White Color
- Touch Dimmer with Night Light
- Adjustable Height
- Swivels 350 Degrees
- Rotating Head




E41021-BK/PC 1-Light LED Floor Lamp
 Finish: Chrome+Satin Black
 1 x 5w LED Bulb (Incl.) | 225 Lumens
 72" power cord with driver housed in the plug



ECO-TASK



- Powerful 8 Watt LED
- 320 Lumens
- 3300K Neutral White Color
- Touch Dimmer with Night Light
- Adjustable Height
- Rotating Head



E41001-SN 1-Light LED Table Lamp
Finish: Satin Nickel
1 x 8w LED Bulb (Incl.) | 320 Lumens
72" power cord with driver housed in the plug



- Powerful 8 Watt LED
- 320 Lumens
- 3300K Neutral White Color
- On-Off Foot Switch
- Adjustable Height
- Rotating Head




E41002-SN 1-Light LED Floor Lamp
Finish: Satin Nickel
1 x 8w LED Bulb (Incl.) | 320 Lumens
72" power cord with driver housed in the plug



ECO-TASK



- Powerful 5 Watt LED
- 225 Lumens
- 3300K Neutral White Color
- Touch Dimmer with Night Light
- Adjustable Height
- Swivels 350 Degrees
- Rotating Head



E41008-BZ 1-Light LED Table Lamp
Finish: Bronze
1 x 5w LED Bulb (Incl.) | 225 Lumens
72" power cord with driver housed in the plug



- Powerful 5 Watt LED
- 225 Lumens
- 3300K Neutral White Color
- Touch Dimmer with Night Light
- Adjustable Height
- Swivels 350 Degrees
- Rotating Head




E41009-BZ 1-Light LED Floor Lamp
Finish: Bronze
1 x 5w LED Bulb (Incl.) | 225 Lumens
72" power cord with driver housed in the plug



ECO-TASK


- Powerful 5 Watt LED
- 225 Lumens
- 3300K Neutral White Color
- Touch Dimmer with Night Light
- Adjustable Height
- Swivels 350 Degrees
- Rotating Head



E41014-SN 1-Light LED Table Lamp
Finish: Satin Nickel
1 x 5w LED Bulb (Incl.) | 225 Lumens
72" power cord with driver housed in the plug



- Powerful 5 Watt LED
- 225 Lumens
- 3300K Neutral White Color
- Touch Dimmer with Night Light
- Adjustable Height
- Swivels 350 Degrees
- Rotating Head



E41015-SN 1-Light LED Floor Lamp
Finish: Satin Nickel
1 x 5w LED Bulb (Incl.) | 225 Lumens
72" power cord with driver housed in the plug



ECO-TASK



- Powerful 5 Watt LED
- 225 Lumens
- 3300K Neutral White Color
- Touch Dimmer with Night Light
- Adjustable Height
- Swivels 350 Degrees
- Rotating Head



E41008-SN 1-Light LED Table Lamp
Finish: Satin Nickel
1 x 5w LED Bulb (Incl.) | 225 Lumens
72" power cord with driver housed in the plug



- Powerful 5 Watt LED
- 225 Lumens
- 3300K Neutral White Color
- Touch Dimmer with Night Light
- Adjustable Height
- Swivels 350 Degrees
- Rotating Head




E41009-SN 1-Light LED Floor Lamp
 Finish: Satin Nickel
 1 x 5w LED Bulb (Incl.) | 225 Lumens
 72" power cord with driver housed in the plug




ECO-TASK

- Powerful 5 Watt LED
- 225 Lumens
- 3500K Neutral White Color
- On-Off Switch on Base




E20961-10 1-Light LED Table Lamp
Finish: Polished Black
1 x 5w LED Bulb (Incl.) | 225 Lumens
79" power cord with driver housed in the plug



E20960-10 1-Light LED Table Lamp
Finish: Polished White
1 x 5w LED Bulb (Incl.) | 225 Lumens
79" power cord with driver housed in the plug



Subtle and sleek, Hagen suspends thin disks of Clear beveled glass from barely visible strands of filament. Each disk holds a cool LED light that plays across the surface of the glass and culminates in a crisp ring of beveled luminescence. In a single light pendants, Hagen slips unobtrusively into contemporary, sophisticated settings.




E20263-10 3-Light LED Pendant
Finish: Polished Chrome (PC)
Glass: Clear (18)
3 x 1w LED Bulbs (Incl.) | 240 Lumens
16" / 124" OAH



L.E.D.-1


This very low voltage pendant light fixture has been created with L.E.D. illumination sources mounted in Polished Chrome hardware. It is the perfect lighting solution for major energy saver applications. The beautifully designed Clear glass disk is mounted on a Polished Chrome frame.



E30071-18 1-Light Pendant
Finish: Polished Chrome (PC)
Glass: Clear
1 x 1.25w LED Bulb (Incl.) | 98 Lumens
12" / 120" OAH



Masterful minimalism. The simplicity of Linea's perfect square and circle sconces creates the ideal stage to showcase the luscious, thick Clear/White glass that illuminates its hidden LEDs. The diffused light emanates from behind a sleek bar of Satin Nickel for a stunning effect.



E20963-10SN 4-Light LED Wall Mount



Finish: Stain Nickel

Glass: Clear/White

4 x 1w LED Bulbs (Incl.) | 160 Lumens

HCO: 3"

Can be installed horizontally or vertically



E20311-10SN 2-Light LED Wall/Flush Mount

Finish: Stain Nickel

Glass: Clear/White


2 x 1w LED Bulbs (Incl.) | 160 Lumens

HCO: 3.5"




PEARL

A study in scale and symmetry, the large Clear/White glass wafers encase multiple LED lights. The ingenious design causes diffused light to dance across the countless angles of Polished Chrome and glass, culminating in a pearlescent glow that highlights its geometric precision.




E20925-10PC 20-Light LED Pendant
 Finish: Polished Chrome
 Glass: Clear/White
 20 x 1w LED Bulbs (Incl.) | 1,748 Lumens
 18.5" / 124.5" OAH





E20926-10PC 30-Light LED Pendant
 Finish: Polished Chrome
 Glass: Clear/White
 30 x 1w LED Bulbs (Incl.) | 2,670 Lumens
 33.5" / 154.5" OAH





E20924-10PC 20-Light LED Pendant
 Finish: Polished Chrome
 Glass: Clear/White
 20 x 1w LED Bulbs (Incl.) | 1,748 Lumens
 33.5" / 122" OAH



E20920-10PC 6-Light LED Wall Mount
 Finish: Polished Chrome
 Glass: Clear/White
 6 x 1w LED Bulbs (Incl.) | 524 Lumens
 HCO: 4"






E20921-10PC 5-Light LED Pendant
 Finish: Polished Chrome
 Glass: Clear/White
 5 x 1w LED Bulbs (Incl.) | 437 Lumens
 18" / 122" OAH





HELIX

Clean, simple lines of reflective Satin Nickel or Polished Chrome reach out in bold parallel tracks and crossed geometric angles to present a skillfully technical look in the Helix collection.




E20942-10 12-Light LED Pendant
 Finish: Satin Nickel (SN)
 Glass: Clear/White
 12 x 3w LED Bulbs (Incl.) | 2,957 Lumens
 18" / 120" OAH



E20941-10 6-Light LED Pendant
 Finish: Satin Nickel (SN)
 Glass: Clear/White
 6 x 3w LED Bulbs (Incl.) | 1,478 Lumens
 18" / 120" OAH

Rotating LED panels up to 100°



E20940-10 2-Light LED Wall Mount
 Finish: Satin Nickel (SN)
 Glass: Clear/White
 2 x 3w LED Bulbs (Incl.) | 492 Lumens
 HCO: 2.25"


Rotating LED panels up to 100°
 Can be installed horizontally or vertically






ELEMENTS White Weave

The Elements collection offers the freedom of choice in lighting design. Start with the style selection - pendant, mini pendant, or wall sconce - then choose the right shape, square or circular, for the space. Wrap the selected Oil Rubbed Bronze or Satin Nickel lamp in one of five color options that will make just the right statement: Grass Cloth, White Weave, White Pleat, Crimson or Satin White. Finally, choose the perfect light source for the task. Whether fluorescent, xenon, or incandescent, this collection brings together all the right elements.



	Lamping	OI	SN
^{3,2} Incandescent	3 x 100W MB	E95065-1000I	E95065-100SN
^{4,3,1} Fluorescent	4 x 26W GU24	E95165-1000I	E95165-100SN





	Lamping	OI	SN
^{3,2} Incandescent	3 x 100W MB	E95060-1000I	E95060-100SN
^{4,3,1} Fluorescent	4 x 26W GU24	E95160-1000I	E95160-100SN

All stem hang pendants includes:
 1 x 4" Stem ESTR045040I, SN
 2 x 6" Stem ESTR045060I, SN
 3 x 12" Stem ESTR045120I, SN



1. Bulbs included
2. Bulbs not included
3. Includes tempered glass diffuser
4. Also available in special order Quad PL version

White Weave





	Lamping	OI	SN
^{3,2} Incandescent	3 x 100W MB	E95308-100OI	E95308-100SN
^{4,2,1} Fluorescent	4 x 26W GU24	E95408-100OI	E95408-100SN

	Lamping	OI	SN
^{3,2} Incandescent	3 x 100W MB	E95348-100OI	E95348-100SN
^{4,2,1} Fluorescent	4 x 26W GU24	E95448-100OI	E95448-100SN



	Lamping	OI	SN
^{3,2} Incandescent	3 x 60W MB	E95305-100OI	E95305-100SN
^{4,3,1} Fluorescent	3 x 18W GU24	E95405-100OI	E95405-100SN

	Lamping	OI	SN
^{3,2} Incandescent	3 x 60W MB	E95345-100OI	E95345-100SN
^{4,3,1} Fluorescent	3 x 18W GU24	E95445-100OI	E95445-100SN




	Lamping	OI	SN
^{3,2} Incandescent	2 x 100W MB	E95300-100OI	E95300-100SN
^{4,3,1} Fluorescent	3 x 18W GU24	E95400-100OI	E95400-100SN

	Lamping	OI	SN
^{3,2} Incandescent	2 x 100W MB	E95340-100OI	E95340-100SN
^{4,3,1} Fluorescent	3 x 18W GU24	E95440-100OI	E95440-100SN

All stem hang pendants includes:
 1 x 4" Stem ESTR04504OI, SN
 2 x 6" Stem ESTR04506OI, SN
 3 x 12" Stem ESTR04512OI, SN

1. Bulbs included
2. Bulbs not included
3. Includes tempered glass diffuser
4. Also available in special order Quad PL version


White Weave



- 3.2 Incandescent
- 3.2 Incandescent
- 4.3.1 Fluorescent
- 4.3.1 Fluorescent

- Lamping
- 1 x 75W MB
 - 1 x 75W MB
 - 1 x 13W GU24
 - 1 x 26W GU24


	OI	SN
Cord	E95040-1000I	E95040-100SN
Stem	E95042-1000I	E95042-100SN
Cord	E95140-1000I	E95140-100SN
Stem	E95144-1000I	E95144-100SN



- 3.2 Incandescent
- 3.2 Incandescent
- 4.3.1 Fluorescent
- 4.3.1 Fluorescent

- Lamping
- 1 x 75W MB
 - 1 x 75W MB
 - 1 x 13W GU24
 - 1 x 26W GU24

	OI	SN
Cord	E95030-1000I	E95030-100SN
Stem	E95032-1000I	E95032-100SN
Cord	E95130-1000I	E95130-100SN
Stem	E95134-1000I	E95134-100SN





- 3.2 Incandescent
- 3.2 Incandescent
- 4.3.1 Fluorescent
- 4.3.1 Fluorescent

- Lamping
- 1 x 60W MB
 - 1 x 60W MB
 - 1 x 13W GU24
 - 1 x 26W GU24

	OI	SN
Cord	E95020-1000I	E95020-100SN
Stem	E95022-1000I	E95022-100SN
Cord	E95120-1000I	E95120-100SN
Stem	E95124-1000I	E95124-100SN


All stem hang pendants includes:
 1 x 4" Stem ESTR045040I, SN
 2 x 6" Stem ESTR045060I, SN
 3 x 12" Stem ESTR045120I, SN

- 1. Bulbs included
- 2. Bulbs not included
- 3. Includes tempered glass diffuser
- 4. Also available in special order Quad PL version




White Weave


ELEMENTS




	Lamping	OI	SN
^{3,2} Incandescent	3 x 60W MB	E95004-100OI	E95004-100SN
^{4,3,1} Fluorescent	3 x 18W GU24	E95104-100OI	E95104-100SN




	Lamping	OI	SN
^{3,2} Incandescent	2 x 60W MB	E95002-100OI	E95002-100SN
^{4,3,1} Fluorescent	3 x 13W GU24	E95102-100OI	E95102-100SN




	Lamping	OI	SN
^{3,2} Incandescent	2 x 40W MB	E95000-100OI	E95000-100SN
^{4,3,1} Fluorescent	2 x 13W GU24	E95100-100OI	E95100-100SN



	Lamping	OI	SN
^{3,1} Incandescent	2 x 60W MB	E95088-100OI	E95088-100SN
^{5,4,3,1} Fluorescent	2 x 13W GU24	E95188-100OI	E95188-100SN




	Lamping	OI	SN
^{3,1} Incandescent	1 x 60W MB	E95084-100OI	E95084-100SN
^{5,4,3,1} Fluorescent	1 x 18W GU24	E95184-100OI	E95184-100SN




	Lamping	OI	SN
^{5,3,1} Xenon	1 x 60W G9	E95080-100OI	E95080-100SN

- 1. Bulbs included
- 2. Bulbs not included
- 3. Includes tempered glass diffuser
- 4. Also available in special order Quad PL version
- 5. ADA compliant

White Pleat



	Lamping	OI	SN
^{3.2} Incandescent	3 x 100W MB	E95065-102OI	E95065-102SN
^{4.3.1} Fluorescent	4 x 26W GU24	E95165-102OI	E95165-102SN





	Lamping	OI	SN
^{3.2} Incandescent	3 x 100W MB	E95060-102OI	E95060-102SN
^{4.3.1} Fluorescent	4 x 26W GU24	E95160-102OI	E95160-102SN

All stem hang pendants includes:
 1 x 4" Stem ESTR04504OI, SN
 2 x 6" Stem ESTR04506OI, SN
 3 x 12" Stem ESTR04512OI, SN

1. Bulbs included
2. Bulbs not included
3. Includes tempered glass diffuser
4. Also available in special order Quad PL version



White Pleat



3,2 Incandescent
3,2 Incandescent
4,3,1 Fluorescent
4,3,1 Fluorescent

Lamping
1 x 75W MB
1 x 75W MB
1 x 13W GU24
1 x 26W GU24


	OI	SN
Cord	E95040-102OI	E95040-102SN
Stem	E95042-102OI	E95042-102SN
Cord	E95140-102OI	E95140-102SN
Stem	E95144-102OI	E95144-102SN



3,2 Incandescent
3,2 Incandescent
4,3,1 Fluorescent
4,3,1 Fluorescent

Lamping
1 x 75W MB
1 x 75W MB
1 x 13W GU24
1 x 26W GU24

	OI	SN
Cord	E95030-102OI	E95030-102SN
Stem	E95032-102OI	E95032-102SN
Cord	E95130-102OI	E95130-102SN
Stem	E95134-102OI	E95134-102SN




3,2 Incandescent
3,2 Incandescent
4,3,1 Fluorescent
4,3,1 Fluorescent

Lamping
1 x 60W MB
1 x 60W MB
1 x 13W GU24
1 x 26W GU24

	OI	SN
Cord	E95020-102OI	E95020-102SN
Stem	E95022-102OI	E95022-102SN
Cord	E95120-102OI	E95120-102SN
Stem	E95124-102OI	E95124-102SN


All stem hang pendants includes:
1 x 4" Stem ESTR04504OI, SN
2 x 6" Stem ESTR04506OI, SN
3 x 12" Stem ESTR04512OI, SN

1. Bulbs included
2. Bulbs not included
3. Includes tempered glass diffuser
4. Also available in special order Quad PL version



1-Light RapidJack Pendant
Lamping
1 x 50W GY6.35 T4 **E95050-102SN**

Includes a RapidJack fitting and the canopy is sold separately.




1-Light RapidJack Pendant
Lamping
1 x 50W GY6.35 T4 **E95052-102SN**


Includes a RapidJack fitting and the canopy is sold separately.




White Pleat




4.3.1 Fluorescent Lamping OI SN
3 x 18W GU24 **E95104-102OI** | **E95104-102SN**





4.3.1 Fluorescent Lamping OI SN
3 x 13W GU24 **E95102-102OI** | **E95102-102SN**




4.3.1 Fluorescent Lamping OI SN
2 x 13W GU24 **E95100-102OI** | **E95100-102SN**



5.4.3.1 Fluorescent Lamping OI SN
2 x 13W GU24 **E95188-102OI** | **E95188-102SN**




5.4.3.1 Fluorescent Lamping OI SN
1 x 18W GU24 **E95184-102OI** | **E95184-102SN**




5.3.1 Xenon Lamping OI SN
1 x 60W G9 **E95080-102OI** | **E95080-102SN**


- 1. Bulbs included
- 2. Bulbs not included
- 3. Includes tempered glass diffuser
- 4. Also available in special order Quad PL version
- 5. ADA compliant




	Lamping	OI	SN
^{3,2} Incandescent	3 x 100W MB	E95308-105OI	E95308-105SN
^{4,2,1} Fluorescent	4 x 26W GU24	E95408-105OI	E95408-105SN




	Lamping	OI	SN
^{3,2} Incandescent	3 x 100W MB	E95348-105OI	E95348-105SN
^{4,2,1} Fluorescent	4 x 26W GU24	E95448-105OI	E95448-105SN




	Lamping	OI	SN
^{3,2} Incandescent	3 x 60W MB	E95305-105OI	E95305-105SN
^{4,3,1} Fluorescent	3 x 18W GU24	E95405-105OI	E95405-105SN



	Lamping	OI	SN
^{3,2} Incandescent	3 x 60W MB	E95345-105OI	E95345-105SN
^{4,3,1} Fluorescent	3 x 18W GU24	E95445-105OI	E95445-105SN



	Lamping	OI	SN
^{3,2} Incandescent	2 x 100W MB	E95300-105OI	E95300-105SN
^{4,3,1} Fluorescent	3 x 18W GU24	E95400-105OI	E95400-105SN



	Lamping	OI	SN
^{3,2} Incandescent	2 x 100W MB	E95340-105OI	E95340-105SN
^{4,3,1} Fluorescent	3 x 18W GU24	E95440-105OI	E95440-105SN


All stem hang pendants includes:
 1 x 4" Stem ESTR04504OI, SN
 2 x 6" Stem ESTR04506OI, SN
 3 x 12" Stem ESTR04512OI, SN

1. Bulbs included
2. Bulbs not included
3. Includes tempered glass diffuser
4. Also available in special order Quad PL version

Crimson


- 3.2 Incandescent 1 x 75W MB
- 3.2 Incandescent 1 x 75W MB
- 4.3.1 Fluorescent 1 x 13W GU24
- 4.3.1 Fluorescent 1 x 26W GU24

	OI	SN
Cord	E95040-105OI	E95040-105SN
Stem	E95042-105OI	E95042-105SN
Cord	E95140-105OI	E95140-105SN
Stem	E95144-105OI	E95144-105SN




- 3.2 Incandescent 1 x 75W MB
- 3.2 Incandescent 1 x 75W MB
- 4.3.1 Fluorescent 1 x 13W GU24
- 4.3.1 Fluorescent 1 x 26W GU24

	OI	SN
Cord	E95030-105OI	E95030-105SN
Stem	E95032-105OI	E95032-105SN
Cord	E95130-105OI	E95130-105SN
Stem	E95134-105OI	E95134-105SN



- 3.2 Incandescent 1 x 60W MB
- 3.2 Incandescent 1 x 60W MB
- 4.3.1 Fluorescent 1 x 13W GU24
- 4.3.1 Fluorescent 1 x 26W GU24


	OI	SN
Cord	E95020-105OI	E95020-105SN
Stem	E95022-105OI	E95022-105SN
Cord	E95120-105OI	E95120-105SN
Stem	E95124-105OI	E95124-105SN



1. Bulbs included
2. Bulbs not included
3. Includes tempered glass diffuser
4. Also available in special order Quad PL version

- All stem hang pendants includes:
- 1 x 4" Stem ESTR04504OI, SN
 - 2 x 6" Stem ESTR04506OI, SN
 - 3 x 12" Stem ESTR04512OI, SN


Crimson



1-Light RapidJack Pendant

Lamping SN
 1 x 50W GY6.35 T4 E95050-105SN



Includes a RapidJack fitting and the canopy is sold separately.




1-Light RapidJack Pendant

Lamping SN
 1 x 50W GY6.35 T4 E95052-105SN


Includes a RapidJack fitting and the canopy is sold separately.



	Lamping	OI	SN
^{3,2} Incandescent	1 x 60W MB	E95084-105OI	E95084-105SN
^{5,4,3,1} Fluorescent	1 x 18W GU24	E95184-105OI	E95184-105SN




	Lamping	OI	SN
^{3,2} Incandescent	2 x 60W MB	E95088-105OI	E95088-105SN
^{5,4,3,1} Fluorescent	2 x 13W GU24	E95188-105OI	E95188-105SN




	Lamping	OI	SN
^{5,3,1} Xenon	1 x 60W G9	E95080-105OI	E95080-105SN

- 1. Bulbs included
- 2. Bulbs not included
- 3. Includes tempered glass diffuser
- 4. Also available in special order Quad PL version
- 5. ADA compliant

Grass Cloth



	Lamping	OI	SN
^{3.2} Incandescent	3 x 100W MB	E95065-101OI	E95065-101SN
^{4.3.1} Fluorescent	4 x 26W GU24	E95165-101OI	E95165-101SN




	Lamping	OI	SN
^{3.2} Incandescent	3 x 100W MB	E95060-101OI	E95060-101SN
^{4.3.1} Fluorescent	4 x 26W GU24	E95160-101OI	E95160-101SN


All stem hang pendants includes:
 1 x 4" Stem ESTR04504OI, SN
 2 x 6" Stem ESTR04506OI, SN
 3 x 12" Stem ESTR04512OI, SN

1. Bulbs included
2. Bulbs not included
3. Includes tempered glass diffuser
4. Also available in special order Quad PL version


Grass Cloth




	Lamping	OI	SN
^{3,2} Incandescent	3 x 100W MB	E95308-101OI	E95308-101SN
^{4,2,1} Fluorescent	4 x 26W GU24	E95408-101OI	E95408-101SN




	Lamping	OI	SN
^{3,2} Incandescent	3 x 100W MB	E95348-101OI	E95348-101SN
^{4,2,1} Fluorescent	4 x 26W GU24	E95448-101OI	E95448-101SN




	Lamping	OI	SN
^{3,2} Incandescent	3 x 60W MB	E95305-101OI	E95305-101SN
^{4,3,1} Fluorescent	3 x 18W GU24	E95405-101OI	E95405-101SN



	Lamping	OI	SN
^{3,2} Incandescent	3 x 60W MB	E95345-101OI	E95345-101SN
^{4,3,1} Fluorescent	3 x 18W GU24	E95445-101OI	E95445-101SN



	Lamping	OI	SN
^{3,2} Incandescent	2 x 100W MB	E95300-101OI	E95300-101SN
^{4,3,1} Fluorescent	3 x 18W GU24	E95400-101OI	E95400-101SN



	Lamping	OI	SN
^{3,2} Incandescent	2 x 100W MB	E95340-101OI	E95340-101SN
^{4,3,1} Fluorescent	3 x 18W GU24	E95440-101OI	E95440-101SN

All stem hang pendants includes:
 1 x 4" Stem ESTR04504OI, SN
 2 x 6" Stem ESTR04506OI, SN
 3 x 12" Stem ESTR04512OI, SN

1. Bulbs included
 2. Bulbs not included
 3. Includes tempered glass diffuser
 4. Also available in special order Quad PL version


Grass Cloth



- 3.2 Incandescent 1 x 75W MB
- 3.2 Incandescent 1 x 75W MB
- 4.3.1 Fluorescent 1 x 13W GU24
- 4.3.1 Fluorescent 1 x 26W GU24

Lamping
 1 x 75W MB
 1 x 75W MB
 1 x 13W GU24
 1 x 26W GU24


	OI	SN
Cord	E95040-101OI	E95040-101SN
Stem	E95042-101OI	E95042-101SN
Cord	E95140-101OI	E95140-101SN
Stem	E95144-101OI	E95144-101SN



- 3.2 Incandescent 1 x 75W MB
- 3.2 Incandescent 1 x 75W MB
- 4.3.1 Fluorescent 1 x 13W GU24
- 4.3.1 Fluorescent 1 x 26W GU24

Lamping
 1 x 75W MB
 1 x 75W MB
 1 x 13W GU24
 1 x 26W GU24


	OI	SN
Cord	E95030-101OI	E95030-101SN
Stem	E95032-101OI	E95032-101SN
Cord	E95130-101OI	E95130-101SN
Stem	E95134-101OI	E95134-101SN



- 3.2 Incandescent 1 x 60W MB
- 3.2 Incandescent 1 x 60W MB
- 4.3.1 Fluorescent 1 x 13W GU24
- 4.3.1 Fluorescent 1 x 26W GU24


Lamping
 1 x 60W MB
 1 x 60W MB
 1 x 13W GU24
 1 x 26W GU24

	OI	SN
Cord	E95020-101OI	E95020-101SN
Stem	E95022-101OI	E95022-101SN
Cord	E95120-101OI	E95120-101SN
Stem	E95124-101OI	E95124-101SN




1. Bulbs included
2. Bulbs not included
3. Includes tempered glass diffuser
4. Also available in special order Quad PL version

- All stem hang pendants includes:
 1 x 4" Stem ESTR04504OI, SN
 2 x 6" Stem ESTR04506OI, SN
 3 x 12" Stem ESTR04512OI, SN



1-Light RapidJack Pendant
 Lamping SN
 1 x 50W GY6.35 T4 [E95050-101SN]

Includes a RapidJack fitting and the canopy is sold separately.





1-Light RapidJack Pendant
 Lamping SN
 1 x 50W GY6.35 T4 [E95052-101SN]

Includes a RapidJack fitting and the canopy is sold separately.




Grass Cloth




3.2 4.3.1	Incandescent Fluorescent	Lamping 3 x 60W MB 3 x 18W GU24	OI		SN	
			E95004-101OI	E95004-101SN	E95104-101OI	E95104-101SN


3.2 4.3.1	Incandescent Fluorescent	Lamping 2 x 60W MB 3 x 13W GU24	OI		SN	
			E95002-101OI	E95002-101SN	E95102-101OI	E95102-101SN




3.2 4.3.1	Incandescent Fluorescent	Lamping 2 x 40W MB 2 x 13W GU24	OI		SN	
			E95000-101OI	E95000-101SN	E95100-101OI	E95100-101SN



3.2 5.4.3.1	Incandescent Fluorescent	Lamping 2 x 60W MB 2 x 13W GU24	OI		SN	
			E95088-101OI	E95088-101SN	E95188-101OI	E95188-101SN




3.2 5.4.3.1	Incandescent Fluorescent	Lamping 1 x 60W MB 1 x 18W GU24	OI		SN	
			E95084-101OI	E95084-101SN	E95184-101OI	E95184-101SN




5.3.1	Xenon	Lamping 1 x 60W G9	OI		SN	
			E95080-101OI	E95080-101SN		

- 1. Bulbs included
- 2. Bulbs not included
- 3. Includes tempered glass diffuser
- 4. Also available in special order Quad PL version
- 5. ADA compliant


Satin White



	Lamping	OI	SN
5.3.1 Incandescent	1 x 60W T10	E95084-92OI	E95084-92SN
5.4.3.1 Fluorescent	1 x 18W GU24	E95184-92OI	E95184-92SN




	Lamping	OI	SN
5.3.1 Incandescent	2 x 60W T10	E95088-92OI	E95088-92SN
5.4.3.1 Fluorescent	2 x 13W GU24	E95188-92OI	E95188-92SN




	Lamping	OI	SN
5.3.1 Xenon	1 x 60W G9	E95080-92OI	E95080-92SN

- 1. Bulbs included
- 2. Bulbs not included
- 3. Includes tempered glass diffuser
- 4. Also available in special order Quad PL version
- 5. ADA compliant


Complete RapidJack Pendants




100SN Woven White



101SN Grass Cloth




102SN White Pleat




105SN Crimson

E95490-100SN,101SN,102SN,105SN 1-Light Pendant
 Finish: Satin Nickel
 Shade: See Image
 1 x 50w GY6.35 T4 Bulb (Incl.) | 750 Lumens
 16" / 77" OAH
 Includes RapidJack fitting and canopy



105SN Crimson



100SN White Weave



101SN Grass Cloth



102SN White Pleat

E95491-100SN,101SN,102SN,105SN 1-Light Pendant
 Finish: Satin Nickel
 Shade: See Image
 1 x 50w GY6.35 T4 Bulb (Incl.) | 750 Lumens
 19" / 80" OAH
 Includes RapidJack fitting and canopy



Complete RapidJack Pendants



101SN Grass Cloth




100SN White Weave



102SN White Pleat



105SN Crimson



E95493-100SN,101SN,102SN,105SN 3-Light Pendant


Finish: Satin Nickel

Shade: See Image

3 x 50w GY6.35 T4 Bulbs (Incl.) | 2,250 Lumens

19" / 80" OAH

Includes RapidJack fitting and canopy



102SN White Pleat




100SN White Weave



101SN Grass Cloth



105SN Crimson



E95492-100SN,101SN,102SN,105SN 3-Light Pendant

Finish: Satin Nickel

Shade: See Image

3 x 50w GY6.35 T4 Bulbs (Incl.) | 2,250 Lumens

16" / 77" OAH

Includes RapidJack fitting and canopy



Complete RapidJack Pendants



100SN White Weave




101SN Grass Cloth



102SN White Pleat



105SN Crimson



E95494-100SN,101SN,102SN,105SN 4-Light Pendant

Finish: Satin Nickel

Shade: See Image

4 x 50w GY6.35 T4 Bulbs (Incl.) | 3,000 Lumens

16" / 77" OAH

Includes RapidJack fitting and canopy



105SN Crimson




100SN White Weave



101SN Grass Cloth



102SN White Pleat



E95495-100SN,101SN,102SN,105SN 4-Light Pendant

Finish: Satin Nickel

Shade: See Image

4 x 50w GY6.35 T4 Bulbs (Incl.) | 3,000 Lumens

19" / 80" OAH

Includes RapidJack fitting and canopy



Complete RapidJack Pendants




100SN White Weave



101SN Grass Cloth

102SN White Pleat

105SN Crimson



E95496-100SN, 101SN, 102SN, 105SN 3-Light Pendant

Finish: Satin Nickel

Shade: See Image

3 x 50w GY6.35 T4 Bulbs (Incl.) | 2,250 Lumens

17.25" / 78.25" OAH

Includes RapidJack fitting and Canopy




101SN Grass Cloth



100SN White Weave

102SN White Pleat

105SN Crimson



E95497-100SN, 101SN, 102SN, 105SN 3-Light Pendant

Finish: Satin Nickel

Shade: See Image


3 x 50w GY6.35 T4 Bulbs (Incl.) | 2,250 Lumens

20.25" / 81.25" OAH

Includes RapidJack fitting and Canopy



Complete RapidJack Pendants



105SN Crimson

E95499-100SN,101SN,102SN,105SN 4-Light Pendant

Finish: Satin Nickel

Shade: See Image

4 x 50w GY6.35 T4 Bulbs (Incl.) | 3,000 Lumens

20.25" / 81.25" OAH



Includes RapidJack fitting and Canopy



100SN White Weave

101SN Grass Cloth

102SN White Pleat



102SN White Pleat

E95498-100SN,101SN,102SN,105SN 4-Light Pendant

Finish: Satin Nickel

Shade: See Image

4 x 50w GY6.35 T4 Bulbs (Incl.) | 3,000 Lumens

17.25" / 78.25" OAH


Includes RapidJack fitting and Canopy



100SN White Weave

101SN Grass Cloth

105SN Crimson







Minx embodies a collection of show-stopping, conversation-starting pendants that range from simple to chic. Featuring RapidJack, no wire, no hassle installation, available with single, triple, or quadruple xenon light sources, these Minx pendants boast a variety of finishes, shapes, and functions that suit most any room.




EP96005-20SN 1-Light RapidJack Pendant
Finish: Satin Nickel
Glass: Speckled Frost
1 x 50w GY6.35 T4 Bulb (Incl.) | 750 Lumens
Includes a RapidJack fitting and the canopy is sold separately



EP96010-18SN 1-Light RapidJack Pendant
Finish: Satin Nickel
Glass: Clear
1 x 20w G4 Bulb (Incl.) | 320 Lumens
Includes a RapidJack fitting and the canopy is sold separately



EP96003-10SN 1-Light RapidJack Pendant
Finish: Satin Nickel
Glass: Snow White
1 x 20w G4 Bulb (Incl.) | 320 Lumens
Enclosed at the bottom, includes a RapidJack fitting and the canopy is sold separately






EP96017-78SN

1-Light RapidJack Pendant
Finish: Satin Nickel

Glass: Mesh

1 x 50w GY6.35 T4 Bulb (Incl.) | 750 Lumens

Includes a RapidJack fitting and the canopy is sold separately





EP96006-10SN

1-Light RapidJack Pendant
Finish: Satin Nickel

Glass: Opal White

1 x 20w G4 Bulb (Incl.) | 320 Lumens

Includes a RapidJack fitting and the canopy is sold separately




EP96015-56SN

1-Light RapidJack Pendant
Finish: Satin Nickel

Glass: Chocloate Mousse

1 x 50w GY6.35 T4 Bulb (Incl.) | 750 Lumens


Includes a RapidJack fitting and the canopy is sold separately






EP96004-51SN 1-Light RapidJack Pendant


Finish: Satin Nickel
 Glass: Chocolate Swirl
 1 x 50w GY6.35 T4 Bulb (Incl.) | 750 Lumens
 Includes a RapidJack fitting and
 the canopy is sold separately




EP96011-54SN 1-Light RapidJack Pendant

Finish: Satin Nickel
 Glass: Frosted Translucent
 1 x 50w GY6.35 T4 Bulb (Incl.) | 750 Lumens
 Includes a RapidJack fitting and
 the canopy is sold separately





EP96001-20SN 1-Light RapidJack Pendant
 Finish: Satin Nickel
 Glass: Mirror Chrome
 1 x 50w GY6.35 T4 Bulb (Incl.) | 750 Lumens
 Includes a RapidJack fitting and the canopy is sold separately



EP96002-20SN 1-Light RapidJack Pendant
 Finish: Satin Nickel
 Metal Shade: Polished Chrome
 1 x 50w GY6.35 T4 Bulb (Incl.) | 750 Lumens
 Laser etched, includes a RapidJack fitting and the canopy is sold separately



EP96008-09SN 1-Light RapidJack Pendant
 Finish: Satin Nickel
 Glass: Frost White
 1 x 50w GY6.35 T4 Bulb (Incl.) | 750 Lumens
 Includes a frosted glass diffuser, a RapidJack fitting and the canopy is sold separately






EP96013-56SN 1-Light RapidJack Pendant

Finish: Satin Nickel

Glass: Mirror Chrome

1 x 50w GY6.35 T4 Bulb (Incl.) | 750 Lumens

Includes a RapidJack fitting and the canopy is sold separately




EP96007-69SN 1-Light RapidJack Pendant

Finish: Satin Nickel

Glass: Silver Plate

1 x 50w GY6.35 T4 Bulb (Incl.) | 750 Lumens

Laser etched, includes a RapidJack fitting and the canopy is sold separately




EP96012-55SN 1-Light RapidJack Pendant


Finish: Satin Nickel

Glass: Mirror Chrome


1 x 50w GY6.35 T4 Bulb | 750 Lumens

Includes a RapidJack fitting and the canopy is sold separately






EC95001-SN 1-Light RapidJack Canopy
Finish: Satin Nickel
Built in 60w Electronic Transformer




EC95003-SN 3-Light RapidJack Canopy
Finish: Satin Nickel
Built in 150w Electronic Transformer






SQUARE


EC95004-SN 4-Light RapidJack Canopy
 Finish: Satin Nickel
 Built in 230w Electronic Transformer



EC95013-SN 3-Light RapidJack Canopy
 Finish: Satin Nickel
 Built in 150w Electronic Transformer




EC95014-SN 4-Light RapidJack Canopy
 Finish: Satin Nickel
 Built in 230w Electronic Transformer




Complete 1-Light RapidJack Pendants




E94501-20SN



E94502-20SN



E94503-10SN




E94504-51SN



E94505-20SN



E94506-10SN




E94507-69SN

For glass details see page234-238, for frame details see page239.

Complete 1-Light RapidJack Pendants


MINX



E94508-09SN




E94510-18SN



E94511-54SN




E94512-55SN



E94513-56SN




E94515-56SN




E94517-78SN

For glass details see page234-238, for frame details see page239.

Complete 3-Light RapidJack Pendants



E94601-20SN



E94602-20SN




E94603-10SN



E94604-51SN



E94605-20SN



E94606-10SN




E94607-69SN


For glass details see page234-238, for frame details see page239.

Complete 3-Light RapidJack Pendants

MINX




E94608-09SN



E94610-18SN




E94611-54SN



E94612-55SN



E94613-56SN



E94615-56SN



E94617-78SN

For glass details see page234-238, for frame details see page239.

Complete 4-Light RapidJack Pendants



E94701-20SN



E94702-20SN




E94703-10SN



E94704-51SN



E94705-20SN




E94706-10SN



E94707-69SN

Complete 4-Light RapidJack Pendants

MINX



E94708-09SN



E94710-18SN




E94711-54SN



E94712-55SN



E94713-56SN



E94715-56SN



E94717-78SN

For glass details see page234-238, for frame details see page240.

Complete 3-Light RapidJack Pendants



E94801-20SN



E94802-20SN



E94803-10SN



E94804-51SN



E94805-20SN



E94806-10SN



E94807-69SN



E94808-09SN



E94810-18SN

Complete 3-Light RapidJack Pendants

MINX



E94811-54SN



E94812-55SN



E94813-56SN



E94815-56SN



E94817-78SN

For glass details see page234-238, for frame details see page240.


Complete 4-Light RapidJack Pendants



E94901-20SN



E94902-20SN



E94903-10SN




E94904-51SN




E94905-20SN



E94906-10SN



E94907-69SN



E94908-09SN

Complete 4-Light RapidJack Pendants

MINX



E94910-18SN



E94911-54SN




E94912-55SN



E94913-56SN



E94915-56SN




E94917-78SN



For glass details see page234-238, for frame details see page240.




Drums of brushed aluminum or fabric affixed with chrome make a simple, yet bold statement in any room. Elevating the industrial look to an art form, these minimalist cylinders balance the masculine qualities of texture and scale with stylish lines and soft that resonate in any decor.




E22701-77 3-Light Pendant
Finish: Polished Chrome (PC)
Shade: Brushed Aluminum (BR)
3 x 60w MB Bulbs | 2,016 Lumens
24" / 120" OAH
Frosted White Glass Diffuser




E22702-77 6-Light Pendant
Finish: Polished Chrome (PC)
Shade: Brushed Aluminum (BR)
6 x 60w MB Bulbs | 4,032 Lumens
24" / 120" OAH
Frosted White Glass Diffuser







E22700-77 3-Light Flush Mount
Finish: Polished Chrome (PC)
Shade: Brushed Aluminum (BR)
3 x 40w MB Bulbs | 1,020 Lumens
Frosted White Glass Diffuser




E22703-77 9-Light Pendant
Finish: Polished Chrome (PC)
Shade: Brushed Aluminum (BR)
9 x 40w G9 Bulbs (Incl.) | 4,500 Lumens
24" / 120" OAH
Frosted White Glass Diffuser






E22706-77 12-Light Flush Mount
 Finish: Polished Chrome (PC)
 Shade: Brushed Aluminum (BR)
 12 x 25w G9 Bulbs (Incl.) | 2,880 Lumens
 Frosted White Glass Diffuser




E22705-77 1-Light Table Lamp
 Finish: Polished Chrome (PC)
 Shade: Brushed Aluminum (BR)
 1 x 26w GU24 Bulb (Incl.) | 1,800 Lumens
 96" power cord with on/off switch
 Frosted White Glass Diffuser






E22709-77 3-Light Floor Lamp
 Finish: Polished Chrome (PC)
 Shade: Brushed Aluminum (BR)
 3 x 100w MB Bulbs / 3,450 Lumens
 96" power cord and on/off switch




E95389 3-Light Floor Lamp
 Finish: Polished Chrome (PC)
 Fabric Shade: White Weave (WW)
 3 x 100w MB bulbs / 3,450 Lumens
 96" power cord and on/off switch





E22708-77 3-Light Floor Lamp
 Finish: Polished Chrome (PC)
 Shade: Brushed Aluminum (BR)
 3 x 100w MB Bulbs / 3,450 Lumens
 96" power cord and on/off switch

T20




E95388 3-Light Floor Lamp
 Finish: Polished Chrome (PC)
 Fabric Shade: White Weave (WW)
 3 x 100w MB Bulbs / 3,450 Lumens
 96" power cord and on/off switch

T20

RIPPLE

You will be amazed at the ripple effect inspired by the simple one light Ripple series. The braided opal process that results in the woven appearance of its glass shade - available in White Ripple or Amber Ripple - will add warmth and elegance to its Polished Chrome hardware and any space it graces



E20146-13,14 1-Light Pendant
Finish: Polished Chrome (PC)
Glass: See Image
1 x 100w MB Bulb | 1,150 Lumens
22" / 125" OAH
Matching glass canopy



13 White Ripple


14 Amber Ripple



13 White Ripple



14 Amber Ripple



E20158-13,14 1-Light Pendant

Finish: Polished Chrome (PC)

Glass: See Image

1 x 60w MB Bulb | 672 Lumens


36" / 137" OAH

Matching glass canopy





HUE


Variety is indeed the spice of life. Nothing proves that more than the amazing Hue collection of hand-blown, colored accent, single light pendants. Readily available in a wide variety of colors and shapes, these pendants reveal its color when the light is on. Each glass shade is covered with impressed glass veins that accent the surface and Satin Nickel hardware. Consider mixing and matching an array of shapes and hues for a lighting solution that will be limited only by the heights to which your imagination can soar.



E20209-05 1-Light Pendant
 Finish: Satin Nickel (SN)
 Glass: Amber
 1 x 100w MB Bulb | 1,150 Lumens
 36" / 120" OAH




E20211-05 1-Light Pendant
 Finish: Satin Nickel (SN)
 Glass: Amber
 1 x 100w MB Bulb | 1,150 Lumens
 24" / 120" OAH




E20208-05 1-Light Pendant
 Finish: Satin Nickel (SN)
 Glass: Amber
 1 x 100w MB Bulb | 1,150 Lumens
 36" / 120" OAH







E20207-05 1-Light Pendant
 Finish: Satin Nickel (SN)
 Glass: Amber
 1 x 60w MB Bulb | 672 Lumens
 36" / 120" OAH



E20210-08 1-Light Pendant
 Finish: Satin Nickel (SN)
 Glass: Red Gloss
 1 x 100w MB Bulb | 1,150 Lumens
 36" / 120" OAH



E20202-14 1-Light Pendant
 Finish: Satin Nickel (SN)
 Glass: Amber Ripple
 1 x 100w MB Bulb | 1,150 Lumens
 18" / 120" OAH




E20204-08 1-Light Pendant
 Finish: Satin Nickel (SN)
 Glass: Red Gloss
 1 x 100w MB Bulb | 1,150 Lumens
 24" / 120" OAH



SEEP

The White glass of this single Seep pendant is a fascinating study in glacial fluidity. A single slender rod suspends the shade from a smooth, Polished Chrome disk.



E20219-01 1-Light Pendant
Finish: Polished Chrome (PC)
Glass: White
1 x 100w MB Bulb | 1,150 Lumens
24" / 130" OAH



Inspired by the small disks of glass that are used as ornaments in stained glass windows, the Rondelle single light Green, White, Red or Black glass pendant presents a simple and clean cylindrical matching glass canopy accented by Polished Chrome hardware and featuring adjustable height for maximum adaptability. Consider it the perfect lighting solution for bar, bathroom, kitchen island or pool table.



04 Green




01 White



03 Red



02 Black



E20021-01,02,03,04 1-Light Pendant

Finish: Polished Chrome (PC)

Glass: See Images

1 x 60w MB Bulb | 672 Lumens

24" / 120" OAH

Matching glass canopy



BUTTONS

Circle meets the square in this utilitarian flush mounted ceiling lamp. The designer's choice of bevel-cut, square colored glass in an array of primary Blue/White, Green/White, Yellow/White and Red/White colors sets Buttons apart from other ceiling fixtures. The perfect choice for a modern studio apartment or a contemporary balcony, the white ball glass shade provides even lighting with a dash of style against a Brushed Aluminum base.



33 Red/White




31 Green/White



27 Blue/White



32 Yellow/White



E22022-27,31,32,33 1-Light Flush/Wall Mount
 Finish: Brushed Aluminum (AL)
 Glass: See Image
 1 x 40w G9 Bulb (Incl.) | 500 Lumens
 HCO: 3"



Bold color combined with simple curves defines the essence of the Caps series of pendent and wall lighting fixtures. The exquisite pendants with matching glass canopy of Caps are available in Green, White, Black and Red. The wall sconces are available in Orange, Red, White and Green. Equally suited for residential or commercial applications flying solo or in multiple formations, Caps provide a well-designed understatement for wall or ceiling with Polished Chrome accents.



04 Green

02 Black

03 Red

01 White

E20054-01,02,03,04 1-Light Pendent
 Finish: Polished Chrome (PC)
 Glass: See Images
 1 x 100w MB Bulb | 1,150 Lumens
 18" / 120" OAH
 Matching glass canopy




06 Orange

03 Red

01 White

04 Green



E20059-01,03,04,06 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: See Image
 1 x 60w CA Bulb | 672 Lumens
 HCO: 4.25"

FLUTE

The night they invented champagne, they also inspired this simple yet elegant homage to the flute. This colored glass Flute collection pendant is available in Green, White, Black and Red for its single application and Black and White for its multiple applications. A beautifully realized canopy emits a cylinder of light that is perfect for illuminating kitchen, countertop or bar while suspended by a Polished Chrome mount.




04 Green

01 White

02 Black

03 Red



E20071-01,02,03,04 1-Light Pendant

Finish: Polished Chrome (PC)

Glass: See Images

1 x 60w CA Bulb | 672 Lumens

36" / 120" OAH

Matching glass canopy






01 White



02 Black




E20074-01,02 6-Light Pendant
Finish: Polished Chrome (PC)
Glass: See Images
6 x 60w CA Bulbs / 4,032 Lumens
36" / 120" OAH




ORACLE

Oracle elevates the utilitarian mirror into an objet d'art. Framed in beveled Clear Lucite and illuminated from behind Polished Chrome frame, this masterpiece transforms every reflection into a thing of beauty. Gentle light gracefully emanates from the translucent border enhancing the mirror's image with perfecting light that compliments all skin tones and complexions.



E30900-75 1-Light Mirror
Finish: Polished Chrome (PC)
Glass: Clear Lucite
1 x 55w 2GX13 T5 Circuline Bulb (Incl.) | 3,520 Lumens




E30901-75 2-Light Mirror
Finish: Polished Chrome (PC)
Glass: Clear Lucite
2 x 36w 2G11 Twin T5 CFL Bulbs (Incl.) | 5,800 Lumens




Inspired by the Action Paintings of the Abstract Expressionist Movement, this highly original graphic series Graffiti is available in Amber or Red glass with Satin Nickel hardware and each shade is emblazoned with white glass that has been trailed in a one of a kind design that is fused onto the surface of each unique piece. The raw, hand-created feeling of this piece makes it as much art as lighting fixture in every sense of the word.



05 Amber




E20251-03,05 1-Light Wall Mount
 Finish: Satin Nickel (SN)
 Glass: See Images
 1 x 60w CA Bulb / 672 Lumens
 HCO: 4"




03 Red

BLOOM


Return to the days of yesteryear. Bloom is proof positive that elegance can be achieved on a budget. Highly decorative in nature, the historic Galle feel provides the perfect dining-room center piece. The elegant floral glass shades and hanging crystal teardrops whisper hints of heirlooms and the treasures of a bygone era. An amazing metallic finish of Antique Bronze adds elegance to the gently curving stems that support both Amber Murano crystal and lamp.




E22065-26 3-Light Floor Lamp
Finish: Antique Bronze (ANB)
Glass: Amber Murano
3 x 40w G9 Bulbs (Incl.) | 1,500 Lumens
120" power cord with on/off switch



E22064-26 9-Light Chandelier
Finish: Antique Bronze (ANB)
Glass: Amber Murano
9 x 40w G9 Bulbs (Incl.) | 4,500 Lumens




E22067-26 2-Light Wall Mount
 Finish: Antique Bronze (ANB)
 Glass: Amber Murano
 2 x 40w G9 Bulbs (Incl.) | 1,000 Lumens
 HCO: 2.5"




E22063-26 6-Light Chandelier
 Finish: Antique Bronze (ANB)
 Glass: Amber Murano
 6 x 40w G9 Bulbs (Incl.) | 3,000 Lumens




Crafted in a mystical forest where light blooms, the Flora collection demands attention. Every detail sparkles with originality. The intricate branch design resolves itself with elegant floral, hand-pulled Amber glass blossom shades. The vine-like branches and tendrils alike are finished in Brushed Bronze. Branches bear the fruit of leaf-shaped Egyptian crystals suspended from berries of gold.



E22048-20 8-Light Flush Mount
Finish: Brushed Bronze (BRB)
Glass: Clear/Amber (25)
8 x 20w G4 Bulbs (Incl.) | 2,400 Lumens



E22049-20 10-Light Flush Mount
Finish: Brushed Bronze (BRB)
Glass: Clear/Amber (25)
10 x 20w G4 Bulbs (Incl.) | 3,000 Lumens




E22052-20 10-Light Chandelier
Finish: Brushed Bronze (BRB)
Glass: Clear/Amber (25)
10 x 20w G4 Bulbs (Incl.) | 3,000 Lumens
29" / 135" OAH






The Evolution collection's bouquet of light and hand-blown Amber Murano glass begins as an entwined Rustic Bronze trunk of stems, then branches into a swirl of illuminated glass shades accented with petite gold leaves, vines and petals. Each graceful stem sends illumination in another direction, giving the illusion of a plant-form in bloom with light. The floral Art Nouveau style of this series provides the perfect accent for the most eclectic of room settings.




E20340-26 4-Light Wall Mount
 Finish: Rustic Bronze (RUB)
 Glass: Amber Murano
 4 x 10w G4 Bulbs (Incl.) | 480 Lumens
 HCO: 16"




E20301-26 7-Light Wall Mount
 Finish: Rustic Bronze (RUB)
 Glass: Amber Murano
 7 x 20w G4 Bulbs (Incl.) | 2,240 Lumens
 HCO: 22"






E20304-26 5-Light Flush Mount
Finish: Rustic Bronze (RUB)
Glass: Amber Murano
5 x 10w G4 Bulbs (Incl.) | 600 Lumens




E20303-26 8-Light Table Lamp
Finish: Rustic Bronze (RUB)
Glass: Amber Murano
8 x 10w G4 Bulbs (Incl.) | 960 Lumens
96" power cord with on/off and dimmer switch






E20302-26 20-Light Floor Lamp
 Finish: Rustic Bronze (RUB)
 Glass: Amber Murano
 20 x 10w G4 Bulbs (Incl.) | 2,400 Lumens
 120" power cord with on/off and dimmer switch




E20300-26 20-Light Chandelier
 Finish: Rustic Bronze (RUB)
 Glass: Amber Murano
 20 x 10w G4 Bulbs (Incl.) | 2,400 Lumens
 48" / 72" OAH and 36" of chain






D.H. Lawrence tells us, "The sun is a great heart." And so it is with this vibrant spiral series. It is the heart of any room it graces. The unique satellite shape defines this "spacey" piece whose internally illuminated White, Red or Milos glass spiral arms radiate out from a Polished Chrome base. Certainly as much a piece of sculpture as a lighting fixture, Solara 1 is guaranteed to brighten up any room in which it rises.



01 White




E20004-01 18-Light Flush Mount
 Finish: Polished Chrome (PC)
 Glass: White
 18 x 25w G9 Bulbs (Incl.) | 4,320 Lumens




03 Red



01 White




E20001-01,03 1-Light Table Lamp
Finish: Polished Chrome (PC)
Glass: See Image
1 x 20w G4 Bulb (Incl.) | 320 Lumens
96" power cord with on/off switch



E20015-47 1-Light Table Lamp
Finish: Polished Chrome (PC)
Glass: Milos
1 x 60w CA Bulb | 672 Lumens
96" power cord with on/off switch



47 Milos




E20009-01,03 1-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: See Image
 1 x 25w G9 Bulb (Incl.) | 240 Lumens
 HCO: 12.5"



03 Red

01 White





E20010-01 2-Light Wall Mount
 Finish: Polished Chrome (PC)
 Glass: White
 2 x 25w G9 Bulbs (Incl.) | 480 Lumens
 HCO: 15"



01 White

STELLAR


An indoor starburst of crystal and Polished Chrome, Stellar's scintillating light dazzles any room. The pendant features 14 shooting Amber glass stars orbiting a Polished Chrome-plated planetary sphere all hung in delicate balance by a slim metal rod gently embraced by a graceful spiral.



E20130-05 15-Light Pendant
Finish: Polished Chrome (PC)
Glass: Amber
15 x 10w G4 Bulbs (Incl.) | 1,800 Lumens
24" / 120" OAH



It could certainly pass muster in any room within the intelligence community. The dramatic Stealth pendant -- with its Brushed Aluminum frame and lighted aluminum cylindrical-tube housings with Frost White glass trim, which seals the xenon lamps -- quietly shines inconspicuous ambient and directed illumination in the sleekest of fashions.



E20744-09 6-Light Pendant
 Finish: Brushed Aluminum (AL)
 Glass: Frost White
 6 x 40w G9 Bulbs (Incl.) | 3,000 Lumens
 24" / 120" OAH



et2online.com | 800.486.2946

BRAHMA


Bold domes in Satin Nickel or Black descend from the ceiling on strong metal cords. The vast drop of the Brahma collection makes a dramatic entrance into the space and effectively illuminates the scene through their Clear glass lens. A solitary soldier, these stately light sources communicate confidence and class in any setting.



02 Black




74 Satin Nickel



E30601-02,74 1-Light Pendant
Finish: See Image
Glass: Clear (18)
1 x 40w G9 Bulb (Incl.) | 500 Lumens
18" / 125" OAH





Hoist your glasses on high to this collection that features an elegant Frost White glass flute, accented by a crystal bobache. The Polished Chrome metal body boasts a unique design composed of Polished Chrome balls. The full-spectrum xenon lamp rounds out a decorative statement well worth entertaining.



E20681-09 1-Light Wall Mount
Finish: Polished Chrome (PC)
Glass: Frost White
1 x 40w G9 Bulb (Incl.) | 500 Lumens
HCO: 13.25"

UFO Undeniably Fabulous Object. This collection seems to hover in other-worldly elegance. Its streamline design, with split glass and chrome surface, provides the perfect glow for kitchen island, dining room or x-files. The upper area has 4 reveals with a glass diffuser that projects light from the top of the lamp, sending signals back to the mothership.



E22023-09 4-Light Penadnt

Finish: Chrome


Glass: White

4 x 60w CA Bulbs | 672 Lumens

120" OAH



Designed to inspire the "Wow Factor," Carnivale is an outlandish take on the Polished Chrome classic chandelier. Set in a bevy of Black acrylic translucent faux fleur-de-lis trimmed in Clear acrylic, the single tear-shaped incandescent light source is reflected in a swirl of pear-inspired crystals. The only thing more remarkable than the impact of this opulent pendent lamp is it's decidedly down-to-earth price. Certainly not for the weak of heart, Carnivale has no problem living up to its name.




E20513-62 1-Light Pendant
Finish: Polished Chrome (PC)
Acrylic: Black/Clear (43)
1 x 60w MB Bulb | 610 Lumens
39" / 162" OAH



ZODIAC

A splash of reflections created by dozens of cascading, reflective bent-Polished Chrome stripes, bounce light around in marvelous ways from this multi-light pendant. Polished Chrome arms with xenon lamps at the end create a "spidery feel," while the domed Polished Chrome body conceals the means for adjustable height.



E20813-69 14-Light Pendant
Finish: Polished Chrome (PC)
14 x 10w G4 Bulbs (Incl.) | 1,680 Lumens
48" / 120" OAH





Dabble in the art of design by creating a custom collection without an equal. Dare to choose the right light: fluorescent, LED, Xenon, or incandescent. Pair it with the perfect finish: satin nickel or oil-rubbed bronze. Complete the unique creation with a dizzying array of glass selections. Choice lighting just took on a whole new meaning.

Complete 1-Light Pendants



Satin Nickel Finish Shown



Black Amber Swirl Glass

	OI	SN
G9	E91041-50	E91141-50
MB	E92041-50	E92141-50
CFL	E93041-50	E93141-50
LED	E94041-50	E94141-50



Grey Ripple Glass

	OI	SN
G9	E91041-39	E91141-39
MB	E92041-39	E92141-39
CFL	E93041-39	E93141-39
LED	E94041-39	E94141-39



Black Zebra Glass

	OI	SN
G9	E91041-51	E91141-51
MB	E92041-51	E92141-51
CFL	E93041-51	E93141-51
LED	E94041-51	E94141-51



White Zebra Glass

	OI	SN
G9	E91041-41	E91141-41
MB	E92041-41	E92141-41
CFL	E93041-41	E93141-41
LED	E94041-41	E94141-41



White Ripple Glass

	OI	SN
G9	E91041-13	E91141-13
MB	E92041-13	E92141-13
CFL	E93041-13	E93141-13
LED	E94041-13	E94141-13



Amber Ripple Glass

	OI	SN
G9	E91041-14	E91141-14
MB	E92041-14	E92141-14
CFL	E93041-14	E93141-14
LED	E94041-14	E94141-14



Red Ripple Glass

	OI	SN
G9	E91041-37	E91141-37
MB	E92041-37	E92141-37
CFL	E93041-37	E93141-37
LED	E94041-37	E94141-37



Amber Ripple Glass

	OI	SN
G9	E91051-14	E91151-14
MB	E92051-14	E92151-14
CFL	E93051-14	E93151-14
LED	E94051-14	E94151-14



Red Ripple Glass

	OI	SN
G9	E91051-37	E91151-37
MB	E92051-37	E92151-37
CFL	E93051-37	E93151-37
LED	E94051-37	E94151-37



Grey Ripple Glass

	OI	SN
G9	E91051-39	E91151-39
MB	E92051-39	E92151-39
CFL	E93051-39	E93151-39
LED	E94051-39	E94151-39



Couch Glass

	OI	SN
G9	E91071-53	E91171-53
MB	E92071-53	E92171-53
CFL	E93071-53	E93171-53
LED	E94071-53	E94171-53



Amber Glass

	OI	SN
G9	E91081-05	E91181-05
MB	E92081-05	E92181-05
CFL	E93081-05	E93181-05
LED	E94081-05	E94181-05



Black Amber Swirl Glass

	OI	SN
G9	E91043-50	E91143-50
MB	E92043-50	E92143-50
CFL	E93043-50	E93143-50
LED	E94043-50	E94143-50



Grey Ripple Glass

	OI	SN
G9	E91043-39	E91143-39
MB	E92043-39	E92143-39
CFL	E93043-39	E93143-39
LED	E94043-39	E94143-39



Satin Nickel Finish Shown



White Zebra Glass

	OI	SN
G9	E91043-41	E91143-41
MB	E92043-41	E92143-41
CFL	E93043-41	E93143-41
LED	E94043-41	E94143-41



White Ripple Glass

	OI	SN
G9	E91043-13	E91143-13
MB	E92043-13	E92143-13
CFL	E93043-13	E93143-13
LED	E94043-13	E94143-13



Amber Ripple Glass

	OI	SN
G9	E91043-14	E91143-14
MB	E92043-14	E92143-14
CFL	E93043-14	E93143-14
LED	E94043-14	E94143-14



Red Ripple Glass

	OI	SN
G9	E91043-37	E91143-37
MB	E92043-37	E92143-37
CFL	E93043-37	E93143-37
LED	E94043-37	E94143-37



Black Zebra Glass

	OI	SN
G9	E91043-51	E91143-51
MB	E92043-51	E92143-51
CFL	E93043-51	E93143-51
LED	E94043-51	E94143-51



Red Ripple Glass

	OI	SN
G9	E91053-37	E91153-37
MB	E92053-37	E92153-37
CFL	E93053-37	E93153-37
LED	E94053-37	E94153-37



Amber Ripple Glass

	OI	SN
G9	E91053-14	E91153-14
MB	E92053-14	E92153-14
CFL	E93053-14	E93153-14
LED	E94053-14	E94153-14



Grey Ripple Glass

	OI	SN
G9	E91053-39	E91153-39
MB	E92053-39	E92153-39
CFL	E93053-39	E93153-39
LED	E94053-39	E94153-39



Couch Glass

	OI	SN
G9	E91073-53	E91173-53
MB	E92073-53	E92173-53
CFL	E93073-53	E93173-53
LED	E94073-53	E94173-53



Amber Glass

	OI	SN
G9	E91083-05	E91183-05
MB	E92083-05	E92183-05
CFL	E93083-05	E93183-05
LED	E94083-05	E94183-05



Satin Nickel Finish Shown



Black Amber Swirl Glass

	OI	SN
G9	E91044-50	E91144-50
MB	E92044-50	E92144-50
CFL	E93044-50	E93144-50
LED	E94044-50	E94144-50



Grey Ripple Glass

	OI	SN
G9	E91044-39	E91144-39
MB	E92044-39	E92144-39
CFL	E93044-39	E93144-39
LED	E94044-39	E94144-39



White Zebra Glass

	OI	SN
G9	E91044-41	E91144-41
MB	E92044-41	E92144-41
CFL	E93044-41	E93144-41
LED	E94044-41	E94144-41



White Ripple Glass

	OI	SN
G9	E91044-13	E91144-13
MB	E92044-13	E92144-13
CFL	E93044-13	E93144-13
LED	E94044-13	E94144-13



Amber Ripple Glass

	OI	SN
G9	E91044-14	E91144-14
MB	E92044-14	E92144-14
CFL	E93044-14	E93144-14
LED	E94044-14	E94144-14



Red Ripple Glass

	OI	SN
G9	E91044-37	E91144-37
MB	E92044-37	E92144-37
CFL	E93044-37	E93144-37
LED	E94044-37	E94144-37



Black Zebra Glass

	OI	SN
G9	E91044-51	E91144-51
MB	E92044-51	E92144-51
CFL	E93044-51	E93144-51
LED	E94044-51	E94144-51



Red Ripple Glass

	OI	SN
G9	E91054-37	E91154-37
MB	E92054-37	E92154-37
CFL	E93054-37	E93154-37
LED	E94054-37	E94154-37



Amber Ripple Glass

	OI	SN
G9	E91054-14	E91154-14
MB	E92054-14	E92154-14
CFL	E93054-14	E93154-14
LED	E94054-14	E94154-14



Grey Ripple Glass

	OI	SN
G9	E91054-39	E91154-39
MB	E92054-39	E92154-39
CFL	E93054-39	E93154-39
LED	E94054-39	E94154-39




Cunch Glass

	OI	SN
G9	E91074-53	E91174-53
MB	E92074-53	E92174-53
CFL	E93074-53	E93174-53
LED	E94074-53	E94174-53



Amber Glass


	OI	SN
G9	E91084-05	E91184-05
MB	E92084-05	E92184-05
CFL	E93084-05	E93184-05
LED	E94084-05	E94184-05



ES93001 Bronze
ES93101 Satin Nickel
 1-Light Pendant Frame
 1 x 18w G24q-2 Quad T4 CFL Bulb | 1,250 Lumens
 24" / 60" OAH




Satin Nickel
 Finish Shown



ES91001 Bronze
ES91101 Satin Nickel
 1-Light Pendant Frame
 1 x 50w G9 Bulb (Incl.) | 750 Lumens
 24" / 60" OAH



Bronze
 Finish Shown



ES92001 Bronze
ES92101 Satin Nickel
 1-Light Pendant Frame
 1 x 100w MB Bulb | 1,150 Lumens
 24" / 60" OAH



Bronze
 Finish Shown



ES94001 Bronze
ES94101 Satin Nickel
 1-Light Pendant Frame
 1 x 3w LED Bulb (Incl.) | 730 Lumens
 24" / 60" OAH



Satin Nickel
 Finish Shown



CARTE Frames Only 3-Light Pendants




**Satin Nickel
Finish Shown**





**Bronze
Finish Shown**



**Bronze
Finish Shown**




**Satin Nickel
Finish Shown**






Satin Nickel
Finish Shown



ES93004 Bronze
ES93104 Satin Nickel
4-Light Pendant Frame
4 x 13w G24q-1 Quad T4 CFL Bulbs | 3,120 Lumens
24" / 60" OAH




Bronze
Finish Shown



ES91004 Bronze
ES91104 Satin Nickel
4-Light Pendant Frame
4 x 50w G9 Bulbs (Incl.) | 3,000 Lumens
24" / 60" OAH




Bronze
Finish Shown



ES92004 Bronze
ES92104 Satin Nickel
4-Light Pendant Frame
4 x 100w MB Bulbs | 4,600 Lumens
24" / 60" OAH



Satin Nickel
Finish Shown



ES94004 Bronze
ES94104 Satin Nickel
4-Light Pendant Frame
4 x 3w LED Bulbs (Incl.) | 730 Lumens
24" / 60" OAH





EG90450
Black Amber Swirl
5.5"W x 8.5"H



EG90451
Black Etched
5.5"W x 8.5"H



EG90413
White Ripple
5.5"W x 8.5"H



EG90441
White Etched
5.5"W x 8.5"H



EG90437
Red Ripple
5.5"W x 8.5"H



EG90439
Grey Ripple
5.5"W x 8.5"H



EG90414
Amber Ripple
5.5"W x 8.5"H



EG90537
Red Ripple
5"W x 10"H



EG90514
Amber Ripple
5"W x 10"H




EG90539
Grey Ripple
5"W x 10"H







EG90753
Carte Conch
6"W x 8"H




EG90805
Carte Amber
5.5"W x 8"H



ES93111 1-Light Wall Mount
 Finish: Satin Nickel or Bronze
 1 x 18w G24q-2 Quad T4 CFL Bulb | 1,250 Lumens
 HCO: 4.25"
 Hardware in both finishes are included
  



ES92111 1-Light Wall Mount
 Finish: Satin Nickel or Bronze
 1 x 100w MB Bulb | 1,150 Lumens
 HCO: 4.25"
 Hardware in both finishes are included


Sconce Glass Only for above frames (ES93111 and ES92111)



EG90637
 Red Ripple
 7.5"W x 11"H x 4"Ext.



EG90613
 White Ripple
 7.5"W x 11"H x 4"Ext.



EG90639
 Grey Ripple
 7.5"W x 11"H x 4"Ext.



EG90614
 Amber Ripple
 7.5"W x 11"H x 4"Ext.


StarStrand® Color Flex 24

Features

- Adjustable color temperature from 2900K to 5000K
- Plastic covered to reduce static failure
- Multiples lengths with soldered connectors for trouble free installation
- Suitable for damp locations
- Highly flexible material that is backed with 3M tape for easy installation

Applications

- Cove and toe kick accent lighting
- Outdoor covered porch and patio
- Under cabinet lighting
- Display case
- Restaurants and lounges
- Bathroom lighting



Item	Length	Diodes	Wattage	Lumens	Color Temp	CRI	PC Board	Beam	Voltage	Current
E53550	4"	6	0.96	15-16.5	2900-5000 K	70-75	White	120°	24V	40mA
E53551	12"	18	2.88	45-50	2900-5000 K	70-75	White	120°	24V	120mA
E53552	60"	90	14.4	225-250	2900-5000 K	70-75	White	120°	24V	600mA
E53553	120"	180	28.8	450-500	2900-5000 K	70-75	White	120°	24V	1.2A
E53554	240"	360	57.6	900-1000	2900-5000 K	70-75	White	120°	24V	2.4A

Model Number	Wattage	Maximum Run
E53313	60W	20'
E53318	60W	20'

Drivers

(See page 316 for detailed driver information)

- E53313 24V 60w Plug-In Driver
- E53318 24V 60w Class II Driver

4-Pin Mounting Clip



- E53272** .5"W x .25"H x .5"L
- Use on irregular surfaces when adhesive backing is not sufficient
 - Recommended interval is every 12"
 - Package of 20

24V Color Flex Controller



- E53398** 4"W x 2"H x 4"L
- Required to control up to 20' of Color Flex 24
 - RF remote control and wall controller are included
 - Adjusts color temperature from 2900 K to 5500 K
 - 4" 6-Pin power input cord, 72" 4-Pin signal output cord

Heat Shrink Wrap



- E53256** 1"W x .25"H x 3"L
- Secure connections when in walls
 - Waterproof for damp locations
 - Heat gun required for installation
 - Package of 10

Flexible Aluminum Channel



- E53254** .5"W x .6"H x 36"L
- Creates valance to conceal tape
 - Irregular surface installations
 - Includes screws for installation

4-Pin 4-Way Connector



- E53263** 1.5"W x .25"H x 1.5"L
- Allows for L, T and X installations between 24V Color Flex Controller or 24V Amplifier and Color Flex 24
 - Includes two 4-Pin Male End Caps and one 4-Pin Male/Male Adapter

4-Pin Male End Cap



- E53264** .5"W x .25"H x .5"L
- Placed on female end of run termination
 - Protects against dust and damage
 - Package of 10

45° Angle Mounting Channel



- E53374** 1"W x .75"H x 48"L
- Surface mount to angle tape for accent lighting
 - Aluminum screws included

4-Pin Rough-In Terminal Block



- E53383** .75"W x .5"H x 4"L
- Rough in for new installation construction between 24V Color Flex Controller or 24V Amplifier and Color Flex 24
 - Female connector on one end with four wire quick connector on opposite end
 - Includes one 4-Pin Male/Male Adapter and installation screw

Aluminum Channel



- E53373** .75"W x .75"H x 60"L
- Can be recessed or surface mount
 - Aluminum screws included

4-Pin Connecting Cords



- E53265** 3"L x .5"W x .25"H **E53266** 7"L x .5"W x .25"H
E53267 13"L x .5"W x .25"H **E53268** 73"L x .5"W x .25"H
- Extend distance between 24V Color Flex Controller or 24V Amplifier and Color Flex 24
 - Connect sections of Color Flex 24 together

24V Amplifier



- E53386** 2.5"W x .8"H x 4"L
- Synchronizes additional runs up to 20' of Color Flex 24 to one 24V Color Flex Controller.
 - Maximum 27 amplifiers per controller.
 - Requires an additional 24V Driver
 - 6" 6-Pin power input cord, 6" 4-Pin signal input cord, 6" 4-Pin signal output cord

Plastic Wire Clip



- E53255** .5"W x .25"H x 1"L
- Secures to surface connecting cords and input/output cords of drivers, controllers and amplifiers
 - Backed with 3M adhesive
 - Package of 10

4-Pin Male/Male Adapter



- E53262** .5"W x .25"H x .5"L
- Changes female end of Color Flex 24 to male end
 - Package of 10

6-Pin 4-Way Connector



- E53350** 1.5"W x .25"H x 1.5"L
- Creates a power block for branching between 24V Driver and 24V Color Flex Controller or 24V Amplifier
 - Includes two 6-Pin Male End Caps and one 6-Pin Male/Male Adapter

6-Pin Connecting Cords



- E53465** 5"L x .75"W x .25"H **E53467** 13"L x .75"W x .25"H
E53468 73"L x .75"W x .25"H
- Extend distance between 24V Driver and 24V Color Flex Controller or 24V Amplifier

4-Pin Silicone End Cap



- E53269** .5"W x .1"H x .75"L
- Placed on run termination
 - Protects against dust and damage
 - Package of 10

6-Pin Rough-In Terminal Block



- E53258** .75"W x .5"H x 4"L
- Rough in for new installation construction between 24V Driver and 24V Color Flex Controller or 24V Amplifier
 - Female connector on one end with two wire quick connector on opposite end
 - Includes one 6-Pin Male/Male Adapter and installation screw

StarStrand® Elite 24

Features

- High lumen light output
- Long runs up to 150 feet
- Plastic covered to reduce static failure
- Multiple lengths with soldered connectors for trouble free installation
- UL approved for damp locations
- Highly flexible material that is backed with 3M adhesive tape for easy installation
- Field cuttable every 4 inches

Applications


- Cove and toe kick accent lighting
- Outdoor covered porch and patio
- Under cabinet lighting
- Step lighting
- Restaurants and lounges
- Boats and RV



6
LED

24
VOLTS

UL
US



Item	Length	Diodes	Wattage	Lumens	Color Temp	CRI	PC Board	Beam	Voltage	Current
E53430	4"	6	0.96	51	3500 K	70-75	Black	120°	24V	40mA
E53431	12"	18	2.88	153	3500 K	70-75	Black	120°	24V	120mA
E53432	60"	90	14.4	767	3500 K	70-75	Black	120°	24V	600mA
E53433	120"	180	28.8	1534	3500 K	70-75	Black	120°	24V	1.2A
E53434	240"	360	57.6	3068	3500 K	70-75	Black	120°	24V	2.4A

Model Number	Wattage	Maximum Run	Maximum Run Using 2 Output Cords
E53311, E53313, E53318	60 Watts	20'
E53320	75 Watts	26'
E53286	96 Watts	33'
E53314	100 Watts	33'
E53287	150 Watts	50'
E53288	320 Watts	75'	105'
E53289	480 Watts	75'	150'

3500 K 120°	
Distance	Foot Candles
12in	23.78
24in	6.77
36in	3.12
48in	1.83

Shown using 1 foot section of Elite 24

6-Pin 4-Way Connector



- E53350** 1.5"W x .25"H x 1.5"L
- Creates a power block for branching between Elite 24, 24V Driver or 24V Dimming Controller
 - Allows for L, T and X installations of Elite 24
 - Includes two 6-Pin Male End Caps and one 6-Pin Male/Male Adapter

24V Dimming Controller



- E53393** 2.5"W x 5"L x 1"H
- Full range dimming and on/off
 - RF remote included
 - Installs between 24V Driver and Elite 24
 - 4" 6-Pin power input cord, 72" 6-Pin signal output cord
 - Compatible with drivers E53313, E53318, E53320 & E53386
- (See page 28 for detailed controller information)*

6-Pin Connecting Cords



- E53465** 5"L x .75"W x .25"H **E53467** 13"L x .75"W x .25"H
E53468 73"L x .75"W x .25"H
- Extend distance between Elite 24, 24V Driver or 24V Dimming Controller

6-Pin 90° Connector



- E53464**
 1.25"W x .25"H x 1.25"L
- For 90° corners
 - Reversible for left or right
 - Includes 3M adhesive for easy mounting

Flexible Aluminum Channel




- E53254**
 .5"W x .6"H x 36"L
- Creates valance to conceal tape
 - Irregular surface installations
 - Includes screws for installation

6-Pin Mounting Clip



- E53273**
 .5"W x .25"H x .5"L
- Use on irregular surfaces when adhesive backing is not sufficient
 - Recommended interval is every 12"
 - Package of 20

6-Pin Male/Male Adapter



- E53342**
 .5"W x .25"H x .5"L
- Changes female end to male
 - Package of 6

6-Pin Male Extender



- E53341** .5"L x .5"W x .25"H
- Used to connect 6-Pin 4-Way Connector to 6-Pin Connecting Cords and the 6-Pin output cords on 24V drivers and 24V Dimming Controller
 - Package of 6
 - One included with E53350

Plastic Wire Clip



- E53255** .5"W x .25"H x 1"L
- Secures to surface connecting cords and input/output cords of drivers, controllers and amplifiers
 - Backed with 3M adhesive
 - Package of 10

6-Pin Rough-In Terminal Block



- E53258** .75"W x .5"H x 4"L
- Rough in for new installation construction between Elite 24, 24V Driver or 24V Dimming Controller
 - Female connector on one end with two wire quick connector on opposite end
 - Includes one 6-Pin Male/Male Adapter and installation screw

Aluminum Channel



- E53373**
 .75"W x .75"H x 60"L
- Can be recessed or surface mount
 - Aluminum screws included

6-Pin Silicone End Cap



- E53469**
 .5"W x .1"H x .75"L
- Placed on run termination
 - Protects against dust and damage
 - Package of 10

45° Angle Mounting Channel




- E53374**
 1"W x .75"H x 48"L
- Surface mount to angle tape for accent lighting
 - Aluminum screws included

Heat Shrink Wrap



- E53256**
 1"W x .25"H x 3"L
- Secure connections when in walls
 - Waterproof for damp locations
 - Heat gun required for installation
 - Package of 10

6-Pin Male End Cap



- E53344**
 .5"W x .25"H x .5"L
- Placed on female end of run termination
 - Protects against dust and damage
 - Package of 6

Drivers

(See page 316-318 for detailed driver information)



- | | | | |
|---------------|----------------------------------|---------------|-----------------------------------|
| E53311 | 24V 60w Class II Dimmable Driver | E53314 | 24V 100w Class II Dimmable Driver |
| E53313 | 24V 60w Plug-In Driver | E53287 | 24V 150w Driver |
| E53318 | 24V 60w Class II Driver | E53288 | 24V 320w Driver |
| E53320 | 24V 75w Plug-In Driver | E53289 | 24V 480w Driver |
| E53286 | 24V 96w Class II Driver | | |

Features

- Highest StarStrand lumen light output
- Long runs up to 100 feet
- Plastic covered to reduce static failure
- Multiple lengths with soldered connectors for trouble free installation
- UL approved for damp locations
- Highly flexible material that is backed with 3M adhesive tape for easy installation
- Field cuttable every 4 inches

Applications

- Office task lighting
- Under cabinet lighting
- Closets
- Work areas
- Display counters
- Steps and railings



Item	Length	Diodes	Wattage	Lumens	Color Temp	CRI	PC Board	Beam	Voltage	Current
E53450	4"	6	1.44	80	3500 K	70-75	White	120°	24V	60mA
E53451	12"	18	4.32	241	3500 K	70-75	White	120°	24V	180mA
E53455	20"	30	7.2	402	3500 K	70-75	White	120°	24V	300mA
E53452	60"	90	21.6	1206	3500 K	70-75	White	120°	24V	900mA
E53453	120"	180	43.2	2413	3500 K	70-75	White	120°	24V	1.8A
E53454	240"	360	86.4	4825	3500 K	70-75	White	120°	24V	3.6A

Model Number	Wattage	Maximum Run	Maximum Run Using 2 Output Cords
E53311 , E53313 , E55318	60 Watts	13'
E53320	75 Watts	17'
E53286	96 Watts	22'
E53314	100 Watts	22'
E53287	150 Watts	32'
E53288	320 Watts	50'	70'
E53289	480 Watts	50'	100'

3500 K 120°	
Distance	Foot Candles
12in	51.47
24in	14.47
36in	6.65
48in	3.85

Shown using 1 foot section of Ultima 24

6-Pin 4-Way Connector



- E53350** 1.5"W x .25"H x 1.5"L
- Creates a power block for branching between Elite 24, 24V Driver or 24V Dimming Controller
 - Allows for L, T and X installations of Elite 24
 - Includes two 6-Pin Male End Caps and one 6-Pin Male/Male Adapter

24V Dimming Controller



- E53393** 2.5"W x 5"L x 1"H
- Full range dimming and on/off
 - RF remote included
 - Installs between 24V Driver and Elite 24
 - 4" 6-Pin power input cord, 72" 6-Pin signal output cord
 - Compatible with drivers E53313, E53318, E53320 & E53386
- (See page 28 for detailed controller information)*

6-Pin Connecting Cords



- E53465** 5"L x .75"W x .25"H **E53467** 13"L x .75"W x .25"H
E53468 73"L x .75"W x .25"H
- Extend distance between Elite 24, 24V Driver or 24V Dimming Controller

6-Pin 90° Connector



- E53464**
 1.25"W x .25"H x 1.25"L
- For 90° corners
 - Reversible for left or right
 - Includes 3M adhesive for easy mounting

Flexible Aluminum Channel



- E53254**
 .5"W x .6"H x 36"L
- Creates valance to conceal tape
 - Irregular surface installations
 - Includes screws for installation

6-Pin Mounting Clip



- E53273**
 .5"W x .25"H x .5"L
- Use on irregular surfaces when adhesive backing is not sufficient
 - Recommended interval is every 12"
 - Package of 20

6-Pin Male/Male Adapter



- E53342**
 .5"W x .25"H x .5"L
- Changes female end to male
 - Package of 6

6-Pin Male Extender



- E53341** .5"L x .5"W x .25"H
- Used to connect 6-Pin 4-Way Connector to 6-Pin Connecting Cords and the 6-Pin output cords on 24V drivers and 24V Dimming Controller
 - Package of 6
 - One included with E53350

Plastic Wire Clip



- E53255** .5"W x .25"H x 1"L
- Secures to surface connecting cords and input/output cords of drivers, controllers and amplifiers
 - Backed with 3M adhesive
 - Package of 10

6-Pin Rough-In Terminal Block



- E53258** .75"W x .5"H x 4"L
- Rough in for new installation construction between Elite 24, 24V Driver or 24V Dimming Controller
 - Female connector on one end with two wire quick connector on opposite end
 - Includes one 6-Pin Male/Male Adapter and installation screw

Aluminum Channel



- E53373**
 .75"W x .75"H x 60"L
- Can be recessed or surface mount
 - Aluminum screws included

6-Pin Silicone End Cap



- E53469**
 .5"W x .1"H x .75"L
- Placed on run termination
 - Protects against dust and damage
 - Package of 10

45° Angle Mounting Channel




- E53374**
 1"W x .75"H x 48"L
- Surface mount to angle tape for accent lighting
 - Aluminum screws included

Heat Shrink Wrap



- E53256**
 1"W x .25"H x 3"L
- Secure connections when in walls
 - Waterproof for damp locations
 - Heat gun required for installation
 - Package of 10

6-Pin Male End Cap



- E53344**
 .5"W x .25"H x .5"L
- Placed on female end of run termination
 - Protects against dust and damage
 - Package of 6

Drivers

(See page 316-318 for detailed driver information)



- | | | | |
|---------------|----------------------------------|---------------|-----------------------------------|
| E53311 | 24V 60w Class II Dimmable Driver | E53314 | 24V 100w Class II Dimmable Driver |
| E53313 | 24V 60w Plug-In Driver | E53287 | 24V 150w Driver |
| E53318 | 24V 60w Class II Driver | E53288 | 24V 320w Driver |
| E53320 | 24V 75w Plug-In Driver | E53289 | 24V 480w Driver |
| E53286 | 24V 96w Class II Driver | | |

Features

- Thousands of colors on one tape
- Long runs up to 30 feet
- DMX interface with optional controller
- Plastic covered to reduce static failure
- ETL approved for damp locations
- Multiple lengths with soldered connectors for trouble free installation
- Field cuttable every 4 inches

Applications

- Cove and toe kick accent lighting
- Restaurants, bars and lounges
- Store front displays
- Back lighting of glass and acrylic panels
- Game and theatre rooms
- Discos and clubs



Item	Length	Diodes	Wattage	Lumens	PC Board	Beam	Voltage	Current
E53530	4"	6	1.44	R:18 G:30 B:9	White	120°	24V	60mA
E53531	12"	18	4.32	R:54 G:90 B:27	White	120°	24V	180mA
E53533	60"	90	21.6	R:270 G:450 B:135	White	120°	24V	900mA
E53534	120"	180	43.2	R:540 G:900 B:270	White	120°	24V	1.8A
E53535	240"	360	86.4	R:1080 G:1800 B:540	White	120°	24V	3.6A

Model Number	Wattage	Maximum Run
E53313, E53318	60 Watts	13'
E53320	75 Watts	17'
E53286	96 Watts	22'
E53287	150 Watts	30'

Drivers

(See page 316 for detailed driver information)

- E53313** 24V 60w Plug-In Driver
- E53318** 24V 60w Class II Driver
- E53320** 24V 75w Plug-In Driver
- E53286** 24V 96w Class II Driver
- E53287** 24V 150w Driver

24V RGB Controller



E53385 2.5"W x 1"H x 6"L
 • Controls up to 30' of RGB 24 using included RF remote control
 • 4" 6-Pin power input cord, 72" 4-Pin signal output cord
 (See page 28 for detailed controller information)

24V DMX512 Interface/Decoder & Standalone RGB Controller



E53387 4.5"W x 1.5"H x 7.5"L
 • Controls up to 30' of RGB 24 using included RF remote control
 • Meets DMX512 protocol and can be used as a DMX decoder
 • 4" 6-Pin power input cord, 72" 4-Pin signal output cord
 (See page 28 for detailed controller information)

24V Amplifier



E53386 2.5"W x .8"H x 4"L
 • Synchronizes additional runs up to 30' of RGB 24 to one 24V RGB Controller.
 • Requires an additional 24V Driver
 • 6" 6-Pin power input cord, 6" 4-Pin signal input cord, 6" 4-Pin signal output cord
 • Maximum 27 amplifiers per controller.

4-Pin Silicone End Cap



E53269 .5"W x .1"H x .75"L
 • Placed on run termination
 • Protects against dust and damage
 • Package of 10

4-Pin Connecting Cords



E53265 3'L x .5"W x .25"H **E53266** 7'L x .5"W x .25"H
E53267 13'L x .5"W x .25"H **E53268** 73'L x .5"W x .25"H
 • Extend distance between 24V RGB Controller or 24V Amplifier and RGB 24
 • Connect sections of RGB 24 together

4-Pin 4-Way Connector



E53263 1.5"W x .25"H x 1.5"L
 • Allows for L, T and X installations between 24V RGB Controller or 24V Amplifier and RGB 24
 • Includes two 4-Pin Male End Caps and one 4-Pin Male/Male Adapter

45° Angle Mounting Channel



E53374 1"W x .75"H x 48"L
 • Surface mount to angle tape for accent lighting
 • Aluminum screws included

4-Pin Male/Male Adapter



E53262 .5"W x .25"H x .5"L
 • Changes female end of RGB 24 to male end
 • Package of 10

Heat Shrink Wrap



E53256 1"W x .25"H x 3"L
 • Secure connections when in walls
 • Waterproof for damp locations
 • Heat gun required for installation
 • Package of 10

Plastic Wire Clip



E53255 .5"W x .25"H x 1"L
 • Secures to surface connecting cords and input/output cords of drivers, controllers and amplifiers
 • Backed with 3M adhesive
 • Package of 10

4-Pin Rough-In Terminal Block



E53383 .75"W x .5"H x 4"L
 • Rough in for new installation construction between 24V RGB Controller or 24V Amplifier and RGB 24
 • Female connector on one end with four wire quick connector on opposite end
 • Includes one 4-Pin Male/Male Adapter and installation screw

6-Pin Rough-In Terminal Block



E53258 .75"W x .5"H x 4"L
 • Rough in for new installation construction between 24V Driver and 24V RGB Controller or 24V Amplifier
 • Female connector on one end with two wire quick connector on opposite end
 • Includes one 6-Pin Male/Male Adapter and installation screw

Flexible Aluminum Channel



E53254 .5"W x .6"H x 36"L
 • Creates valance to conceal tape
 • Irregular surfaces installation
 • Includes screws for installation

4-Pin Mounting Clip



E53272 .5"W x .25"H x .5"L
 • Use on irregular surfaces when adhesive backing is not sufficient
 • Recommended interval is every 12"
 • Package of 20

6-Pin 4-Way Connector



E53350 1.5"W x .25"H x 1.5"L
 • Creates a power block for branching between 24V Driver and 24V RGB Controller or 24V Amplifier
 • Includes two 6-Pin Male End Caps and one 6-Pin Male/Male Adapter

Aluminum Channel



E53373 .75"W x .75"H x 60"L
 • Can be recessed or surface mount
 • Aluminum screws included

6-Pin Connecting Cords



E53465 5'L x .75"W x .25"H **E53467** 13'L x .75"W x .25"H
E53468 73'L x .75"W x .25"H
 • Extend distance between 24V Driver and 24V RGB Controller or 24V Amplifier

4-Pin Male End Cap




E53264 .5"W x .25"H x .5"L
 • Placed on female end of run termination
 • Protects against dust and damage
 • Package of 10

StarStrand® Aqua 24 Features

- Waterproof IP68 LED tape
- Chemical and UV resistant plastic cover
- Long runs up to 50'
- Installs into aluminum channel or plastic mouting clips
- High lumen double chip LED
- Multiple lengths with watertight IP68 connectors
- Field cuttable every 4 inches

Applications

- Swimming pools and fountains
- Outdoor decks
- Step and stairs
- Landscape lighting
- Outdoor building accent lighting
- Driveway and sidewalk illumination



Item	Length	Diodes	Wattage	Lumens	Color Temp	CRI	PC Board	Beam	Voltage	Current
E53441	24"	36	5.76	428	3500 K	70-75	Black	120°	24V	240mA
E53442	60"	90	14.4	1070	3500 K	70-75	Black	120°	24V	600mA
E53443	120"	180	28.8	2140	3500 K	70-75	Black	120°	24V	1.2A
E53445	300"	450	72	5351	3500 K	70-75	Black	120°	24V	3A

Model Number	Wattage	Maximum Run
E53380	60 Watts	21'
E53316	100 Watts	30'
E53381	150 Watts	50'

3500 K 120°	
Distance	Foot Candles
12in	29.54
24in	8.42
36in	3.86
48in	2.2

Shown using 1 foot section of Aqua 24

24V Outdoor Connecting Cords



- E53364** .75"W x 48"L
- E53365** .75"W x 144"L
- Extend distance between 24V Weatherproof Driver and Aqua 24
- Extend distance between two sections of Aqua 24
- IP68 rated for underwater applications up to 10'

45° Angle Mounting Channel



- E53374**
- 1"W x .75"H x 48"L
- Surface mount to angle tape for accent lighting
- Aluminum screws included

Aluminum Channel



- E53373**
- .75"W x .75"H x 60"L
- Can be recessed or surface mount
- Aluminum screws included

Silicone End Cap Kit



- E53368**
- .5"W x .1"H x .75"L
- Placed on run termination
- Protects against water and damage

Mounting Clip



- E53370**
- .5"W x .25"H x .5"L
- Use to secure Aqua 24 to surface
- Stainless steel screws included
- Clear polycarbonate plastic
- Package of 6

Drivers

(See page 317 for detailed driver information)



- E53380** 24V 60w Weatherproof Class II Driver
- E53316** 24V 100w Weatherproof Class II Dimmable Driver
- E53381** 24V 150w Weatherproof Class II Driver

StarStrand® RGB Aqua 24 Features

- Waterproof IP68 color changing LED tape
- Nine modes of color and movement
- Chemical and UV resistant plastic cover
- Long runs up to 30 feet
- Installs into aluminum channel or plastic mouting clips
- Multiple lengths with watertight IP68 connectors
- Field cuttable every 4 inches

Applications

- Swimming pools and fountains
- Outdoor living areas
- Landscape lighting
- Outdoor architectural features
- Signs
- Outdoor walkways



Item	Length	Diodes	Wattage	Lumens	PC Board	Beam	Voltage	Current
E53541	24"	36	8.64	R:108 G:180 B:54	White	120°	24V	360mA
E53542	60"	90	21.6	R:270 G:450 B:135	White	120°	24V	900mA
E53543	120"	180	43.2	R:540 G:900 B:270	White	120°	24V	1.8A
E53545	300"	450	108	R:1350 G:2250 B:675	White	120°	24V	4.5A

Model Number	Wattage	Maximum Run
E53380	60 Watts	13'
E53381	150 Watts	30'

24V Weatherproof RGB Controller



E53389
 2.5"W x 1"H x 5"L

- Required to control up to 30' of RGB Aqua 24
- IP65 rated (not submersible)
- RF remote control included
- 4" power input cord, 72" signal output cord

(See page 28 for detailed controller information)

24V Weatherproof Amplifier



E53390
 2.5"W x 1"H x 4"L

- Synchronizes additional runs up to 30' of RGB Aqua 24 to one 24V Weatherproof RGB Controller.
- Maximum 27 amplifiers per controller.
- IP65 rated (not submersible)
- Requires an additional 24V Driver
- 6" power input cord, 6" signal input cord, 6" signal output cord

Aluminum Channel



E53373
 .75"W x .75"H x 60"L

- Can be recessed or surface mount
- Aluminum screws included

24V Outdoor Connecting Cords



E53364 .75"W x 48"L
E53365 .75"W x 144"L

- Extend distance between 24V Weatherproof Driver and RGB Aqua 24
- Extend distance between two sections of RGB Aqua 24
- IP68 rated for underwater applications up to 10'

Drivers

(See page 317 for detailed driver information)

- E53380** 24V 60w Weatherproof Class II Driver
- E53381** 24V 150w Weatherproof Class II Driver

Silicone End Cap Kit



E53368
 .5"W x .1"H x .75"L

- Placed on run termination
- Protects against water and damage

Mounting Clip



E53370
 .5"W x .25"H x .5"L

- Use to secure RGB Aqua 24 to surface
- Stainless steel screws included
- Clear polycarbonate plastic
- Package of 6

45° Angle Mounting Channel



E53374
 1"W x .75"H x 48"L


- Surface mount to angle tape for accent lighting
- Aluminum screws included

Features

- High lumen output
- Available in both Bronze and Aluminum finish
- Clear lens for maximum light output
- Rigid aluminum channel conceals light source and provides excellent heat dissipation
- Connect end to end or with the use of connecting cords
- Available in 3500 K or 5000 K
- Includes easy to install mounting clips, both downward and 45° angle

Applications

- Under cabinets and bars
- Office desk task lighting
- Retail display cabinets and counters
- Window displays
- Closet lighting



Item	Length	Diodes	Wattage	Lumens	Color Temp	CRI	Beam	Voltage	Current
E53700-AL, BRZ	6"	10	2.16	111	3500 K	70 - 75	120°	24V	120mA
E53701-AL, BRZ	12"	18	4.32	222	3500 K	70 - 75	120°	24V	180mA
E53702-AL, BRZ	24"	36	8.64	444	3500 K	70 - 75	120°	24V	360mA
E53703-AL, BRZ	36"	54	12.96	666	3500 K	70 - 75	120°	24V	540mA
E53704-AL, BRZ	48"	72	17.28	888	3500 K	70 - 75	120°	24V	720mA
E53710-AL, BRZ	6"	10	2.16	122	5000 K	70 - 75	120°	24V	120mA
E53711-AL, BRZ	12"	18	4.32	244	5000 K	70 - 75	120°	24V	180mA
E53712-AL, BRZ	24"	36	8.64	488	5000 K	70 - 75	120°	24V	360mA
E53713-AL, BRZ	36"	54	12.96	732	5000 K	70 - 75	120°	24V	540mA
E53714-AL, BRZ	48"	72	17.28	976	5000 K	70 - 75	120°	24V	720mA

Model Number	Wattage	Maximum Run
E53311, E53313, E53318	60 Watts	13'
E53320	75 Watts	17'
E53286	96 Watts	22'
E53314	100 Watts	22'
E53287	150 Watts	32'

3500 K 120°	
Distance	Foot Candles
12in	43.77
24in	12.01
36in	5.46
48in	3.16

5000 K 120°	
Distance	Foot Candles
12in	63.59
24in	17.96
36in	8.27
48in	4.67

Shown using 1 foot section of Channel 24

24V Dimming Controller



- E53393** 2.5"W x 4"L x .8"H
- Full range dimming and on/off
 - RF remote included
 - Installs between 24V Driver and Channel 24
 - 4" 6-Pin power input cord, 72" 6-Pin signal output cord
 - Compatible with drivers E53313, E53318, E53320 & E53386
- (See page 28 for detailed controller information)

6-Pin 4-Way Connector



- E53350** 1.5"W x .25"H x 1.5"L
- Creates a power block for branching between 24V Driver and 24V Dimming Controller
 - Includes two 6-Pin Male End Caps and one 6-Pin Male/Male Adapter

6-Pin Rough-In Terminal Block



- E53258** .75"W x .5"H x 4"L
- Rough in for new installation construction between 24V Driver and 24V Dimming Controller
 - Female connector on one end with two wire quick connector on opposite end
 - Includes one 6-Pin Male/Male Adapter and installation screw

4-Pin Connecting Cords



- E53265** 3"L x .5"W x .25"H **E53266** 7"L x .5"W x .25"H
E53267 13"L x .5"W x .25"H **E53268** 73"L x .5"W x .25"H
- Connect sections of Channel 24 together

4-Pin to 6-Pin Adapter Cord with On/Off Switch



- E53353**
 1"W x .5"H x 6"L
- 6-Pin female to 4-Pin male
 - Used to turn Channel 24 on and off when not controlled by a 24V Dimming Controller or by a wall switch.

Mounting Clips



- E53354**
 1"W x .5"H x 1"L
- Additional clips for mounting Channel 24 to surface
 - Package of 4

Heat Shrink Wrap



- E53256**
 1"W x .25"H x 3"L
- Secure connections when in walls
 - Waterproof for damp locations
 - Heat gun required for installation
 - Package of 10

Drivers

(See page 316-318 for detailed driver information)

- | | | | |
|---------------|----------------------------------|---------------|-----------------------------------|
| E53311 | 24V 60w Class II Dimmable Driver | E53286 | 24V 96w Class II Driver |
| E53313 | 24V 60w Plug-In Driver | E53314 | 24V 100w Class II Dimmable Driver |
| E53318 | 24V 60w Class II Driver | E53287 | 24V 150w Driver |
| E53320 | 24V 75w Plug-In Driver | | |

Plastic Wire Clip



- E53255** .5"W x .25"H x 1"L
- Secures to surface connecting cords and input/output cords of drivers, controllers and amplifiers
 - Backed with 3M adhesive
 - Package of 10

4-Pin 4-Way Connector



- E53263** 1.5"W x .25"H x 1.5"L
- Allows for L, T and X installations between 24V Dimming Controller and Channel 24 with connecting cords
 - Includes two 4-Pin Male End Caps and one 4-Pin Male/Male Adapter

4-Pin Rough-In Terminal Block



- E53257** .75"W x .5"H x 4"L
- Rough in for new installation construction between 24V Driver or 24V Dimming Controller and Channel 24
 - Female connector on one end with four wire quick connector on opposite end
 - Includes one 4-Pin Male/Male Adapter and installation screw

6-Pin Connecting Cords



- E53465** 5"L x .75"W x .25"H **E53467** 13"L x .75"W x .25"H
E53468 73"L x .75"W x .25"H
- Extend distance between 24V Driver and 24V Dimming Controller and Channel 24

4-Pin to 6-Pin Adapter Cord



- E53352**
 1"W x .5"H x 6"L
- 6-Pin female to 4-Pin male
 - Included in every 24", 36" and 48" section of Channel 24

45° Angle Mounting Clips





- E53355**
 1"W x .75"H x 1"L
- Additional clips for mounting Channel 24 to surface at 45° angle
 - Package of 4

Features

- Available in Aluminum finish only
- Clear lens for maximum light output
- Rigid aluminum channel conceals light source and provides excellent heat dissipation
- Connect end to end or with the use of connecting cords
- Thousands of color combinations available
- Includes easy to install mounting clips, both downward and 45° angle

Applications

- Under cabinets and bars
- Alcove lighting
- Retail display cabinets and counters
- Window displays
- Sign illumination



Item	Length	Diodes	Wattage	Lumens	Beam	Voltage	Current
E53720-AL	6"	10	2.88	R:30 G:50 B:15	120°	24V	120mA
E53721-AL	12"	18	4.32	R:54 G:90 B:27	120°	24V	180mA
E53722-AL	24"	36	8.64	R:108 G:180 B:30	120°	24V	360mA
E53723-AL	36"	54	12.96	R:162 G:270 B:45	120°	24V	540mA
E53724-AL	48"	72	17.28	R:216 G:360 B:60	120°	24V	720mA

Model Number	Wattage	Maximum Run
E53313, E53318	60 Watts	13'
E53320	75 Watts	17'
E53286	96 Watts	22'
E53287	150 Watts	30'

Drivers

(See page 316-318 for detailed driver information)

- E53313** 24V 60w Plug-In Driver
- E53318** 24V 60w Class II Driver
- E53320** 24V 75w Plug-In Driver
- E53286** 24V 96w Class II Driver
- E53287** 24V 150w Driver

24V RGB Controller



E53385
 2.5"W x .8"H x 4"L
 • Controls up to 30' of RGB Channel 24 using included RF remote control
 • 4" 6-Pin power input cord, 72" 4-Pin signal output cord
 (See page 28 for detailed controller information)

24V DMX512 Interface/Decoder & Standalone RGB Controller



E53387
 4.5"W x 1.5"H x 7.5"L
 • Controls up to 30' of RGB Channel 24 using included RF remote control
 • Meets DMX512 protocol and can be used as a DMX decoder
 • 4" 6-Pin power input cord, 72" 4-Pin signal output cord
 (See page 28 for detailed controller information)

24V Amplifier



E53386
 2.5"W x .8"H x 4"L
 • Synchronizes additional runs up to 30' of RGB Channel 24 to one 24V RGB Controller.
 • Requires an additional 24V Driver
 • 6" 6-Pin power input cord, 6" 4-Pin signal input cord, 6" 4-Pin signal output cord
 • Maximum 27 amplifiers per controller.

4-Pin 4-Way Connector



E53263
 1.5"W x .25"H x 1.5"L
 • Allows for L, T and X installations between 24V RGB Controller or 24V Amplifier and RGB Channel 24 with connecting cords
 • Includes two 4-Pin Male End Caps and one 4-Pin Male/Male Adapter

4-Pin Connecting Cords



E53265 3'L x .5"W x .25"H **E53266** 7'L x .5"W x .25"H
E53267 13'L x .5"W x .25"H **E53268** 73'L x .5"W x .25"H
 • Extend distance between 24V RGB Controller or 24V Amplifier and RGB Channel 24
 • Connect sections of RGB Channel 24 together

Mounting Clips



E53354
 1"W x .5"H x 1"L
 • Additional clips for mounting RGB Channel 24 to surface
 • Package of 4

Heat Shrink Wrap



E53256
 1"W x .25"H x 3"L
 • Secure connections when in walls
 • Waterproof for damp locations
 • Heat gun required for installation
 • Package of 10

Plastic Wire Clip



E53255
 .5"W x .25"H x 1"L
 • Secures to surface connecting cords and input/output cords of drivers, controllers and amplifiers
 • Backed with 3M adhesive
 • Package of 10

4-Pin Rough-In Terminal Block



E53383
 .75"W x .5"H x 4"L
 • Rough in for new installation construction between 24V RGB Controller or 24V Amplifier and RGB Channel 24
 • Female connector on one end with four wire quick connector on opposite end
 • Includes one 4-Pin Male/Male Adapter and installation screw

6-Pin Rough-In Terminal Block



E53258
 .75"W x .5"H x 4"L
 • Rough in for new installation construction between 24V Driver and 24V RGB Controller or 24V Amplifier
 • Female connector on one end with two wire quick connector on opposite end
 • Includes one 6-Pin Male/Male Adapter and installation screw

6-Pin 4-Way Connector



E53350
 1.5"W x .25"H x 1.5"L
 • Creates a power block for branching between 24V Driver and 24V RGB Controller or 24V Amplifier
 • Includes two 6-Pin Male End Caps and one 6-Pin Male/Male Adapter

6-Pin Connecting Cords



E53465 5'L x .75"W x .25"H **E53467** 13'L x .75"W x .25"H
E53468 73'L x .75"W x .25"H
 • Extend distance between 24V Driver and 24V RGB Controller or 24V Amplifier

45° Angle Mounting Clips



E53355
 1"W x .75"H x 1"L
 • Additional clips for mounting RGB Channel 24 to surface at 45° angle
 • Package of 4

StarStrand® Basic Features


- Low power consumption only
1.4 watts per foot
- Warm 3500 K color
- Highly flexible material that is backed with 3M adhesive tape for easy installation
- No heat and no UV radiation
- Supplied in 16'4" continuous lengths and can be field cut every 2", and reconnected as necessary using specified accessories
- Soldered connectors supplied on each end
- Additional two power feeds and one splicer supplied.

Applications

- Cove and toe kick accent lighting
- Cabinet lighting
- Architectural features
- Point of purchase displays
- Backlighting of signs and displays
- Wine cellars
- Closets

4
Z
P

12
V
O
L
T
S



Item	Length	Diodes	Wattage	Lumens	Color Temp	CRI	PC Board	Beam	Voltage	Current
E53201	196"	300	24	1584	3500 K	70-75	Copper	120°	12V	2A

Model Number	Wattage	Maximum Run
E53302	30 Watts	20'
E53275, E53304, E53310	60 Watts	33'

3500 K 120°	
Distance	Foot Candles
12in	16.55
24in	4.61
36in	2.06
48in	1.21

Shown using 1 foot section of Basic

4-Pin Connecting Cords



E53265 3'L x .5"W x .25"H **E53266** 7'L x .5"W x .25"H
E53267 13'L x .5"W x .25"H **E53268** 73'L x .5"W x .25"H

- Extend distance between 12V Driver and Basic
- Connect sections of Basic together

Flexible Connector



E53259
 1"W x .25"H x 3"L

- Use for corners and angles
- Package of 6

End Power Feed



E53260
 1"W x .25"H x 3"L

- Required if tape is cut
- Two included with Basic
- Package of 6

Tape Splicer



E53261
 .5"W x .25"H x 1"L

- Joins two sections if tape is cut
- One included with Basic
- Package of 10

4-Pin Male/Male Adapter



E53262
 .5"W x .25"H x .5"L

- Changes female end of Basic to male end
- Package of 10

4-Pin 4-Way Connector



E53263
 1.5"W x .25"H x 1.5"L

- Allows for L, T and X installations between 12V Driver and Basic
- Creates a power block for branching between 12V Driver and Basic
- Includes two 4-Pin Male End Caps and one 4-Pin Male/Male Adapter

Rough In Terminal Block



E53257
 .75"W x .5"H x 4"L

- Rough in for new installation construction between 12V Driver and Basic
- Female connector on one end with four wire quick connector on opposite end
- Includes one 4-Pin Male/Male Adapter and installation screw

Drivers

- (See page 315 for detailed driver information)
- E53302** 12V 30w Class II Driver
 - E53275** 12V 60w Class II Plug-In Driver
 - E53304** 12V 60w Class II Driver
 - E53310** 12V 60w Class II Dimmable Driver

Heat Shrink Wrap



E53256
 1"W x .25"H x 3"L

- Secure connections when in walls
- Waterproof for damp locations
- Heat gun required for installation
- Package of 10

4-Pin Silicone End Cap



E53269
 .5"W x .1"H x .75"L

- Placed on run termination
- Protects against dust and damage
- Package of 10

Aluminum Channel



E53373
 .75"W x .75"H x 60"L

- Can be recessed or surface mount
- Aluminum screws included

45° Angle Mounting Channel



E53374
 1"W x .75"H x 48"L

- Surface mount to angle tape for accent lighting
- Aluminum screws included

Flexible Aluminum Channel



E53254
 .5"W x .6"H x 36"L

- Creates valance to conceal tape
- Irregular surfaces installation
- Includes screws for installation

Plastic Wire Clip



E53255
 .5"W x .25"H x 1"L

- Secures to surface connecting cords and input/output cords of drivers, controllers and amplifiers
- Backed with 3M adhesive
- Package of 10

12V Drivers

12V 30w Class II Driver

E53302

5.7"L x 1.9"W x 1.2"H

- Electronic direct wire driver
- 120V-264V input
- 12V, 2.5A output
- Short circuit protection, overload protection, over voltage protection
- Constant current
- Operating temperature: -4°F to 140°F
- IP64 rated
- Includes 72" 4-Pin output cord
- Class II UL1310, UL-RU certified



12V 60w Class II Driver

E53304

7.1"L x 2.4"W x 1.4"H

- Electronic direct wire driver
- 120V-264V input
- 12V, 5A output
- Short circuit protection, overload protection, over voltage protection
- Constant current
- Operating temperature: -4°F to 140°F
- IP64 rated
- Includes 72" 4-Pin output cord
- Class II UL 1310, UL-RU certified



12V 60w Class II Plug-In Driver

E53275

4.75"L x 2"W x 1.25"H

- Electronic plug-in driver
- 120V-240V input
- 12V, 5A output
- Short circuit protection, overload protection, over voltage protection
- Operating temperature: 32°F to 104°F
- Includes 72" 4-Pin output cord
- Class II, UL certified



12V Dimmable Driver

12V 60w Class II Dimmable Driver

E53310

6"L x 2.5"W x 2.25"H

- Magnetic direct wire driver
- 120V input
- 12V, 5A output
- Short circuit protection, overload protection
- Operating temperature: -22°F to 140°F
- Includes 72" 4-Pin output cord
- Class II UL 2108, ETL Certified
- Requires magnetic low voltage dimmer (not included)



24V Driver

24V 60w Plug-In Driver



E53313

- Electronic plug-in driver
- 120V-240V input
- 24V, 2.5A output
- Short circuit protection, overload protection, over voltage protection
- Operating temperature: 32°F to 104°F
- Includes 72" 6-Pin output cord

24V 96w Class II Driver



E53286

- 8"L x 3.8"W x 1.5"H
- Electronic direct wire driver
- 120V-264V input
- 24V, 4A output
- Short circuit protection, overload protection, over temperature, over voltage protection
- Power factor control, constant current
- Operating temperature: -22°F to 122°F
- Includes 72" 6-Pin output cord
- Class II UL 1310, UL-RU certified

24V 60w Class II Driver



E53318

- 7.1"L x 2.4"W x 1.4"H
- Electronic direct wire driver
- 120V-264V input
- 24V, 2.5A output
- Short circuit protection, overload protection, over voltage protection
- Constant current
- Operating temperature: -4°F to 140°F
- IP64 rated
- Includes 72" 6-Pin output cord
- Class II UL 1310, UL-RU certified

24V 150w Driver



E53287

- 7.75"L x 3.75"W x 1.5"H
- Electronic direct wire driver
- 120V/240V input
- 24V, 6.5A output
- Short circuit protection, overload protection, over voltage protection
- Operating temperature: 14°F to 140°F
- Includes 72" 6-Pin output cord
- UL 1012, UL-RU certified

24V 320w Driver



E53288

- 8.5"L x 4.5"W x 2.25"H
- Electronic direct wire driver
- 120V/240V input
- 24V, 12.5A output
- Short circuit protection, overload protection, over temperature, over voltage protection
- Operating temperature: 14°F to 140°F
- Includes two 72" 6-Pin output cords
- UL 60950-1, UL-RU certified

24V 75w Plug-In Driver



E53320

- Electronic plug-in driver
- 120V-264V input
- 24V, 3A output
- Short circuit protection, overload protection, over voltage protection
- Operating temperature: 32°F to 104°F
- Includes 72" 6-Pin output cord

24V 480w Driver



E53289

- 11"L x 5"W x 1.7"H
- Electronic direct wire driver
- 120V-264V input
- 24V, 20A output
- Short circuit protection, overload protection, over temperature, over voltage protection
- Power factor control, constant current
- Operating temperature: -4°F to 140°F
- Includes two 72" 6-Pin output cords
- UL 60950-1, UL-RU certified

24V Weatherproof Drivers



24V 100w Weatherproof Class II Dimmable Driver

E53316

6"L x 2.5"W x 2.25"H

- Magnetic direct wire driver
- 120V input
- 24V, 4A output
- Short circuit protection, overload protection
- Operating temperature: -22°F to 140°F
- Includes 72" weatherproof output cord
- Class II UL 2108, ETL Certified
- Requires magnetic low voltage dimmer (not included)



24V 150w Weatherproof Class II Driver

E53381

8.75"L x 2.75"W x 1.5"H

- Electronic direct wire driver
- 120V-277V input
- 24V, 6.3A output
- Short circuit protection, overload protection, over temperature, over voltage protection
- Power factor control, constant current
- Operating temperature: -22°F to 158°F
- IP67 rated
- Includes 72" weatherproof output cord
- Class II UL 1012, 60950-1, UL-RU certified



24V 60w Weatherproof Class II Driver

E53380

7.75"L x 2.5"W x 1.5"H

- Electronic direct wire driver
- 120V-277V input
- 24V, 2.5A output
- Short circuit protection, overload protection, over temperature, over voltage protection
- Power factor control, constant current
- Operating temperature: -22°F to 158°F
- IP67 rated
- Includes 72" weatherproof output cord
- Class II UL 879, 8750, 1310, UL-RU certified

24V Dimmable Drivers

24V 60w Class II Dimmable Driver



E53311

- 6"L x 2.5"W x 2.25"H
- Magnetic direct wire driver
- 120V input
- 24V, 2.5A output
- Short circuit protection, overload protection
- Operating temperature: -22°F to 140°F
- Includes 72" 6-Pin output cord
- Class II UL 2108, ETL Certified
- Requires magnetic low voltage dimmer (not included)

24V 100w Weatherproof Class II Dimmable Driver



E53316

- 6"L x 2.5"W x 2.25"H
- Magnetic direct wire driver
- 120V input
- 24V, 4A output
- Short circuit protection, overload protection
- Operating temperature: -22°F to 140°F
- Includes 72" weatherproof output cord
- Class II UL 2108, ETL Certified
- Requires magnetic low voltage dimmer (not included)

24V 100w Class II Dimmable Driver



E53314

- 6"L x 2.5"W x 2.25"H
- Magnetic direct wire driver
- 120V input
- 24V, 4A output
- Short circuit protection, overload protection
- Operating temperature: -22°F to 140°F
- Includes 72" 6-Pin output cord
- Class II UL 2108, ETL Certified
- Requires magnetic low voltage dimmer (not included)

This state-of-the-art LED light bar raises under cabinet lighting to a whole new level. The crisp white light illuminates without shadows, and its direct wire plug in and easy clip installation make it convenient as well as beautiful.

Features

- Uses 80% less power than incandescent
- 50,000 life hours
- Cool to touch
- Linkable up to 30 LEDs
- Warm white 3000 K light



Bronze
Black Accessories



White
White Accessories



Satin Aluminum
Black Accessories

10" LED Light Kit
E57902-WT White
E57902-SA Satin Aluminum
E57902-MB Bronze
 9.75"L x 2"W x 1"H
 2 x 1w (160 Lumens)

20" LED Light Kit
E57904-WT White
E57904-SA Satin Aluminum
E57904-MB Bronze
 19.125"L x 2"W x 1"H
 4 x 1w (320 Lumens)

30" LED Light Kit
E57906-WT White
E57906-SA Satin Aluminum
E57906-MB Bronze
 28.5"L x 2"W x 1"H
 6 x 1w (480 Lumens)

Includes

- LED Under Cabinet Light
- One 18" InterLink2 Connector Cord
- One InterLink2 Coupler
- One InterLink2 Direct Wire Box
- Installation Hardware



OPTIONAL COMPONENTS

InterLink2 Power Cord
E57817-WT White
E57817-BK Black
 72"L



InterLink2 Connector Cord
 18" **E57819-WT** White
 18" **E57819-BK** Black
 9" **E57818-WT** White
 9" **E57818-BK** Black



InterLink2 Direct Wire Box
E57803-WT White
E57803-BK Black
 4"W x 1"H x 2"L



InterLink2 Coupler
E57820-WT White
E57820-BK Black
 2"W x .375"H x .5"L



InterLink2 Cord Coupler
E57823-WT White
E57823-BK Black
 2.125"W x .375"H x .625"L



With a sleek profile and direct wiring, this state-of-the-art direct wire unit installs easily under the cabinet and emits a crisp white light which illuminates without shadows. The hinged top gives easy access for installation and wiring. Cabinets stay cool and safe with LED light output.

Features

- Warm white 3000 K light
- Cool to touch
- CRI 70-75, 120° beam spread
- 50,000 life hours
- Captured screws
- Multiple, full size knock outs
- 4-Way dimming switch, Hi/Med/Low Light/Off
- Linkable with or without cord using InterLink3



7" 2-Light LED Direct Wire
E57912-WT White
E57912-MB Bronze
 7"L x 5"W x 1.25"H
 2 x 1w (160 Lumens)

13" 4-Light LED Direct Wire
E57913-WT White
E57913-MB Bronze
 12.875"L x 5"W x 1.25"H
 4 x 1w (320 Lumens)

21" 6-Light LED Direct Wire
E57914-WT White
E57914-MB Bronze
 21"L x 5"W x 1.25"H
 6 x 1w (480 Lumens)

30" 8-Light LED Direct Wire
E57916-WT White
E57916-MB Bronze
 30"L x 5"W x 1.25"H
 8 x 1w (640 Lumens)

OPTIONAL COMPONENTS



InterLink3 Power Cord
E57860-WT White
E57860-BK Black
 72"L



InterLink3 Direct Wire Box
E57850-WT White
E57850-BK Black
 5"W x 1"H x 2.25"L



InterLink3 Connector Cord
 9" **E57856-WT** White
 9" **E57856-BK** Black
 18" **E57857-WT** White
 18" **E57857-BK** Black
 24" **E57858-WT** White
 24" **E57858-BK** Black




E53400
StarStrand Channel 24 Starter Kit
 7.5" W x 11.75" L x 2.5" H
 Includes:
 Two 6" Channel 24 3500 K, one on/off switch
 and one 60w 24V Plug-In Driver



E53401
StarStrand Elite 24 Starter Kit
 5.25" W x 10.25" L x 2.5" H
 Includes:
 Two 4" Elite 24 and
 one 60w 24V Plug-In Driver



E53402
StarStrand Ultima 24 Starter Kit
 5.25" W x 10.25" L x 2.5" H
 Includes:
 Two 4" Ultima 24 and
 one 60w 24V Plug-In Driver



H



E



G



F



A

B

C

D

**A. Under Cabinet ET-LED-A Series
EDSP022LA**
24"W x 12"H x 12"L

**B. Under Cabinet ET-LED-B Series
EDSP022LB**
24"W x 12"H x 12"L

**C. Under Cabinet Display Riser
EDSP024-WT**
24"W x 6"H x 9"L

**D. Under Cabinet Storage Cabinet
EDSP025-WT**
24"W x 30"H x 18"L

**E. StarStrand Counter Display 24V
EDSP012-SV**
14"W x 12"H x 6"L

**F. Under Cabinet Selling Case
EDSP016-AL**
27"W x 7"H x 16.5"L

**G. StarStrand Brief Case 24V
EDSP013-AL**
16.5"W x 4.75"H x 12.5"L

**H. StarStrand Channel 24
EDSP014-SV**
14"W x 12"H x 6"L

E20001.....	279	E20204.....	260	E20468.....	132
E20004.....	278	E20207.....	260	E20513.....	286
E20009.....	280	E20208.....	259	E20520.....	158
E20010.....	280	E20209.....	259	E20521.....	158
E20011.....	186	E20210.....	260	E20522.....	158
E20012.....	185	E20211.....	259	E20523.....	157
E20013.....	185	E20215.....	126	E20524.....	160
E20015.....	279	E20216.....	126	E20525.....	159
E20021.....	262	E20218.....	125	E20526.....	160
E20051.....	109	E20219.....	261	E20530.....	168
E20054.....	264	E20240.....	180	E20531.....	168
E20056.....	109	E20251.....	268	E20532.....	168
E20057.....	110	E20263.....	206	E20533.....	167
E20058.....	110	E20280.....	50	E20540.....	128
E20059.....	264	E20281.....	50	E20681.....	284
E20071.....	265	E20282.....	49	E20715.....	114
E20074.....	266	E20283.....	49	E20716.....	113
E20100.....	106	E20285.....	48	E20717.....	114
E20103.....	105	E20286.....	50	E20720.....	162
E20104.....	106	E20291.....	116	E20721.....	162
E20106.....	92	E20292.....	116	E20725.....	161
E20107.....	91	E20293.....	118	E20735.....	179
E20108.....	93	E20294.....	117	E20744.....	282
E20112.....	88	E20300.....	276	E20791.....	28
E20113.....	89	E20301.....	274	E20792.....	27
E20114.....	90	E20302.....	276	E20794.....	28
E20115.....	100	E20303.....	275	E20796.....	26
E20116.....	100	E20304.....	275	E20797.....	25
E20117.....	99	E20311.....	208	E20798.....	26
E20118.....	102	E20340.....	274	E20802.....	24
E20126.....	186	E20400.....	22	E20803.....	24
E20130.....	281	E20402.....	22	E20804.....	24
E20146.....	257	E20404.....	22	E20813.....	287
E20158.....	258	E20405.....	21	E20820.....	124
E20166.....	122	E20408.....	21	E20821.....	123
E20180.....	136	E20410.....	112	E20823.....	123
E20181.....	136	E20412.....	112	E20824.....	123
E20182.....	136	E20413.....	112	E20825.....	124
E20183.....	135	E20419.....	111	E20826.....	124
E20185.....	135	E20420.....	111	E20920.....	210
E20186.....	135	E20461.....	132	E20921.....	210
E20187.....	134	E20462.....	131	E20924.....	210
E20190.....	104	E20463.....	131	E20925.....	209
E20191.....	104	E20464.....	130	E20926.....	209
E20202.....	260	E20465.....	132	E20940.....	211

E20941.....	211	E21501.....	121	E22092.....	65
E20942.....	211	E21502.....	121	E22093.....	63
E20960.....	205	E21600.....	190	E22094.....	62
E20961.....	205	E21601.....	190	E22109.....	104
E20963.....	208	E21700.....	189	E22120.....	152
E21010.....	154	E21701.....	189	E22121.....	152
E21011.....	154	E21800.....	20	E22122.....	151
E21035.....	148	E21801.....	20	E22123.....	151
E21036.....	148	E21802.....	20	E22124.....	149
E21038.....	148	E21803.....	19	E22126.....	150
E21039.....	148	E21804.....	19	E22127.....	150
E21050.....	156	E21805.....	18	E22133.....	187
E21051.....	155	E21806.....	19	E22134.....	187
E21052.....	155	E22000.....	108	E22138.....	80
E21053.....	155	E22001.....	107	E22139.....	79
E21054.....	156	E22002.....	108	E22170.....	98
E21090.....	141	E22011.....	147	E22171.....	98
E21094.....	142	E22019.....	188	E22180.....	153
E21091.....	141	E22020.....	188	E22310.....	183
E21092.....	141	E22022.....	263	E22311.....	183
E21093.....	142	E22023.....	285	E22312.....	183
E21095.....	142	E22025.....	170	E22313.....	184
E21131.....	81	E22026.....	170	E22314.....	184
E21132.....	81	E22027.....	170	E22316.....	182
E21133.....	81	E22028.....	170	E22317.....	182
E21134.....	82	E22029.....	169	E22320.....	139
E21136.....	82	E22030.....	97	E22322.....	140
E21200.....	31	E22031.....	97	E22341.....	119
E21201.....	30	E22032.....	97	E22342.....	120
E21203.....	31	E22033.....	98	E22343.....	120
E21204.....	30	E22034.....	95	E22344.....	120
E21205.....	32	E22035.....	96	E22345.....	120
E21206.....	32	E22036.....	94	E22362.....	144
E21300.....	41	E22037.....	96	E22363.....	144
E21301.....	41	E22038.....	97	E22372.....	143
E21302.....	42	E22039.....	169	E22373.....	143
E21303.....	39	E22048.....	272	E22500.....	138
E21304.....	38	E22049.....	272	E22501.....	138
E21306.....	39	E22052.....	272	E22700.....	253
E21308.....	40	E22063.....	270	E22701.....	252
E21309.....	41	E22064.....	269	E22702.....	252
E21310.....	40	E22065.....	269	E22703.....	253
E21311.....	42	E22067.....	270	E22705.....	254
E21312.....	42	E22090.....	64	E22706.....	254
E21313.....	42	E22091.....	65	E22708.....	256

E22709.....	255	E23130.....	6	E24251.....	54
E22720.....	85	E23131.....	6	E24254.....	53
E22721.....	83	E23132.....	5	E24256.....	51
E22723.....	84	E23133.....	5	E24257.....	52
E22725.....	84	E23135.....	3	E30001.....	173
E22729.....	83	E23137.....	3	E30002.....	173
E22731.....	85	E23138.....	4	E30003.....	174
E22732.....	85	E23139.....	4	E30004.....	174
E22733.....	86	E23140.....	6	E30005.....	172
E22734.....	86	E23144.....	2	E30006.....	172
E22803.....	77	E23180.....	71	E30011.....	173
E22805.....	76	E23183.....	72	E30012.....	173
E22806.....	75	E23184.....	72	E30013.....	174
E22807.....	73	E23185.....	71	E30014.....	174
E22808.....	74	E23240.....	34	E30015.....	172
E22811.....	78	E23241.....	34	E30016.....	172
E22812.....	77	E23242.....	34	E30071.....	207
E22813.....	77	E23244.....	33	E30100.....	178
E22814.....	78	E23251.....	36	E30200.....	178
E22815.....	78	E23252.....	36	E30300.....	177
E22830.....	69	E23253.....	36	E30400.....	164
E22832.....	69	E23254.....	36	E30402.....	166
E22833.....	69	E23255.....	36	E30406.....	165
E22834.....	70	E23257.....	35	E30407.....	165
E22835.....	70	E23258.....	35	E30408.....	166
E22836.....	68	E23259.....	35	E30500.....	46
E22837.....	67	E24000.....	16	E30501.....	46
E22838.....	68	E24001.....	16	E30502.....	46
E23000.....	58	E24002.....	15	E30503.....	44
E23001.....	58	E24007.....	15	E30505.....	44
E23002.....	58	E24010.....	10	E30507.....	45
E23003.....	55	E24011.....	10	E30509.....	45
E23005.....	57	E24012.....	8	E30601.....	283
E23006.....	57	E24013.....	8	E30700.....	176
E23008.....	56	E24016.....	9	E30701.....	176
E23009.....	56	E24017.....	10	E30708.....	175
E23010.....	55	E24018.....	9	E30900.....	267
E23011.....	59	E24020.....	14	E30901.....	267
E23012.....	59	E24023.....	13	E41001.....	197
E23013.....	59	E24025.....	13	E41002.....	198
E23014.....	60	E24026.....	14	E41006.....	193
E23015.....	60	E24028.....	12	E41007.....	194
E23111.....	101	E24029.....	11	E41008.....	199,203
E23115.....	102	E24055.....	127	E41009.....	200,204
E23119.....	101	E24250.....	54	E41014.....	201

E41015.....	202	E53354.....	310,312	E63007.....	146
E41020.....	195	E53355.....	310,312	E63008.....	146
E41021.....	196	E53364.....	306,308	E63009.....	146
E41023.....	192	E53365.....	306,308	E91041.....	289
E53006.....	145	E53368.....	306,308	E91043.....	290
E53007.....	145	E53370.....	306,308	E91044.....	291
E53008.....	145	E53373..	298,300,302,304,306,308,314	E91051.....	289
E53009.....	145	E53374..	298,300,302,304,306,308,314	E91051.....	289
E53254.....	298,300,302,304,314	E53380.....	317	E91053.....	290
E53255..	298,300,302,304,310,312,314	E53381.....	317	E91053.....	290
E53256..	298,300,302,304,310,312,314	E53383.....	298,304,312	E91054.....	291
E53257.....	310,314	E53385.....	304,312	E91071.....	289
E53258....	298,300,302,304,310,312	E53386.....	298,304,312	E91073.....	290
E53259.....	314	E53387.....	304,312	E91074.....	291
E53260.....	314	E53389.....	308	E91081.....	289
E53261.....	314	E53390.....	308	E91083.....	290
E53262.....	298,304,314	E53393.....	298,300,302,310	E91084.....	291
E53263.....	298,304,310,312,314	E53398.....	298	E91141.....	289
E53264.....	298,304	E53400.....	321	E91143.....	290
E53265.....	298,304,310,312,314	E53401.....	321	E91144.....	291
E53266.....	298,304,310,312,314	E53402.....	321	E91151.....	289
E53267.....	298,304,310,312,314	E53464.....	300,302	E91153.....	290
E53268.....	298,304,310,312,314	E53465....	298,300,302,304,310,312	E91154.....	291
E53269.....	298,304,314	E53467....	298,300,302,304,310,312	E91171.....	289
E53272.....	298,304	E53468....	298,300,302,304,310,312	E91173.....	290
E53273.....	300,302	E53469.....	300,302	E91174.....	291
E53275.....	315	E55318.....	316	E91181.....	289
E53286.....	316	E57803.....	319	E91183.....	290
E53287.....	316	E57817.....	319	E91184.....	291
E53288.....	316	E57818.....	319	E92041.....	289
E53289.....	316	E57819.....	319	E92043.....	290
E53302.....	315	E57823.....	319	E92044.....	291
E53304.....	315	E57850.....	320	E92051.....	289
E53310.....	315	E57856.....	320	E92053.....	290
E53311.....	318	E57857.....	320	E92054.....	291
E53313.....	316	E57858.....	320	E92071.....	289
E53314.....	318	E57860.....	320	E92073.....	290
E53316.....	317,318	E57902.....	319	E92074.....	291
E53320.....	316	E57904.....	319	E92081.....	289
E53341.....	300,302	E57906.....	319	E92083.....	290
E53342.....	300,302	E57912.....	320	E92084.....	291
E53344.....	300,302	E57913.....	320	E92141.....	289
E53350....	298,300,302,304,310,312	E57914.....	320	E92143.....	290
E53352.....	310	E57916.....	320	E92144.....	291
E53353.....	310	E63006.....	146	E92151.....	289

E92153.....	290	E94143.....	290	E94707.....	245
E92154.....	291	E94144.....	291	E94708.....	246
E92171.....	289	E94151.....	289	E94710.....	246
E92173.....	290	E94153.....	290	E94711.....	246
E92174.....	291	E94154.....	291	E94712.....	246
E92181.....	289	E94171.....	289	E94713.....	246
E92183.....	290	E94173.....	290	E94715.....	246
E92184.....	291	E94174.....	291	E94717.....	246
E93041.....	289	E94181.....	289	E94801.....	247
E93043.....	290	E94183.....	290	E94802.....	247
E93044.....	291	E94184.....	291	E94803.....	247
E93051.....	289	E94501.....	241	E94804.....	247
E93053.....	290	E94502.....	241	E94805.....	247
E93054.....	291	E94503.....	241	E94806.....	247
E93071.....	289	E94504.....	241	E94807.....	247
E93073.....	290	E94505.....	241	E94808.....	247
E93074.....	291	E94506.....	241	E94810.....	247
E93081.....	289	E94507.....	241	E94811.....	248
E93083.....	290	E94508.....	242	E94812.....	248
E93084.....	291	E94510.....	242	E94813.....	248
E93141.....	289	E94511.....	242	E94815.....	248
E93143.....	290	E94512.....	242	E94817.....	248
E93144.....	291	E94513.....	242	E94901.....	249
E93151.....	289	E94515.....	242	E94902.....	249
E93153.....	290	E94517.....	242	E94903.....	249
E93154.....	291	E94601.....	243	E94904.....	249
E93171.....	289	E94602.....	243	E94905.....	249
E93173.....	290	E94603.....	243	E94906.....	249
E93174.....	291	E94604.....	243	E94907.....	249
E93181.....	289	E94605.....	243	E94908.....	249
E93183.....	290	E94606.....	243	E94910.....	250
E93184.....	291	E94607.....	243	E94911.....	250
E94041.....	289	E94608.....	244	E94912.....	250
E94043.....	290	E94610.....	244	E94913.....	250
E94044.....	291	E94611.....	244	E94915.....	250
E94051.....	289	E94612.....	244	E94917.....	250
E94053.....	290	E94613.....	244	E95000.....	216,226
E94054.....	291	E94615.....	244	E95002.....	216,226
E94071.....	289	E94617.....	244	E95004.....	216,226
E94073.....	290	E94701.....	245	E95020.....	215,218,221,225
E94074.....	291	E94702.....	245	E95022.....	215,218,221,225
E94081.....	289	E94703.....	245	E95030.....	215,218,221,225
E94083.....	290	E94704.....	245	E95032.....	215,218,221,225
E94084.....	291	E94705.....	245	E95040.....	215,218,221,225
E94141.....	289	E94706.....	245	E95042.....	215,218,221,225

E95050.....	215,218,222,225	EC95003.....	239	ES91104.....	294
E95052.....	215,218,222,225	EC95004.....	240	ES92001.....	292
E95060.....	213,217,223	EC95014.....	240	ES92003.....	293
E95065.....	213,217,223	EDSP012.....	322	ES92004.....	294
E95080.....	216,219,222,226,227	EDSP013.....	322	ES92101.....	292
E95084.....	216,222,226,227	EDSP014.....	322	ES92103.....	293
E95088.....	216,222,226,227	EDSP016.....	322	ES92104.....	294
E95100.....	216,219,226	EDSP022.....	322	ES92111.....	296
E95102.....	216,219,226	EDSP024.....	322	ES93001.....	292
E95104.....	216,219,226	EDSP025.....	322	ES93003.....	293
E95120.....	215,218,221,225	EG90413.....	295	ES93004.....	294
E95124.....	215,218,221,225	EG90414.....	295	ES93101.....	292
E95130.....	215,218,221,225	EG90437.....	295	ES93103.....	293
E95134.....	215,218,221,225	EG90439.....	295	ES93104.....	294
E95140.....	215,218,221,225	EG90441.....	295	ES93111.....	296
E95144.....	215,218,221,225	EG90450.....	295	ES94001.....	292
E95160.....	213,217,223	EG90451.....	295	ES94003.....	293
E95165.....	213,217,223	EG90514.....	295	ES94004.....	294
E95184.....	216,219,222,226,227	EG90537.....	295	ES94101.....	292
E95188.....	216,219,222,226,227	EG90539.....	295	ES94103.....	293
E95300.....	214,220,224	EG90613.....	296	ES94104.....	294
E95305.....	214,220,224	EG90614.....	296		
E95308.....	214,220,224	EG90637.....	296		
E95340.....	214,220,224	EG90639.....	296		
E95345.....	214,220,224	EG90753.....	295		
E95348.....	214,220,224	EG90805.....	295		
E95388.....	256	EP96001.....	237		
E95389.....	255	EP96002.....	237		
E95400.....	214,220,224	EP96003.....	234		
E95405.....	214,220,224	EP96004.....	236		
E95408.....	214,220,224	EP96005.....	234		
E95440.....	214,220,224	EP96006.....	235		
E95445.....	214,220,224	EP96007.....	238		
E95448.....	214,220,224	EP96008.....	237		
E95490.....	228	EP96010.....	234		
E95491.....	228	EP96011.....	236		
E95492.....	229	EP96012.....	238		
E95493.....	229	EP96013.....	238		
E95494.....	230	EP96015.....	235		
E95495.....	230	EP96017.....	235		
E95496.....	231	ES91001.....	292		
E95497.....	231	ES91003.....	293		
E95498.....	232	ES91004.....	294		
E95499.....	232	ES91101.....	292		
EC95001.....	239	ES91103.....	293		





















Code	Finish
AL	Brushed Aluminum
ALPC	Brushed Aluminum/Polished Chrome
ANB	Antique Bronze
BK	Black
BKPC	Black and Polished Chrome
BRB	Brushed Bronze
BRZ	Anodized Bronze
BZ	Bronze
MB	Metallic Bronze
MW	Matte White
OI	Oil Rubbed Bronze
PC	Polished Chrome
PCBK	Polished Chrome/Black
PCWT	Polished Chrome/White
PL	Platinum
RUB	Rustic Bronze
SA	Satin Aluminum
SN	Satin Nickel
SNPC	Satin Nickel / Polished Chrome
WT	White

Code	Glass
01	White
02	Black
03	Red
04	Green
05	Amber
06	Orange
08	Red Gloss
09	Frost White
10	Clear/White
11	Matte White
13	White Ripple
14	Amber Ripple
18	Clear
20	Crystal
21	Clear/Violet
24	Clear
25	Clear/Amber
26	Amber Murano
27	Blue/White
28	Clear Murano
31	Green/White
32	Yellow/White

Code	Glass
33	Red/White
34	Chocolate Sundae
37	Red Ripple
39	Grey Ripple
41	White Zebra
43	Clear/Black
47	Milos
50	Black Amber Swirl
51	Black Zebra
53	Conch
54	Translucent Frost
56	Chocolate Mousse
61	White
69	Silver Plate
72	Smoked Mirror
78	Mesh
79	Threaded
81	Mirror Chrome
83	Clear Lucite
85	Opal White
86	Frosted Speckled
87	Chocolate Swirl
88	Snow White
89	Etched/Bubble
90	Frosted
91	Clear Bubble
92	Satin White
93	Clear/Frosted

Code	Shade
69	Silver Plated
AL	Aluminum
BA	Black with White Accent
BK	Black
BR	Brushed Aluminum
CR	Crimson
GC	Grass Cloth
RE	Red
SW	Steel Web
WL	White Linen
WP	White Pleat
WT	White
WW	White Weave

Type	Code	Watts	Note	Item
Fluorescent	2G11	18		EBUFPL18037
Fluorescent	2G11	24		EBUFPL24054
Fluorescent	2G11	36		EBUFPL36055
Fluorescent	2GX7	13		EBUFPL13036
Fluorescent	Circline T5	22		EBUFT522060
Fluorescent	Circline T5	55		EBUFT555061
Fluorescent	Circline T5	55		EBUFT555056
Fluorescent	G24q-1	13		EBUFPL13038
Fluorescent	G24q-2	18		EBUFPL18039
Fluorescent	GU24	13		EBUFPL13004
Fluorescent	GU24	18		EBUFPL18005
Fluorescent	GU24	26		EBUFPL26006
Fluorescent	GX23-2	13		EBUFPL13062
Fluorescent	T5	14		EBUFT514053
Fluorescent	T5	21		EBUFT521014
Fluorescent	T5	24		EBUFT524064
Fluorescent	T5	39		EBUFT539065
Fluorescent	T5	40		EBUFT540003
Halogen	GU10	35		EBUH35050
Halogen	GU10	50		EBUH50051
Halogen	MR11	20		EBUH20052
Halogen	MR11	35		EBUH35063
Halogen	PAR20	50		EBUH50057
Incandescent	MB T10	60		EBUI60029
Xenon	G4	10	Clear	EBUX10045
Xenon	G4	20	Clear	EBUX20047
Xenon	G4	20	Frosted	EBUX20048
Xenon	G9	25	Clear	EBUX25031
Xenon	G9	25	Frosted	EBUX25049
Xenon	G9	40	Clear	EBUX40032
Xenon	G9	40	Frosted	EBUX40024
Xenon	G9	50	Clear	EBUX50033
Xenon	G9	50	Frosted	EBUX50042
Xenon	G9	50		EBUX50059
Xenon	G9	60	Clear	EBUX60034
Xenon	G9	60	Frosted	EBUX60028
Xenon	G9	75	Clear	EBUX75058
Xenon	G9	75	Frosted	EBUX75035

	Code	Description	Type		Code	Description	Type
	2G11	Twin Tube 4 Pin 2G11 Base 16.313" MOL	Fluorescent		MB PAR20	Medium Base 3.25" MOL	Halogen
	T5 Circline	Tubular Circline 2GX13 Base .625"W	Fluorescent		R7S	Double Ended J-Style R7S Base 3.125" MOL	Halogen
	2GX7	Twin Tube 4 Pin 2GX7 Base 6.2" MOL	Fluorescent		CA	Candelabra Base	Incandescent
	G24q-1	Quad Tube 4 Pin G24q-1 Base 4.625" MOL	Fluorescent		MB	Medium Base	Incandescent
	G24q-2	Quad Tube 4 Pin G24q-2 Base 5.75" MOL	Fluorescent		MB G30	Medium Base 5.125" MOL	Incandescent
	GU24	CFL Bi-Pin GU24 Base	Fluorescent		MB G40	Medium Base 6.75" MOL	Incandescent
	GX23-2	Quad Tube Bi-Pin GX23-2 Base 4.6" MOL	Fluorescent		MB T10	Medium Base 4" MOL	Incandescent
	Mini Bi-Pin T5	Mini Bi-Pin Base .625" W	Fluorescent		G4	Bi-Pin G4 Base 1.2" MOL	Xenon
	GU10 MR16	GU10 Twist Base 1.87" MOL	Halogen		G9	Double Loop G9 Base 1.781" MOL	Xenon
	GZ4 MR11	Multifaceted Reflector Bi-Pin GZ4 Base 1.375"W	Halogen		GY6.35	Bi-Pin GY6.35 Base 1.5625" MOL	Xenon



facebook.com/et2lighting



follow us [@et2lighting](https://twitter.com/et2lighting)

LETCAT1112

\$5.00




ET2 Contemporary Lighting

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 626.956.4235

Dallas Trade Mart: 214.748.8455
Showroom: 3901
Email: info@et2online.com
Web: www.et2online.com



ET2 Contemporary Lighting and all designs, logos and images © 2011 ET2 Contemporary Lighting. All Rights Reserved.