Summer 2021
Supplement

ET2 Contemporary Lighting™

COLLECTIONS

Allen | 23
Alumilux Aster | 47
Alumilux Cube | 160
Alumilux Facet | 163
Alumilux Glow | 155
Alumilux Line | 153
Alumilux Majik | 161
Alumilux Outline | 159
Alumilux Prime | 157
Alumilux Spartan | 162
Alumilux Tau | 156
Alumilux Tilt | 164
Axle | 17
Baritone | 139
Blossom | 49
Boardwalk | 165
Bobble | 73
Centrum | 129
Chimes | 89
Clutch | 141
Cog | 109
Cono | 119
Cycle | 107
Diaphane | 11
Floating | 147
Focal Point | 37
Fungo | 29
Groove | 85
Hemisphere | 33
Hive | 19
Hover | 39
Interval | 9
Liminance | 149
Mobius | 1
Newton | 115
Nucleus | 25
Palla | 29
Parallel | 113
Pendulum | 18
Perpetual | 103
Phaeton | 111
Pipes | 35
Pleat | 23
Raven | 61
Reveal | 77
Revolution | 93
Rinkle | 123
Ripple | 143
Robotica | 133
Rollo | 53
Rotator | 97
Sash | 21
Signature | 83
Soprano | 137
Swank | 57
Sway | 19
Taylor | 145
Telstar | 5
Tether | 63
Torch | 15
Tracer | 81
Traverse | 99
Union | 69

MORE

Finishes | 169
Glass | 169
Index | 167
Lamping Guide | 170
Shade | 169
Warranty | 171

LEGEND

ADA Compliant

Adjustable

Energy Efficient

Energy Star Certified

Slope

Installs Up or Down

LED

California Title 24

For Wet Location

For Damp Location

Dimmable using standard dimmer. Lutron® CL dimmers are recommended.

HCO | Height from Center of Outlet
OAH | Overall Height

MOBIUS

A seamless loop of light and metal, the Mobius loop pushes boundaries with a non-orientable surface. Encased in a hand formed etched acrylic tube a innovative, omnidirectional LED light strip brightly illuminates. Inspired by artisanal metal knot décor, the LED pendants provide both functional light and create interest in their form. Finished in Natural Aged Brass and completed with a two-tone black and brass canopy, this fashion-forward lighting sculpture is sure to make a statement.

MOBIUS

- Gold and Matte Black
- Table Lamp uses natural black marble at its base
- Satin White etched acrylic tubes
- Innovative omnidirectional LED light strips
- CRI 90+, 3000K
- 120-277V range voltage input
- Dimmable at 120V with ELV dimmers



E25092-01BKGLD
Mini Pendant
A

E25096-01BKGLD
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25092	01BKGLD	11.8W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 13"H, 58.5"OAH	90+	940	900	
B	E25096	01BKGLD	40.3W PCB LED 3000K (Inte.)	25.75"L x 25.75"W x 28.5"H, 72.25"OAH	90+	3510	3220	

Finish: White Acrylic (01) Black/Gold (BKGLD)

E25090-01BKGLD
Table Lamp
D



E25094-01BKGLD
Pendant
C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E25094	01BKGLD	27.8W PCB LED 3000K (Inte.)	24"L x 21.25"W x 24"H, 70.5"OAH	90+	2430	2220	
D	E25090	01BKGLD	13.2W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 13.75"H	90+	1050	910	

Finish: White Acrylic (01) Black/Gold (BKGLD)

TELSTAR

Translucent acrylic panels dotted to guide indirect LED strips integrated into the body of the fixture. The angular forms of the pendants create a strikingly modern display of light that is both airy and voluminous. An additional LED GU10 bulb is recessed at the bottom of the fixture for additional functional light. Available in Satin Brass or Matte Black finishes.

TELSTAR

- Available in Natural Aged Brass or Matte Black
- Translucent acrylic light guide panels
- CRI 90+, 3000K
- 120-277V range voltage input
- Dimmable at 120V with ELV dimmers

Additional recessed LED light

E25132-133BK, **-133NAB**
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25132	133BK, 133NAB	47W PCB LED 3000K (Inte.)	26"L x 26"W x 18"H, 61.25"OAH	90+	3760	1880	

Finish Options: Patterned Acrylic (133) Black (BK) Natural Aged Brass (NAB)

E25136-133BK, **-133NAB**
Pendant
B





Additional recessed
LED light

E25134-133BK, -133NAB
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E25136	133BK, 133NAB	55W PCB LED 3000K (Inte.)	22"L x 22"W x 30"H, 73.25"OAH	90+	4400	2450	
C	E25134	133BK, 133NAB	49W PCB LED 3000K (Inte.)	18.25"L x 18.25"W x 24"H, 67.25"OAH	90+	3920	1960	

Finish Options: Patterned Acrylic (133) Black (BK) Natural Aged Brass (NAB)

INTERVAL

Three sizes stainless steel intersecting panels in ellipses and spheres are illuminated by a double raceway of dedicated LED light strips. An additional LED light source directs light downward. Stylishly finished in brushed Satin Brass or Matte Black, these sculptural lighting elements complement an architectural environment adding interest and functional light.

INTERVAL

- Available in Matte Black and brushed Satin Brass finishes
- Dedicated LED light source
- CRI 90+, 3000K
- 120-277V range voltage input
- Dimmable at 120V with ELV dimmers

E21486-BK, -SBR
Pendant
A



E21484-BK, **-SBR**
Pendant
B







E21482-BK, -SBR
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21486	BK, SBR	35W PCB LED 3000K (Inte.)	10"L x 9.75"W x 14.25"H, 137.5"OAH	90+	2450	1750	
B	E21484	BK, SBR	26W PCB LED 3000K (Inte.)	8"L x 7.75"W x 12.5"H, 135.75"OAH	90+	1820	1300	
C	E21482	BK, SBR	18W PCB LED 3000K (Inte.)	8"L x 7.75"W x 8.5"H, 131.75"OAH	90+	1260	900	

Finish Options: Black (BK) Satin Brass (SBR)

DIAPHANE

Hexagonal tubes of various lengths terminate at blocks of naturally translucent rock crystal. Each stone varies in diaphaneity making a unique display of refracted light. Available in plated Gold and matte Black, this luxurious LED pendant light cluster amplifies the beauty of natural materials.

DIAPHANE

- Available in Matte Black and plated Gold finishes
- Dedicated LED light source
- CRI 90+, 3000K

E11029-95BK, -95GLD
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11029	95BK, 95GLD	9 X 5W PCB LED 3000K (Inte.)	15"L x 15"W x 32.5"H, 147"OAH	90+	4000	3860	

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)

DIAPHANE

- Available in Matte Black and plated Gold finishes
- Dedicated LED light source
- CRI 90+, 3000K

Natural Rock crystal
imported from the Alpes

E11023-95BK, **-95GLD**
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11023	95BK, 95GLD	3 X 5W PCB LED 3000K (Inte.)	9.75"L x 9.75"W x 23.75"H, 147"OAH	90+	1200	540	

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)

E11020-95BK, **-95GLD**
Pendant
B



E11021-95BK, **-95GLD**
Pendant
C



E11022-95BK, -95GLD
Pendant
D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E11020	95BK, 95GLD	5W PCB LED 3000K (Inte.)	4.75"W x 16"H, 139"OAH	90+	450	300	
C	E11021	95BK, 95GLD	5W PCB LED 3000K (Inte.)	4.75"W x 19.75"H, 143"OAH	90+	450	300	
D	E11022	95BK, 95GLD	5W PCB LED 3000K (Inte.)	4.75"W x 23.75"H, 147"OAH	90+	450	300	

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)

TORCH

Machined Aluminum tubes of Black, Polished Chrome, or Brass suspend within clear glass overlays. An LED GU10 bulb is recessed within the metal tube providing great directional lighting. Available as a single pendant or as a 4-Light linear pendant and compatible with the 120V canopy kits sold separately.

TORCH

- Available in 3 finishes: Satin Brass, matte Black, and Polished Chrome
- Clear glass shade overlays
- JA8 Compliant LED GU10 bulb included
- CRI 90+, 3000K



E11004-24BK, -24PC, -24SBR
Linear Pendant
B



E11000-24BK, -24PC, **-24SBR**
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11000	24BK, 24PC, 24SBR	1 x 7W GU10 LED 3000K (Incl.)	4.75"W x 14.75"H, 136"OAH	90+	700	450	
B	E11004	24BK, 24PC, 24SBR	4 x 7W GU10 LED 3000K (Incl.)	28"L x 6"W x 14.75"H, 136"OAH	90+	2200	1280	

Finish Options: Clear glass (24) Black (BK) Polished Chrome (PC) Satin Brass (SBR)

AXLE

Suspended by an axle of Gold stems, a Clear glass orb is illuminated with a sleek continuing line of evenly diffused LED in a white acrylic cylinder. The elongated nature of the Gold metalwork is elegantly vertical in size with a pop of playful interest and light.

- Plated Gold finish
- Clear glass
- Innovative LED tube encased in white acrylic
- CRI 90+, 3000K
- Dimmable with both Triac and Electric Low Voltage Dimmers

E11040-24GLD
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11040	24GLD	11.2W PCB LED 3000K (Inte.)	8"L x 8"W x 22"H, 144"OAH	90+	1050	950	

Finish: Clear glass (24) Glod (GLD)

- Black finish
- Satin White glass
- LED G9 bulb included



E11090-92BK
Mini Pendant
A

PENDULUM

A trio of flat metal panels finished in Brushed Bronze encase a Satin White opal glass shade. Within the glass a conveniently replaceable G9 LED lamp is provided.

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11090	92BK	4W G9 LED 3000K (Incl.)	7.5"L x 7.5"W x 16.5"H, 136.75"OAH	80+	450	380	

Finish: Satin White glass (92) Black (BK)

HIVE & SWAY

Unique shaped pendants of White gypsum and Grey concrete provide an economical solution for your lighting needs. With LED GU10 light bulbs included you get both style and long life from these durable pendants.

HIVE & SWAY

- Cast Concrete and Gypsum shades
- Paintable surface
- 3000K Color Temperature, CRI 90+
- 7 watt JA8 LED GU10 included



HIVE

E25035-GY, **WT**
Pendant

A

SWAY

E25034-GY, WT
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25035	GY, WT	1 x 7W GU10 3000K (Incl.)	7.75"L x 7.75"W x 7"H, 125.75"OAH	90+	490	450	JA8 bulb (Incl.)
B	E25034	GY, WT	1 x 7W GU10 3000K (Incl.)	7"L x 7"W x 7.5"H, 126"OAH	90+	490	450	JA8 bulb (Incl.)

Finish options: Gray (GY) White (WT)

SASH

Heavy weight cone shaped pendants of White gypsum or Grey concrete, both with Polished Chrome accents, project ample light downward by means of the LED GU10 lamps provided.

- Cast Concrete and Gypsum shades
- Paintable surface
- 3000K Color Temperature, CRI 90+
- 7 watt JA8 LED GU10 included

E25036-GYPC, WTPC
Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25036	GYPC, WTPC	1 x 7W GU10 3000K (Incl.)	7.75"L x 7.75"W x 10.75"H, 130"OAH	90+	490	450	JA8 bulb (Incl.)

Finish options: Gray shade (GY) White shade (WT) Polished Chrome (PC)

ALLEN & PLEAT

Cylindrical shape pendants cast in White gypsum and accentedwith Black hardware provide a crisp contemporary design. Both are paintable so you can be creative with the finished look.

ALLEN & PLEAT

- Cast Concrete and Gypsum shades
- Paintable surface
- Cloth covered cord
- 3000K Color Temperature, CRI 90+
- 7 watt JA8 LED GU10 included

ALLEN

E25037-WTBK
Pendant

A

PLEAT

E25038-WTBK
Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25037	WTBK	1 x 7W GU10 3000K (Incl.)	3.75"L x 3.25"W x 12.5"H, 131.75"OAH	90+	490	450	JA8 bulb (Incl.)
B	E25038	WTBK	1 x 7W GU10 3000K (Incl.)	3.25"L x 3.25"W x 12.5"H, 131.75"OAH	90+	490	450	JA8 bulb (Incl.)

Finish: White/Black (WTBK)

NUCLEUS

Three sizes of thick Clear glass orbs are suspended displaying a small aluminum sphere encompassed within. Discretely recessed dedicated LED provides ample lighting without glare. Branching out from a central structural column, the striking Black and Satin Brass combination an additional LED light source directs light downward. These atomically inspired fixtures are sure to make a statement.

NUCLEUS

- Two tone Black and Natural Aged Brass finish
- Blown clear glass spherical shades
- Dedicated LED light source
- CRI 90+, 3000K
- 120-277V range voltage input
- Dimmable at 120V with ELV dimmers

E25158-BKNAB
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25158	BKNAB	5 X 8W PCB LED 3000K (Inte.)	23.75"L x 23.75"W x 38"H, 83.25"OAH	90+	2400	2800	

Finish: Black/Natural Aged Brass (BKNAB)

NUCLEUS

- Two tone Black and Natural Aged Brass finish
- Blown clear glass spherical shades
- Dedicated LED light source
- CRI 90+, 3000K
- 120-277V range voltage input
- Dimmable at 120V with ELV dimmers

E25151-BKNAB
Wall Mount

A



E25150-BKNAB
Flush Mount

B



E25156-BKNAB
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25151	BKNAB	8W PCB LED 3000K (Inte.)	7"W x 12.75"H x 9"Ext.	4"	90+	480	560	
B	E25150	BKNAB	10W PCB LED 3000K (Inte.)	9"L x 9"W x 10.25"H		90+	600	700	
C	E25156	BKNAB	30W PCB LED 3000K (Inte.)	22"L x 23"W x 32.25"H, 77.25"OAH		90+	1800	2100	

Finish: Black/Natural Aged Brass (BKNAB)

E25152-BKNAB
Pendant
D



E25153-BKNAB
Pendant
E



E25154-BKNAB
Pendant
F



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
D	E25152	BKNAB	8W PCB LED 3000K (Inte.)	7"L x 7"W x 7.25"H, 53"OAH	90+	480	560	
E	E25153	BKNAB	10W PCB LED 3000K (Inte.)	9"L x 9"W x 9.25"H, 55"OAH	90+	600	700	
F	E25154	BKNAB	12W PCB LED 3000K (Inte.)	11"L x 11"W x 11"H, 57"OAH	90+	720	840	

Finish: Black/Natural Aged Brass (BKNAB)



FUNGO

Classic contemporary shaped pendants are constructed with a uni-body design, where the bottom is a continuation of the top. A dramatic two-tone finish is available in your choice of Black/Satin Brass, Dark Gray/Coffee, or Satin Nickle/Black. The LED light source is concealed to reduce glare while providing ample light below.



PALLA

Spherical shaped pendants are constructed unibody design. A dramatic two-tone finish is available in your choice of Black/Satin Brass, Dark Gray/Coffee, or Satin Nickle/Black. The LED light source is concealed to reduce glare while providing ample light below.

FUNGO

- Fully enclosed shade left unopen inside
- Aluminum construction
- Two tone finish
- Driverless LED, dimmable with ELV dimmers

E24914-BKSBR, -DGCOF, **-SNBK**
Pendant

A



E24916-BKSBR, **-DGCOF**, -SNBK
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24914	BKSBR, DGCOF, SNBK	8W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 11"H, 135.25"OAH	90+	720	230	
B	E24916	BKSBR, DGCOF, SNBK	12W PCB LED 3000K (Inte.)	23.5"L x 23.5"W x 16.5"H, 136.25"OAH	90+	1080	310	

Finish options: Black/Satin Brass (BKSBR) Dark Gray/Coffee (DGCOF) Satin Nickel/Black (SNBK)

- Finished on the bottom
- Aluminum construction
- Two tone finish
- Driverless LED, dimmable with ELV dimmers

E24924-DGCOF, -**SBRCOF**, -SNBK
Pendant

A



E24926-DGCOF, -SBRCOF, -**SNBK**
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24924	DGCOF, SBRCOF, SNBK	8W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 11.75"H, 135.75"OAH	90+	720	330	
B	E24926	DGCOF, SBRCOF, SNBK	12W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 14.5"H, 139"OAH	90+	1080	480	

Finish options: Dark Gray/Coffee (DGCOF) Satin Brass/Coffee (SBRCOF) Satin Nickel/Black (SNBK)

HEMISPHERE

Constructed of double thick aluminum which has a hammered interior finish polished so to not only be beautiful, but multiply the lumen output. High polish enamel paints finish the exterior for the ultimate reflective surface. The larger sizes are fitted with commercial grade LED and multi-volt input drivers that dim with both ELV and 0-10V functions.

GW
(Glossy White)

GN
(Glossy Navy)

GB
(Glossy Black)



HEMISPHERE

- Heavy grade aluminum spinning with hammered detail on interior
- Exterior finished in your choice of reflective Black, White or Navy
- 24" and 31" models use multi-volt drivers with both ELV and 0-10V dimming options
- 3000K Color Temperature, CRI 90+

E24902-GBAL, **GNAL**, GWAL
Pendant
B



E24900-GBAL, GNAL, GWAL
Pendant
A

E24904-GBAL, GNAL, GWAL
Pendant
C

E24906-GBAL, GNAL, **GWAL**
Pendant
D

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24900	GBAL, GNAL GWAL	10W PCB LED 3000K (Inte.)	9"L x 9"W x 5"H, 126"OAH	90+	950	480	
B	E24902	GBAL, GNAL GWAL	15W PCB LED 3000K (Inte.)	14"L x 14"W x 8"H, 129"OAH	90+	1500	720	
C	E24904	GBAL, GNAL GWAL	20W PCB LED 3000K (Inte.)	24"L x 24"W x 13"H, 134"OAH	90+	1900	960	120-277V input ELV and 0-10V dimming options
D	E24906	GBAL, GNAL GWAL	30W PCB LED 3000K (Inte.)	31"L x 31"W x 17"H, 136"OAH	90+	2900	1440	120-277V input ELV and 0-10V dimming options

Finish options: Glossy Black shade (GB) Glossy Navy shade (GN) Glossy White shade (GW) Aluminum (AL)

E32787-BKAL
Pendant
A



PIPES

Drums of Black conceal various size Brushed Aluminum tubes which are specially treated to create visual stimulation as the LED light passes through. This exclusive design produces incredible light without glare which adds to the glamor of this unique design.

- Hundreds of aluminum tubes in various sizes
- Two-tone Black and Aluminum finish
- 3000K Color Temperature, CRI 90+



E32782-BKAL
Flush Mount
B

E32785-BKAL
Pendant
C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E32787	BKAL	117W PCB LED 3000K (Inte.)	30"L x 30"W x 6.75"H, 129"OAH	90+	11,000	3800	120-277V Triac/ 0-10V Dimming
B	E32782	BKAL	58.5W PCB LED 3000K (Inte.)	24"L x 24"W x 7.75"H	90+	5850	2000	120-277V Triac/ 0-10V Dimming
C	E32785	BKAL	58.5W PCB LED 3000K (Inte.)	24"L x 24"W x 6.75"H, 129"OAH	90+	5850	2000	120-277V Triac/ 0-10V Dimming

Finish: Black/Aluminum (BKAL)

FOCAL POINT

Satin White dome shaped glass suspend from yokes of Black, conceal a LED light source which projects light onto a horizontal round glass diffuser. The diffuser is etched with a clear reveal to better diffuse the light below.

FOCAL POINT

- Available in 2 sizes
- Dimmable with ELV dimmer to 10%
- Driverless LED, dimmable with ELV dimmers

E23332-92BK
Pendant
A



E23336-92BK
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23332	92BK	8W PCB LED 3000K (Inte.)	10"L x 10"W x 17.5"H, 138"OAH	90+	800	650	
B	E23336	92BK	15W PCB LED 3000K (Inte.)	15"L x 15"W x 19.5"H, 140.25"OAH	90+	1200	910	

Finish: Satin White glass (92) Black (BK)

HOVER

Minimalist batons of extruded Black aluminum are fitted with V shaped acrylic diffusers for a wider beam of light. They can be arranged in numerous configurations allowing creativity and design of your own unique sculpture.

HOVER

- 8-Light Vertical Pendant
- 24" Adjustable Wall Light
- Mounting is made according to switch junction box sizes with an additional cover plate included
- On/Off switch at plate

E21377-BK
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21377	BK	51W PCB LED 3000K (Inte.)	18.25"L x 18"W x 18.25"H, 140.5"OAH	90+	3000	2000	

Finish: Black (BK)



E21379-BK
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E21379	BK	16 x 10W PCB LED 3000K (Integrated)	28"L x 28"W x 1.5"H, 123.5"OAH	80+	12,880	8200	

Finish: Black (BK)

HOVER

- Square aluminum extrusions
- Light output from two faces of V shaped acrylic
- 3000K Color Temperature, CRI 80+

E21378-BK
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21378	BK	10 x 10W PCB LED 3000K (Integrated)	27.75"L x 27.75"W x 1.5"H, 126.75"OAH	80+	7560	4860	

Finish: Black (BK)

E21373-BK
Pendant
B



E21376-BK
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E21373	BK	3 x 18W PCB LED 3000K (Integrated)	47.5"L x 47.5"W x 1.5"H, 133"OAH	80+	4130	3150	DIMMABLE LED
C	E21376	BK	68W PCB LED 3000K (Integrated)	61"L x 11.75"W x 1.5"H, 123.25"OAH	80+	4760	3060	DIMMABLE LED

Finish: Black (BK)

HOVER

- Square aluminum extrusions
- Light output from two faces of V shaped acrylic
- 3000K Color Temperature, CRI 80+



E21375-BK
Pendant

A



E21371-BK
Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21375	BK	5 x 18W PCB LED 3000K (Integrated)	47.5"L x 47.5"W x 1.5"H, 123.25"OAH	80+	6720	4320	DIMMABLE LED
B	E21371	BK	20W PCB LED 3000K (Integrated)	47.5"L x 1.5"H, 123"OAH	80+	1400	1100	DIMMABLE LED

Finish: Black (BK)

• Adjustable Wall Light

E21372-BK
Wall Mount
C



• Rotates





	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E21372	BK	15.6W PCB LED 3000K (Inte.)	24"W x 4.75"H x 4.25"Ext.	3.75"	90+	1100	750	

Finish: Black (BK)

ASTER

These Alumilux pendants provide a full range of streamlined, architectural design. Cast and extruded pieces of aluminum provide illumination that complement the sleek styling of commercial applications and minimalist modern design. Be it over a table or a work station, these versatile products direct lighting for both task anddecorative uses.

ASTER

- Coordinating outdoor wall sconce
- Available in various shapes and finishes
- Dimmable with Electronic Low Voltage dimmer
- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Available in 120V and 220V-277V*

E41443-BK, -SA, -**WT**
Pendant

A



E41446-BK, -SA, -WT
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41443	BK, SA, WT	23W LED 3000K (Inte.)	44.5"L x 44.5"W x 20.25"H, 135.25"OAH	90+	1610	1500	
B	E41446	BK, SA, WT	60W LED 3000K (Inte.)	44.5"L x 44.5"W x 20.25"H, 135.25"OAH	90+	3600	1830	

Finish options: Black (BK) Satin Aluminum (SA) White (WT)

BLOSSOM

A branched frame inspired by a close observation of nature. Finely engineered and designed in delicate detail, the soft Gold finish pairs with organically formed Morning Frost glass that is partially frosted to conceal the LED light source within. Contemporary in design and soft in nature, this collection complements both modern and transitional aesthetics.

BLOSSOM

- Cast alloy construction
- Molten textured glass
- G9 LED lamps included

E32797-93BK, **-93NAB**
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E32797	93BK, 93NAB	10 x 4W G9 LED 3000K (Incl.)	70.5"L x 17.25"W x 19"H, 56.75"OAH	80+	5000	4000	

Finish Options: Clear/Frosted glass (93) Black (BK) Natural Aged Brass (NAB)

BLOSSOM

- Cast alloy construction
- Molten textured glass
- G9 LED lamps included

E32790-93BK, -93NAB
Semi-Flush Mount

A





E32795-93BK, **-93NAB**
Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E32790	93BK, 93NAB	3 x 4W G9 LED 3000K (Incl.)	27"L x 20"W x 18.5"H	80+	80+	1200	DIMMABLE LED
B	E32795	93BK, 93NAB	5 x 4W G9 LED 3000K (Incl.)	43.25"L x 35.75"W x 25.75"H, 72.75"OAH	80+	2500	2000	DIMMABLE LED

Finish Options: Clear/Frosted glass (93) Black (BK) Natural Aged Brass (NAB)

E32798-93BK, -93NAB
Pendant
C



E32792-93BK, **-93NAB**
Wall Mount
D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E32798	93BK, 93NAB	10 x 4W G9 LED 3000K (Incl.)	24.75"L x 19.25"W x 37.5"H, 84.5"OAH		80+	5000	4000	
D	E32792	93BK, 93NAB	2 x 4W G9 LED 3000K (Incl.)	10.5"W x 18.75"H x 6.5"Ext.	12"	80+	1000	800	

Finish Options: Clear/Frosted glass (93) Black (BK) Natural Aged Brass (NAB)

ROLLO

A softer approach to modern lighting, this collection utilizes a hydro dipping technique to create an Antique Pecan finish with Matte Black accents. The LED integrated light source evenly illuminates a white polycarbonate lens that provides ample down-lighting wherever it is installed.

love
life

ROLLO

- Hydro-dipped wood finish
- Adjustable configuration
- 3000K 90+ CRI
- Dimmable to 10% using ELV dimmer

E24946-APBK
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24946	APBK	34W PCB LED 3000K (Inte.)	40.5"L x 2"W x 3.5"H, 124.25"OAH	90+	1700	1400	

Finish: Antique Pecan/Black (APBK)

E24943-APBK
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24943	APBK	240W PCB LED 3000K (Inte.)	28"L x 28"W x 6.5"H, 51.75"OAH	90+	3300	2800	

Finish: Antique Pecan/Black (APBK)

SWANK

Orbs of crystal Clear acrylic are trimmed with Natural Aged Brass or Polished Chrome band and frosted inside for excellent light diffusion. The bottom is dimpled for a unique optical effect.

- Available in Natural Aged Brass or Polished Chrome
- Clear with Frosted interior Acrylic Orbs
- 3000K LED, CRI 80+
- Dimmable with CL Triac Dimmer

E24599-93NAB, **-93PC**
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24599	93NAB, 93PC	10 x 6W PCB LED 3000K (Integrated)	31.25"L x 12.5"W x 5.5"H, 127.5"OAH	80+	5610	4950	

Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)

SWANK

- Available in Natural Aged Brass or Polished Chrome
- Clear with Frosted interior Acrylic Orbs
- 3000K LED, CRI 80+
- Dimmable with CL Triac Dimmer

E24593-93NAB, **-93PC**
Pendant

A

E24598-93NAB, -93PC
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24593	93NAB, 93PC	3 x 6W PCB LED 3000K (Integrated)	11.75"W x 5.5"H, 127.5"OAH	80+	1440	1300	DIMMABLE LED
B	E24598	93NAB, 93PC	8 x 6W PCB LED 3000K (Integrated)	19"W x 5.5"H, 127.5"OAH	80+	3840	3450	DIMMABLE LED

Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)

• Flush Mount Option

E24590-93NAB, -93PC
Wall/Flush Mount

C



E24591-93NAB, **-93PC**
Pendant

D

E24595-93NAB, -93PC
Pendant

E



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E24590	93NAB, 93PC	1 x 6W PCB LED 3000K (Integrated)	4.75"W x 4.75"H x 6"Ext.	2.5"	80+	480	440	
D	E24591	93NAB, 93PC	1 x 6W PCB LED 3000K (Integrated)	4.5"W x 5.5"H, 127.75"OAH		80+	480	440	
E	E24595	93NAB, 93PC	5 x 6W PCB LED 3000K (Integrated)	15"W x 5.5"H, 127.5"OAH		80+	2400	2160	

Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)

RAVEN

Low profile cone shape metal shades finished in Black are fitted with a Satin White glass diffuser which conceals a high power LED light source.

RAVEN

- Aluminum Spun shades
- Satin White glass diffuser
- 3000K Color Temperature, CRI 90+

E24410-92BK
Pendant
A



E24412-92BK
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24410	92BK	8.5W PCB LED 3000K (Integrated)	17.75"W x 5.25"H, 126.75"OAH	90+	680	400	DIMMABLE LED
B	E24412	92BK	15W PCB LED 3000K (Integrated)	23.5"W x 7"H, 128.75"OAH	90+	1200	600	DIMMABLE LED

Finish: Satin White glass (92) Black (BK)

TETHER

Tapered Antique Brass rings suspend from leather straps in this playful design. Within these rings, concealed LED light sources provide indirect light. This light casts light on neighboring rings while simultaneously illuminating the area above and below the fixture. Suitable for both modern and transitional settings.

TETHER

- Metal finished in Antique Brass
- Wire stitched within genuine Natural leather
- 3000K 90+ CRI
- Dimmable to 10% using ELV dimmer

E24085-NAB
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24085	NAB	106.6W PCB LED 3000K (Inte.)	59"L x 7.75"W x 19.75"H, 83"OAH	90+	4260	3200	

Finish: Natural Aged Brass (NAB)

• Natural leather straps

E24084-NAB
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24084	NAB	81.2W PCB LED 3000K (Inte.)	44.5"L x 9"W x 19.75"H, 83"OAH	90+	3250	2440	

Finish: Natural Aged Brass (NAB)

TETHER

- Metal finished in Antique Brass
- Wire stitched within genuine Natural leather
- 3000K 90+ CRI
- Dimmable to 10% using ELV dimmer

E24083-NAB
Pendant
A



E24081-NAB
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24083	NAB	59.6W PCB LED 3000K (Inte.)	34.25"L x 9"W x 19.75"H, 83"OAH	90+	2380	1790	
B	E24081	NAB	24.5W PCB LED 3000K (Inte.)	22.75"L x 5.5"W x 19.75"H, 83"OAH	90+	980	740	

Finish: Natural Aged Brass (NAB)

E24080-NAB
Wall Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E24080	NAB	11.6W PCB LED 3000K (Inte.)	11.75"W x 20.75"H x 5"Ext.	3"	90+	460	350	DIMMABLE LED

Finish: Natural Aged Brass (NAB)

UNION

Intersecting rings for this large scale sculpture available in either vertical or horizontal configurations. Multiple high end finishes were used to blend in with today's eclectic interiors. The perfect fixture to fill a large space, this can also be installed against the wall as artwork.

UNION

- Rose Gold, Polished Brass, Chrome, and Black Chrome rings are internally illuminated
- Large scale design
- Dimmable with ELV dimmers



E20375-MPLT
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E20375	MPLT	65W PCB LED 3000K (Inte.)	39.5"L x 4.75"W x 46.75"H, 166.5"OAH	90+	4550	2600	

Finish: Multi-Plated (MPLT)

E20377-MPLT
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E20377	MPLT	65W PCB LED 3000K (Inte.)	46.75"L x 4.75"W x 39.5"H, 159.25"OAH	90+	4550	2600	

Finish: Multi-Plated (MPLT)



BOBBLE

Numerous spheres of heavy Bubble Glass are suspended in an avant-garde fashion connected at various points with a contrasting red cord that creates an artistic impression of light. The Polished Chrome canopy reflects light from the integrated LED in a galaxy-like fashion.

BOBBLE

- Heavily aerated bubble glass of varying sizes
- Red PVC cord
- High Powered integrated LED
- Larger pendant is adjustable up to 12 feet
- Dimmable with ELV dimmers

E20656-91PC
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E20656	91PC	16 x 1.5W PCB LED 3000K (Inte.)	23.5"L x 23.5"W x 48.5"H, 168"OAH	80+	2160	1680	

Finish: Bubble glass (91) Polished Chrome (PC)

E20658-91PC
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E20658	91PC	24 x 1.5W PCB LED 3000K (Inte.)	31.5"L x 31.5"W x 48.25"H, 193.75"OAH	80+	3240	2520	

Finish: Bubble glass (91) Polished Chrome (PC)

REVEAL

Tubular shaped pendants finished in Satin Nickel with a Satin Brass band provide light from the bottom as well as a reveal behind the band. The soft glow of light from the band creates a beautiful lighting effect not normally seen from similar pendants.

REVEAL

- Unique two-tone Satin Nickel and Satin Brass finish
- Light reveal at band
- 3000K Color Temperature
- CRI 90+

E24758-SNSBR
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24758	SNSBR	8 x 6W PCB LED 3000K (Integrated)	32"L x 10"W x 12.25"H, 134"OAH	90+	3840	1400	

Finish: Satin Nickel/Satin Brass (SNSBR)

REVEAL

- Unique two-tone Satin Nickel and Satin Brass finish
- Light reveal at band
- 3000K Color Temperature
- CRI 90+

E24757-SNSBR
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24757	SNSBR	7 x 6W PCB LED 3000K (Integrated)	18"L x 18"W x 12.25"H, 134"OAH	90+	3360	1200	

Finish: Satin Nickel/Satin Brass (SNSBR)

E24753-SNSBR
Pendant

B





E24751-SNSBR
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24753	SNSBR	3 x 6W PCB LED 3000K (Integrated)	11"L x 11"W x 12.25"H, 134"OAH	90+	1440	540	
C	E24751	SNSBR	1 x 6W PCB LED 3000K (Integrated)	3"L x 3"W x 12.25"H, 134"OAH	90+	480	180	

Finish: Satin Nickel/Satin Brass (SNSBR)

TRACER

White tubing is playfully bent into an interesting Mobius loop. Inside the tube is a round LED board which directs the light in all directions as if the source was neon.

TRACER

- White Acrylic Tubing
- Polished Chrome metal details
- 3500K Color Temperature, CRI 90+

E24644-01PC
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24644	01PC	43W PCB LED 3500K (Integrated)	22.75"L x 22.75"W x 8.25"H, 126.25"OAH	90+	4000	3010	

Finish: White Acrylic (01) Polished Chrome (PC)

SIGNATURE

Organic lines sweep across horizontally and terminate as if a signature was written in 3 dimensions. Finished in a rich Brushed Champagne or Black Chrome, this collection is as much a sculpture as it is a functional light source.

- Exclusive high end finish
- Neutral 3000K 90+ CRI
- Dimmable to 10% using ELV dimmer

E20468-BC, **-BCN**
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E20468	BC, BCN	63W PCB LED 3000K (Inte.)	41.25"L x 14.25"W x 11.75"H, 131.75"OAH	90+	4410	2520	

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)

GROOVE

Rings formed from U-shaped aluminum channel are finished in your choice of Black or Gold. These fixtures are Bluetooth enabled which allows you to tune the color temperature to match your mood or room décor.

GROOVE

- White Adjustable CCT 2700K – 6000K
- Diameters up to 40”
- Smart Life app recommended
- Dimmable with Triac wall or Bluetooth enabled device

E22720-BK, **-GLD**
Flush Mount
B





E22729-BK, -GLD
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E22729	BK, GLD	160W PCB LED 2700-5000K (Inte.)	39.5"L x 39.5"W x 1.25"H, 123.5"OAH	90+	11,200	5000	
B	E22720	BK, GLD	27W PCB LED 2700-6000K (Inte.)	24.5"L x 24.5"W x 3.25"H	90+	1890	800	

Finish Options: Black (BK) Gold (GLD)

E22724-BK, -GLD
Pendant
C





E22726-BK, **-GLD**
Pendant
D

E22728-BK, -GLD
Pendant
E



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E22724	BK, GLD	27W PCB LED 2700-6000K (Inte.)	23.5"L x 23.5"W x 1.25"H, 123"OAH	90+	1890	800	
D	E22726	BK, GLD	35W PCB LED 2700-6000K (Inte.)	31.5"L x 31.5"W x 1.25"H, 123"OAH	90+	2450	1000	
E	E22728	BK, GLD	41W PCB LED 2700-6000K (Inte.)	39.5"L x 39.5"W x 1.5"H, 123"OAH	90+	2870	1200	

Finish Options: Black (BK) Gold (GLD)

CHIMES

Round rings of Black support rows of tubing in your choice of Satin Brass, Satin Nickel or Satin Brass/ Satin Nickel combined. The tubing comes to life when illuminated from the front by LED which directs light both up and down for even room illumination. The fixture features Bluetooth® wireless technology allowing you to adjust the color temperature of the LED to suit any room décor.

CHIMES

- Black band supports numerous tubes in your choice of: Satin Brass, Satin Nickel, or combined Satin Nickel/Satin Brass
- **Bluetooth**® enabled **White Tunable** Color Temperatures 2700-5000K, CRI 90+

E34207-BKSBR, BKSN, **BKSNSBR**
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E34207	BKSN, BKSBR BKSNSBR	73W PCB LED 2700-5000K (Inte.)	33.75"L x 33.75"W x 15"H, 56"OAH	90+	7000	2500	120-277V Input

Finish options: Black/Satin Nickel (BKSN) Black/Satin Brass (BKSBR) Black/Satin Nickel/Satin Brass (BKSNSBR)

CHIMES

- Black band supports numerous tubes in your choice of: Satin Brass, Satin Nickel, or combined Satin Nickel/Satin Brass
- **Bluetooth®** enabled **White Tunable** Color Temperatures 2700-5000K, CRI 90+

BKSBR

BKSN

BKSNSBR



E34205-BKSBR, BKSN, BKSNSBR
Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E34205	BKSN, BKSBR BKSNSBR	53W PCB LED 2700-5000K (Inte.)	23.75"L x 23.75"W x 15"H, 56"OAH	90+	4900	1400	DIMMABLE LED 90° 120-277V Input

Finish options: Black/Satin Nickel (BKSN) Black/Satin Brass (BKSBR) Black/Satin Nickel/Satin Brass (BKSNSBR)

E34201-BKSBR, **BKSN**, BKSNSBR

Wall Mount

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E34201	BKSN, BKSBR BKSNSBR	17W PCB LED 2700-5000K (Inte.)	14"W x 15"H x 7"Ext.	7.5"	90+	1400	490	120-277V Input

Finish options: Black/Satin Nickel (BKSN) Black/Satin Brass (BKSBR) Black/Satin Nickel/Satin Brass (BKSNSBR)

REVOLUTION

Hoops of Polished Nickel surround glass balls of Satin White to create this crisp and clean modern design. This current design trend compliments both modern and transitional aesthetics.

REVOLUTION

- Polished Nickel
- Satin White globe glass

E12517-92PN
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	Additional Information
A	E12517	92PN	7 X 60W CA (Not Incl.)	29.25"L x 29"W x 13.5"H, 53"OAH	90°

Finish: Satin White glass (92) Polished Nickel (PN)

REVOLUTION

- Polished Nickel
- Satin White globe glass

E12515-92PN
Pendant
B



E12513-92PN
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	Additional Information
A	E12513	92PN	3 X 60W CA (Not Incl.)	28"L x 28"W x 13.5"H, 53"OAH	90°
B	E12515	92PN	5 X 60W CA (Not Incl.)	28"L x 28"W x 13.5"H, 53"OAH	90°

Finish: Satin White glass (92) Polished Nickel (PN)

E12510-92PN
Flush Mount
C



E12511-92PN
Wall Mount
D





E12519-92PN
Mini Pendant
E

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	Additional Information
C	E12510	92PN	1 X 60W MB (Not Incl.)	13"L x 13"W x 14"H		
D	E12511	92PN	1 X 60W CA (Not Incl.)	11"W x 11.5"H x 7.5"Ext.	9"	DAMP
E	E12519	92PN	1 X 60W CA (Not Incl.)	11"L x 11"W x 12"H, 60"OAH		90°

Finish: Satin White glass (92) Polished Nickel (PN)

E21234-MW
Pendant



ROTATOR

Simple shapes constructed of rectangular aluminum channels of Matte White rotate on a frame to allow for excellent control of direction of light. Alternate up and down lighting for even room illumination and unique lighting effect.

ROTATOR

- Rotatable light source
- Matte White finish
- 3000K Color temperature, CRI 80+

E21230-MW
Flush Mount
B



E21236-MW
Pendant
C



E21239-MW
Floor Lamp
D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21234	MW	47W PCB LED 3000K (Integrated)	27.5"L x 27.5"W x 0.75"H, 122.5"OAH	80+	3760	3290	DIMMABLE LED
B	E21230	MW	30W PCB LED 3000K (Integrated)	19.75"L x 19.75"W x 3.75"H	80+	2400	2100	DIMMABLE LED
C	E21236	MW	70W PCB LED 3000K (Integrated)	56"L x 18.75"W x 0.75"H, 122.5"OAH	80+	5600	4900	DIMMABLE LED
D	E21239	MW	30W PCB LED 3000K (Integrated)	8"L x 6.25"W x 64"H	80+	2400	2100	DIMMABLE LED

Finish: Matte White (MW)

TRAVERSE

Multiple squares finished in Champagne or Black, are layered in a geometric pattern to form an interesting lighting sculpture. Enclosed behind the white acrylic lens is high power LED for even and economical illumination.

TRAVERSE

- Dimmable with Triac Dimmer
- 3000K Color Temperature
- CRI 80+

E21516-BK, **CHP**
Pendant

A





E21515-BK, CHP
Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21516	BK, CHP	112W PCB LED 3000K (Integrated)	31"L x 31"W x 5.75"H, 127"OAH	80+	7840	5500	
B	E21515	BK, CHP	80W PCB LED 3000K (Integrated)	35.5"L x 23.5"W x 6"H, 129"OAH	80+	5600	4000	

Finish options: Black (BK) Champagne (CHP)

TRAVERSE

- Dimmable with Triac Dimmer
- 3000K Color Temperature
- CRI 80+



E21513-BK, CHP
Flush Mount
A





E21518-BK, **CHP**
Flush Mount
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21513	BK, CHP	80W PCB LED 3000K (Integrated)	35.5"L x 23.5"W x 6.75"H	80+	5600	4000	
B	E21518	BK, CHP	112W PCB LED 3000K (Integrated)	31"L x 31"W x 6"H	80+	7840	5500	

Finish options: Black (BK) Champagne (CHP)

E21511-BK
Outdoor Wall Mount
Suitable for Wet Location

C



E21510-CHP
Wall Mount

D



E21519-BK, **CHP**
Flush Mount

E



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E21511	BK	31W PCB LED 3000K (Inte.)	10"W x 19.75"H x 4.75"Ext.	5"	80+	2170	2120	For Outdoor Use
D	E21510	CHP	42W PCB LED 3000K (Inte.)	28.5"W x 28.5"H x 3.5"Ext.	16.75"	80+	2940	1100	
E	E21519	BK, CHP	147W PCB LED 3000K (Inte.)	67.75"L x 67.75"W x 4.75"H		80+	10,290	7200	

Finish options: Black (BK) Champagne (CHP)

PERPETUAL

Sweeping lines curve and curl in a continuous motion, finished in a rich Brushed Champagne or Black Chrome. Not just a lighting fixture but a sculptural work of art. Gentle illumination moves in all directions for a dramatic lighting effect.

PERPETUAL

- Brushed Champagne or Black Chrome finish
- Dimmable with ELV dimmers
- Stainless steel construction

E20456-BC, -BCN
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E20456	BC, BCN	63W PCB LED 3000K (Inte.)	46.25"L x 27.25"W x 20.25"H, 140.25"OAH	90+	4410	2520	

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)

E20455-BC, -BCN
Pendant
B



E20454-BC, **-BCN**
Pendant
C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E20455	BC, BCN	43W PCB LED 3000K (Inte.)	37"L x 14.25"W x 15.75"H, 135.25"OAH	90+	3010	1720	
C	E20454	BC, BCN	45W PCB LED 3000K (Inte.)	32.25"L x 16.5"W x 16.5"H, 136.25"OAH	90+	3150	1800	

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)

CYCLE

This playful design of continuous channel finished in Black or Matte Silver, spiral from the canopy to create unique lighting sculptures. LED mounted inside the channel provides ample illumination with an indirect effect.



E21327-BK, MS
Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21327	BK, MS	98W PCB LED 3000K (Integrated)	31.5"L x 31.5"W x 2"H, 124"OAH	80+	6860	5880	

Finish options: Black (BK) Matte Silver (MS)

CYCLE

- Metalwork finished in Black or Matte Silver
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers

E21325-BK, **MS**
Pendant
B



E21320-BK, **MS**
Flush Mount
C



E21322-BK, MS
Flush Mount
D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E21325	BK, MS	77W PCB LED 3000K (Integrated)	24.5"L x 24.5"W x 2"H, 124"OAH	80+	5390	4690	
C	E21320	BK, MS	53W PCB LED 3000K (Integrated)	18"L x 18"W x 2.75"H	80+	3710	3200	
D	E21322	BK, MS	75W PCB LED 3000K (Integrated)	24.5"L x 24.5"W x 2.75"H	80+	5250	4500	

Finish options: Black (BK) Matte Silver (MS)

COG

A scalloped aluminum extrusion is finished in Black with intersecting arms of Satin Nickel which support Satin White glass globes illuminated by LED G9 lamps that are included.

- Two-tone Satin Nickel and Black finish
- Satin White glass globes
- Additional downlight at bottom of the fixture
- LED G9 Bulb included
- 3000K Color Temperature, CRI 90+

• Downlight

E24066-92BKSN
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24064	92BKSN	31.5W G9 LED 3000K (Incl.)	30"L x 30"W x 16"H, 59.25"OAH	90+	2520	2000	DIMMABLE LED
B	E24066	92BKSN	47.5W G9 LED 3000K (Incl.)	45"L x 45"W x 20"H, 63.25"OAH	90+	3800	3300	DIMMABLE LED

Finish: Satin White glass (92) Black/Satin Nickel (BKSN)

PHAETON

A geometrical frame constructed of Black tubing are fitted with machined aluminum caps with clear acrylic diffusers. Housed in the caps are integrated LED which project diffused light in all directions.

PHAETON

- Two-tone Satin Nickel and Black finish
- Clear acrylic diffuser with frosted interior
- 3000K Color Temperature, CRI 90+

E23084-75BKAL
Pendant
A





E23086-75BKAL
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23084	75BKAL	38W PCB LED 3000K (Integrated)	30"L x 30"W x 24"H, 67.75"OAH	90+	3040	1650	
B	E23086	75BKAL	48W PCB LED 3000K (Integrated)	35"L x 35"W x 29"H, 72.75"OAH	90+	3840	2100	

Finish: Clear Acrylic (75) Black/Aluminum (BKAL)

PARALLEL

This unique design feature arms of Black with Gold accents that support glass in glass orbs which are Clear on the outside and Frost on the inside. The glass orbs are threaded that allows for secure attachment without the use of external screws. Ample light is provided from LED G9 lamps which are included.

- Two tone Black and plated Gold finish
- Dual Clear/Frosted Glass spheres
- Adjustable arms to customize configuration
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers
- LED G9 bulbs included

E23285-93BKGLD
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23285	93BKGLD	12 x 4W G9 LED 3000K (Incl.)	43.25"W x 43.25"W x 19.5"H, 59.5"OAH	80+	5400	4500	

Finish: Clear glass (93) Black/Gold (BKGLD)



E23287-93BKGLD
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E23287	93BKGLD	16 x 4W G9 LED 3000K (Incl.)	49.25"W x 49.25"W x 22"H, 61"OAH	80+	7200	6000	

Finish: Clear glass (93) Black/Gold (BKGLD)

NEWTON

Clear apple shaped glass rest on machined aluminum fonts finished in Satin Brass with integrated LED for even Illumination without the glare. The large scale 25 light comes pre-arranged for ease of installation and is perfect for that tall ceiling application.

NEWTON

- Two-tone Black and Gold finish
- Large scale multi-pendant lights
- 3000K Color Temperature, CRI 80+

E24169-18BKGLD

Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24169	18BKGLD	25 x 2.5W PCB LED 3000K (Integrated)	27.5"L x 27.5"W x 5.75"H, 114"OAH	80+	4375	3245	

Finish: Clear glass (18) Black/Gold (BKGLD)

NEWTON

- Two-tone Black and Gold finish
- Large scale multi-pendant lights
- 3000K Color Temperature, CRI 80+

E24167-18BKGLD
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24167	18BKGLD	12 x 2.5W PCB LED 3000K (Integrated)	27.5"L x 27.5"W x 5.75"H, 128"OAH	80+	2100	1650	

Finish: Clear glass (18) Black/Gold (BKGLD)

E24165-18BKGLD
Pendant

B



E24162-18BKGLD
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24165	18BKGLD	8 x 2.5W PCB LED 3000K (Integrated)	38.5"L x 10.5"W x 5.75"H, 127.75"OAH	80+	1400	1045	
C	E24162	18BKGLD	1 x 9W PCB LED 3000K (Integrated)	8.75"L x 8.75"W x 10.25"H, 131.75"OAH	80+	630	500	

Finish: Clear glass (18) Black/Gold (BKGLD)

CONO

Elongated stems seamlessly transition in to a flared cone, creating a clean contemporary design. The Polished Chrome metal encases LED which illuminates the Clear glass cone for a crisp and clean lighting effect.

CONO

- Crystal Clear hand blown glass shades
- Dimmable with Triac or ELV dimmers



E21536-24PC
Pendant
B



E21535-24PC
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21535	24PC	3 x 15W PCB LED 3000K (Inte.)	49.75"L x 14"W x 24.75"H, 146"OAH	80+	4050	3600	
B	E21536	24PC	4 x 5W + 1 x 15W PCB LED 3000K (Inte.)	26"L x 26"W x 24.75"H, 146"OAH	80+	3150	2800	

Finish: Clear glass (24) Polished Chrome (PC)

CONO

- Crystal Clear hand blown glass shades
- Dimmable with Triac or ELV dimmers



E21530-24PC
Mini Pendant

A





E21533-24PC
Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21530	24PC	5W PCB LED 3000K (Inte.)	8.5"L x 8.5"W x 18.5"H, 140.75"OAH	80+	350	280	
B	E21533	24PC	12W PCB LED 3000K (Inte.)	14"L x 14"W x 24.75"H, 146"OAH	80+	1080	960	

Finish: Clear glass (24) Polished Chrome (PC)

E21531-24PC
Wall Mount
C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E21531	24PC	5W PCB LED 3000K (Inte.)	8.5"W x 10.25"H x 9.25"Ext.	4.75"	80+	350	280	

Finish: Clear glass (24) Polished Chrome (PC)

RINKLE

Sheets of clear Pattern Acrylic are formed by hand to create this very unique lighting sculpture. Each sheet is illuminated by an LED strip on top and the pattern in the acrylic picks up the light for visibility. Each fixture will be unique in that the forming of acrylic is done by hand and will vary.

RINKLE

- Hand formed acrylic panes
- Polished Chrome metalwork
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner

E24878-133PC
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24878	133PC	32.5W PCB LED 3000K (Integrated)	35.5"L x 23.5"W x 15.75"H, 135.5"OAH	90+	2600	1820	DIMMABLE LED

Finish: Patterned Acrylic (133) Polished Chrome (PC)

RINKLE

- Hand formed acrylic panes
- Polished Chrome metalwork
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner

E24877-133PC
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24877	133PC	58.5W PCB LED 3000K (Integrated)	27.5"L x 27.5"W x 14"H, 133.75"OAH	90+	4095	2320	DIMMABLE LED

Finish: Patterned Acrylic (133) Polished Chrome (PC)

E24874-133PC
Pendant
B



E24875-133PC
Pendant
C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24874	133PC	7.2W PCB LED 3000K (Integrated)	15.75"L x 15.75"W x 15.75"H, 135.25"OAH	90+	504	290	DIMMABLE LED
C	E24875	133PC	25W PCB LED 3000K (Integrated)	21.5"L x 21.5"W x 14"H, 133.75"OAH	90+	2000	900	DIMMABLE LED

Finish: Patterned Acrylic (133) Polished Chrome (PC)

RINKLE

- Hand formed acrylic panes
- Polished Chrome metalwork
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner

E24873-133PC
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24873	133PC	36W PCB LED 3000K (Integrated)	52"L x 14.25"W x 15.75"H, 135.5"OAH	90+	2880	2000	

Finish: Patterned Acrylic (133) Polished Chrome (PC)

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24871	133PC	4.2W PCB LED 3000K (Integrated)	10"W x 15.5"H x 3.25"Ext.	7.75"	90+	336	230	

Finish: Patterned Acrylic (133) Polished Chrome (PC)

CENTRUM

Clear glass outer tube encases a white acrylic inner tube capped with polished Chrome caps creates this clean contemporary design. Powered by high output LED which is nicely diffused make this collection suitable for both residential and commercial applications.

CENTRUM

- Clear tempered glass
- White acrylic tube evenly illuminated
- 3000K Color temperature, CRI 80+

E23318-24PC
Pendant

A



E23317-24PC
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23318	24PC	34W PCB LED 3000K (Integrated)	35"L x 5"W x 5"H, 126.75"OAH	80+	2720	2380	
B	E23317	24PC	24W PCB LED 3000K (Integrated)	24.75"L x 5"W x 5"H, 126.75"OAH	80+	1920	1680	

Finish: Clear glass (24) Polished Chrome (PC)

CENTRUM

- Clear tempered glass
- White acrylic tube evenly illuminated
- 3000K Color temperature, CRI 80+

E23310-24PC
Pendant
A



E23311-24PC
Pendant
B



E23319-24PC
Floor Lamp
C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23310	24PC	16W PCB LED 3000K (Integrated)	5"L x 5"W x 17.75"H, 139.5"OAH	80+	1280	1120	DIMMABLE LED
B	E23311	24PC	24W PCB LED 3000K (Integrated)	5"L x 5"W x 24.75"H, 146.5"OAH	80+	1920	1680	DIMMABLE LED
C	E23319	24PC	16W PCB LED 3000K (Integrated)	9.5"W x 63"H	80+	1280	1120	DIMMABLE LED

Finish: Clear glass (24) Polished Chrome (PC)

E23314-24PC
Bath Vanity

D



E23315-24PC
Bath Vanity

E



E23316-24PC
Bath Vanity

F



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
D	E23314	24PC	15W PCB LED 3000K (Integrated)	17.25"W x 4.75"H x 5.25"Ext.	5.25"	90+	1200	1050	
E	E23315	24PC	20W PCB LED 3000K (Integrated)	22"W x 4.75"H x 5.25"Ext.	5.25"	90+	1600	1400	
F	E23316	24PC	40W PCB LED 3000K (Integrated)	37.25"W x 4.75"H x 5.25"Ext.	5.25"	90+	3200	2800	

Finish: Clear glass (24) Polished Chrome (PC)

ROBOTICA

This unique design features arms that branch in multiple directions, both rotating and pivoting that allows light to be directed where needed. The Black finish is a dramatic contrast to the V shaped acrylic diffuser which disperses light in two directions. A high powered LED light engine is fully dimmable for your desired light level.

ROBOTICA

- DC plugs on replaceable LED modules
- Field adjustable configuration
- Matte Black finish with opal white V-shaped acrylic lenses
- 3000K Color Temperature
- Dimmable with Triac or ELV dimmers

E21246-BK
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21246	BK	8 x 7W PCB LED 3000K (Inte.)	38.25"L x 37"W x 27.25"H, 68.5"OAH	80+	3920	2500	

Finish: Black (BK)

E21244-BK
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E21244	BK	5 x 7W PCB LED 3000K (Inte.)	36.5"L x 26.5"W x 19.75"H, 61"OAH	80+	2450	1600	

Finish: Black (BK)

SOPRANO

Hitting a high note with an affordable solution for LED bath vanities, the Soprano series features an Satin White glass tube supported on a streamlined aluminum extrusion finished in Polished Chrome. On its backside, a dip-switch allows you to select between 5 color temperatures to allow simple changes from a relaxingly warm 2700k to more neutral white lighting temperatures and up to a daylight white of 5000k. Convenient and clean, this LED bath bar is an easy choice to update a bathroom.



SOPRANO

5000K
4000K
3500K
3000K
2700K

- Satin White glass cylinder
- Polished Chrome metalwork
- Driver-less LED integrated
- CCT Selectable:
  2700-3000-3500-4000K-5000K
- Dimmable with Triac and ELV dimmers

E23410-01PC
Bath Vanity
A



E23412-01PC
Bath Vanity
B



E23414-01PC
Bath Vanity
C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23410	01PC	16W PCB LED 2700-5000K (Inte.)	18"W x 4.75"H x 3.5"Ext.	2.5"	90+	1200	990	
B	E23412	01PC	20W PCB LED 2700-5000K (Inte.)	24"W x 4.75"H x 3.5"Ext.	2.5"	90+	1400	1200	
C	E23414	01PC	30W PCB LED 2700-5000K (Inte.)	30"W x 4.75"H x 3.5"Ext.	2.5"	90+	2100	1550	

Finish: White glass (01) Polished Chrome (PC)

BARITONE

Squares of Satin White glass are supported by flat Polished Chrome end caps with an extruded aluminum frame. Housed on the backside of the LED vanity light is a device to select from 5 color temperatures: 2700k-3000k-3500k-4000k-5000k. A dual mounting backplate allows for the fixture to seamlessly install to a switch box making the glass appear as if floating on the wall. An additional mounting bracket and cover plate is included in the packaging to accommodate larger junction boxes. Enhancing these features with a range voltage 120-277V input, makes this heavy hitting note land squarely into specification requests as well as the home improvement do-it-yourselfer.

5000K 4000K 3500K 3000K 2700K

BARITONE

- Satin White glass with Polished Chrome (PC) or Satin Nickel (SN) Caps
- Dual Mounting System on either switch box or standard 3-0 and 4-0 junction box
- Range Voltage 120-277V Input
- Dimmable with ELV at 120V
- Dip Switch CCT Selectable: 2700-3000-3500-4000-5000K

Removable backplate

E23408-01PC, -01SN
Bath Vanity
A



E23406-01PC, -01SN
Bath Vanity
B



E23404-01PC, **-01SN**
Bath Vanity
C



E23402-01PC, -01SN
Bath Vanity
D



E23400-01PC, **-01SN**
Bath Vanity
E



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23408	01PC, 01SN	40W PCB LED 2700-5000K (Inte.)	48"W x 5"H x 3.25"Ext.	2.25"	90+	2800	2200	
B	E23406	01PC, 01SN	35W PCB LED 2700-5000K (Inte.)	36"W x 5"H x 3.25"Ext.	2.25"	90+	2400	1930	
C	E23404	01PC, 01SN	30W PCB LED 2700-5000K (Inte.)	30"W x 5"H x 3.25"Ext.	2.25"	90+	2050	1650	
D	E23402	01PC, 01SN	25W PCB LED 2700-5000K (Inte.)	24"W x 5"H x 3.25"Ext.	2.25"	90+	1700	1380	
E	E23400	01PC, 01SN	20W PCB LED 2700-5000K (Inte.)	18"W x 5"H x 3.25"Ext.	2.25"	90+	1350	1100	

Finish: White glass (01) Polished Chrome (PC) Satin Nickel (SN)

CLUTCH

Designed to fit the essentials, this bath vanity series will always come in clutch. Dedicated LED illuminates the backside of a low-profile curved opal White glass sweeping upwards to a metal latch conveniently finished in your choice of Polished Chrome, Gold, and Matte Black. Make a statement without saying too much.

CLUTCH

- Opal White glass
- Available in Gold, Matte Black and Polished Chrome
- Driver-less LED integrated technology
- CRI 90+, 3000K
- Dimmable with ELV and Triac dimmers

E25131-92BK, -92GLD, -92PC
Bath Vanity

A



E25133-92BK, **-92GLD**, -92PC
Bath Vanity

B



E25135-92BK, -92GLD, **-92PC**
Bath Vanity

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25131	92BK, 92GLD, 92PC	12W PCB LED 3000K (Inte.)	13"W x 4.75"H x 3"Ext.	2.5"	90+	960	670	
B	E25133	92BK, 92GLD, 92PC	20W PCB LED 3000K (Inte.)	22"W x 4.75"H x 3"Ext.	2.5"	90+	1600	1200	
C	E25135	92BK, 92GLD, 92PC	28W PCB LED 3000K (Inte.)	30"W x 4.75"H x 3"Ext.	2.5"	90+	2240	1700	

Finish Options: White glass (92) Black (BK) Gold (GLD) Polished Chrome (PC)

RIPPLE

A rippled horizontal bar in Polished Chrome illuminates hand-crafted artisanal Piastra-style glass. The glass's intricate texture creates an interesting light effect on the wall. Can be mounted either vertically as a wall sconce or horizontally over a mirror.

RIPPLE

- Polished Chrome metalwork
- Hand formed Piastra-style glass
- Indirect illumination
- 3000K Color Temperature, CRI 90+

E24424-124PC
Bath Vanity
A



E24426-124PC
Bath Vanity
B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24424	124PC	20W PCB LED 3000K (Integrated)	24"W x 4.75"H x 3.5"Ext.	12"	90+	1420	1110	
B	E24426	124PC	24W PCB LED 3000K (Integrated)	30"W x 4.75"H x 3.5"Ext.	15"	90+	1711	1335	

Finish: Ripple glass (124) Polished Chrome (PC)

TAYLOR

A clean update to the fixed rail track fixture, the Taylor features machined aluminum heads finished in Satin Nickel, White or Black that swivel to direct the light where it's needed most. Great for family rooms and multi-family applications.

TAYLOR

- High Lumen output LED light source
- Range voltage input 110V-277V
- Dimmable with ELV and 0-10V dimmers

E52004-BK, -SN, -WT
Track Light

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E52004	BK, SN, WT	4 x 7W PCB LED 3000K (Inte.)	34"L x 5"W x 5.75"H	90+	1820	1580	

Finish Options: Black (BK) Satin Nickel (SN) White (WT)

FLOATING LED MIRROR

LED mirrors are an excellent addition to any upscale home. These mirrors excel in top of the line quality, features, and appearance. Not only can you adjust the brightness but you also can change the color temperature to enhance the design of the room and other functional applications. Available in a variety of sizes and shapes you are sure to find a perfect match to your décor.

E42032-PCWT
Mirror

A



• 3000K Color Temperature

• 4200K Color Temperature

• 6400K Color Temperature

FLOATING

- Touch Dimmable
- Plug in or direct wire
- CRI 80+
- Dimmable with Triac dimmers

E42034-PCWT
Mirror
B



E42036-GLBK
Mirror
C



E42040-GLBK
Mirror
D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E42032	PCWT	28W PCB LED 3000/4200/6400K (Inte.)	23.5"W x 23.5"H x 1.75"Ext.	11.75"	80+	2240	1875	
B	E42034	PCWT	40W PCB LED 3000/4200/6400K (Inte.)	31.5"W x 31.5"H x 1.75"Ext.	15.75"	80+	3200	2876	
C	E42036	GLBK	24W PCB LED 3000K (Integrated)	23.5"W x 23.5"H x 1.75"Ext.	11.75"	80+	1920	1795	
D	E42040	GLBK	28W PCB LED 3000K (Integrated)	31.5"W x 31.5"H x 1.5"Ext.	15.75"	80+	2240	2087	

Finish: Golden/Black (GLBK) Polished Chrome/White (PCWT)

LUMINANCE

A flexible LED mirror that allows for both vertical and horizontal installation with an endless length configuration. LED light bars projecting 50% more light than your typical concealed light source match the exact dimensions of selected mirror lengths and suspend them to the wall. Additional light bars can be added to create wider mirror lengths broken up by the light source. A remote driver was created to fit within standard junction boxes for convenient installation. This economical LED mirror kit can be configured to your space requirements.

- Easy to install mirror bracket
- Requires 4” outlet box with wall switching
- Dimmable to 10% using ELV dimmer

E42082-90PC
Mirror
B



E42080-90PC
Mirror
A

E42086-90PC
Mirror
D



E42084-90PC
Mirror
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E42080	90PC	2 x 14W PCB LED 3000K (Inte.)	30”W x 24”H Mirror	90+	2160	1052	Includes 1xEMB2430-SV, 2xELB24-PC, 1xEDRV30
B	E42082	90PC	2 x 18W PCB LED 3000K (Inte.)	24”W x 30”H Mirror	90+	2640	1404	Includes 1xEMB2430-SV, 2xELB30-PC, 1xEDRV30
C	E42084	90PC	2 x 18W PCB LED 3000K (Inte.)	36”W x 30”H Mirror	90+	2640	1404	Includes 1xEMB3036-SV, 2xELB30-PC, 1xEDRV30
D	E42086	90PC	2 x 20W PCB LED 3000K (Inte.)	30”W x 36”H Mirror	90+	3240	1584	Includes 1xEMB3036-SV, 2xELB36-PC, 1xEDRV30

Finish: Frosted glass (90) Polished Chrome (PC)

Step 1

Step 2

Step 3

Easily customizable mirror kit system
Installs vertically or horizontally

- Easy to install mirror bracket
- Requires 4" outlet box with wall switching
- Dimmable to 10% using ELV dimmer

EMB3036-SV
Mirror
A

EMB2430-SV
Mirror
B

EDRV30
Driver
F

ELB24-PC
LED Light Bar
C

ELB30-PC
LED Light Bar
D

ELB36-PC
LED Light Bar
E

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	EMB3036	SV		30"W x 36"H				
B	EMB2430	SV		24"W x 30"H				
C	ELB24	PC	10.8W PCB LED 3000K (Inte.)	24"L	90+	1080	526	
D	ELB30	PC	13.2W PCB LED 3000K (Inte.)	30"L	90+	1320	702	
E	ELB36	PC	16.2W PCB LED 3000K (Inte.)	36"L	90+	1620	792	
F	EDRV30			3"W x 3"H x 1.25"Ext.				12V, 30W Driver

Finish: Silver (SV) Polished Chrome (PC)

LINE

The use of a line is one of the most basic elements of architectural design. Lines define the shape, form and volume of a design solution. With this driverless solution, solid lengths of machined aluminum encase a high powered LED to brightly illuminate structures without glare. Accentuate those great lines with an indirect lighting product as well built as its architectural environment.

- ETL & cETL wet location listed, IP65 rated
- ADA Compliant
- Indirect back lighting
- Long lengths available (up to 8”)
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+



E41348-BK, -BZ, -SA, **-WT**
Interior/Exterior Wall Sconce

A

E41346-BZ, -**SA**
Interior/Exterior Wall Sconce

B



E41344-BK, -**BZ**, -SA, -WT
Interior/Exterior Wall Sconce

C



E41343-BK, -BZ, -SA
Interior/Exterior Wall Sconce

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41348	BK, BZ, SA, WT	60W LED 3000K (Inte.)	4.5”W x 96”H x 2.25”Ext.	48”	80+	5800	3600	
B	E41346	BZ, SA	50W LED 3000K (Inte.)	4.5”W x 73”H x 2.25”Ext.	36.5”	80+		3500	
C	E41344	BK, BZ, SA, WT	30W LED 3000K (Inte.)	4.5”W x 51”H x 2.25”Ext.	25.5”	80+	2800	1860	
D	E41343	BK, BZ, SA	13W LED 3000K (Inte.)	4.5”W x 24”H x 2.25”Ext.	25.5”	80+	1300	1040	

Finish options: Black (BK) Bronze (BZ) Satin Aluminum (SA) White (WT)

GLOW

- ETL & cETL wet location listed, IP65 rated
- ADA Compliant
- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmer
- Interior/Exterior wall sconces
- Indirect backlight



E41280-BK, -SA, -WT

Interior/Exterior Wall Sconce

A



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41280	BK, SA, WT	15W PCB LED 3000K (Inte.)	10"W x 10"H x 1.5"Ext.	5"	90+	1050	830	Bick Lit

Finish options: Black (BK) Satin Aluminum (SA) White (WT)

TAU

- Indirect wall lighting
- ADA Compliant
- ETL & cETL wet location listed, IP65 rated
- Available in 120V and 220V-277V*
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 80+

E41388-BK, -SA, -WT
Interior/Exterior Wall Sconce

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS CRI	LUMENS DEL.	Additional Information
B	E41388	BK, SA, WT	10W LED 3000K (Inte.)	6"W x 6"H x 2"Ext.	3"	80+	700	490	Backlit Indirect

Finish options: Black (BK) Satin Aluminum (SA) White (WT)

PRIME

- Indirect Wall Lighting
- ADA Compliant
- ETL & cETL wet location listed, IP65 rated
- Title 24 listed
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 90+

E41307-BK, -SA, -WT

Interior/Exterior Wall Sconce

A



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41307	BK, SA, WT	5W LED 3000K (Inte.)	4.25"W x 15.75"H x 3.75"Ext.	12.5"	90+	430	300	

Finish options: Black (BK) Aluminum (SA) White (WT)

OUTLINE

- Low profile design available in 6” and 9” widths
- ADA Compliant
- ETL & cETL wet location listed, IP65 rated
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 80+

E41329-BK, -SA, -WT

Interior/Exterior Wall Sconce

A



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41329	BK, SA, WT	8W LED 3000K (Integrated)	4.5"W x 4.5"H x .75"Ext.	3.25"	80+	560	180	Dimmable with ELV dimmer

Finish options: Black (BK) Satin Aluminum (SA) White (WT)

CUBE

• Adjustable



- Adjustable Wall Lighting Effect for p/ Down Light
- ETL & cETL wet location listed, IP65 rated
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 90+

E41308-BK, -BZ, -SA

Interior/Exterior Wall Sconce

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E41308	BK, BZ, SA	6W LED 3000K (Inte.)	4.5"W x 4.5"H x 4.25"Ext.	2.25"	90+	420	360	Adjustable light

Finish options: Black (BK) Bronze (BZ) Satin Aluminum (SA)

MAJIK

- ETL & cETL wet location listed, IP65 rated
- ADA Compliant
- Machined Aluminum
- 3000K Color Temperature
- Adjustable wall-lighting effect
- Up/Down light

- Adjustable



E41326-BK, -SA, -WT
Wall Mount

A



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41326	BK, SA, WT	4W PCB LED 3000K (Inte.)	4.25"W x 4.25"H x 3.5"Ext.	3.5"	90+	280	140	

Finish options: Black (BK) Satin Aluminum (SA) White (WT)

SPARTAN

- ETL & cETL wet location listed, IP65 rated
- Up/Down Light
- Title 24 listed
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 90+
- ADA Compliant, low profile design

E41310-BK, -BZ, -SA
Interior/Exterior Wall Sconce

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E41310	BK, BZ, SA	10W LED 3000K (Inte.)	6.75"W x 4.25"H x 1.75"Ext.	2.25"	90+	750	510	

Finish options: Black (BK) Bronze (BZ) Satin Aluminum (SA)

FACET

- ETL & cETL wet location listed, IP65 rated
- Dimmable with Electronic Low Voltage dimmer
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90+



E41373-BK, -SA, -WT

Interior/Exterior Wall Sconce

A



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41373	BK, SA, WT	7W LED 3000K (Inte.)	7"W x 8.5"H x 2.5"Ext.	4.25"	90+	560	460	Dim. with Triac dimmer

Finish options: Black (BK) Satin Aluminum (SA) White (WT)

TILT

- ETL & cETL wet location listed, IP65 rated
- Adjustable face plate for lighting direction
- Indirect lighting
- 220V & 277V available for special order

- Adjustable
- Indirect



E41333-BK, -SA, -WT

Interior/Exterior Wall Sconce

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E41333	BK,SA, WT	8W LED 3000K (Inte.)	5"W x 7"H x 2.75"Ext.	3.5"	90+	560	300	Dim. with ELV dimmer

Finish options: Black (BK) Satin Aluminum (SA) White (WT)

BOARDWALK

This outdoor collection is cast in concrete for maximum durability in harsh climates such as coastal environments. Available in your choice of White or Grey Aggregate, both are powered by dual integrated LED boards for efficient and long life operation.

BOARDWALK

- Cast concrete construction
- Natural aggregate finish choices: Sandstone or Greystone
- Dual 4 watt integrated LED modules
- 3000K Color Temperature, CRI 80+

E14380-GSN, SSN
Interior/Exterior Wall Sconce

A



E14382-GSN**, SSN**
Interior/Exterior Wall Sconce

B



E14384-GSN, SSN
Interior/Exterior Wall Sconce

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E14380	GSN, SSN	2 x 4W PCB LED 3000K (Integrated)	7.75"W x 10.25"H x 3.5"Ext.	5"	80+	670	450	
B	E14382	GSN, SSN	2 x 4W PCB LED 3000K (Integrated)	7.75"W x 16.25"H x 3.5"Ext.	8"	80+	670	450	
C	E14384	GSN, SSN	2 x 4W PCB LED 3000K (Integrated)	7.75"W x 22"H x 3.5"Ext.	11"	80+	670	450	

Finish options: Greystone (GSN) Sandstone (SSN)

INDEX

E11000.....16
E11004.....16
E11020.....14
E11021.....14
E11022.....14
E11023.....13
E11029.....12
E11040.....17
E11090.....18
E12510.....96
E12511.....96
E12513.....95
E12515.....95
E12517.....94
E12519.....96
E14380.....166
E14382.....166
E14384.....166
E20375.....71
E20377.....72
E20454.....106
E20455.....106
E20456.....105
E20468.....84
E20656.....75
E20658.....76
E21230.....98
E21234.....97
E21236.....98
E21239.....98
E21244.....136
E21246.....135
E21320.....108
E21322.....108
E21325.....108
E21327.....107
E21371.....45
E21372.....46
E21373.....44
E21375.....45
E21376.....44
E21377.....41
E21378.....43
E21379.....42
E21482.....10
E21484.....10
E21486.....10
E21510.....102
E21511.....102
E21513.....101
E21515.....100
E21516.....100
E21518.....101
E21519.....102
E21530.....121
E21531.....122
E21533.....121
E21535.....120
E21536.....120
E22720.....87
E22724.....88
E22726.....88
E22728.....88
E22729.....87
E23084.....112
E23086.....112
E23285.....113
E23287.....114
E23310.....131
E23311.....131
E23314.....132
E23315.....132
E23316.....132
E23317.....130
E23318.....130
E23319.....131
E23332.....38
E23336.....38
E23400.....140
E23402.....140
E23404.....140
E23406.....140
E23408.....140
E23410.....138
E23412.....138
E23414.....138
E24064.....109
E24066.....110
E24080.....68
E24081.....67
E24083.....67
E24084.....66
E24085.....65
E24162.....118
E24165.....118
E24167.....117
E24169.....116
E24410.....62
E24412.....62

E24424.....144
E24426.....144
E24590.....60
E24591.....60
E24593.....59
E24595.....60
E24598.....59
E24599.....58
E24644.....82
E24751.....80
E24753.....80
E24757.....79
E24758.....78
E24871.....128
E24873.....127
E24874.....126
E24875.....126
E24877.....125
E24878.....124
E24900.....34
E24902.....34
E24904.....34
E24906.....34
E24914.....31
E24916.....31
E24924.....32
E24926.....32
E24943.....56
E24946.....55
E25034.....20
E25035.....20
E25036.....21
E25037.....24
E25038.....24
E25090.....4
E25092.....3
E25094.....4
E25096.....3
E25131.....142
E25132.....7
E25133.....142
E25134.....8
E25135.....142
E25136.....8
E25150.....27
E25151.....27
E25152.....28
E25153.....28
E25154.....28
E25156.....27
E25158.....26
E32782.....36
E32785.....36
E32787.....35
E32790.....51
E32792.....52
E32795.....51
E32797.....50
E32798.....52
E34201.....92
E34205.....91
E34207.....90
E41280.....155
E41307.....158
E41308.....160
E41310.....162
E41326.....161
E41329.....159
E41333.....164
E41343.....154
E41344.....154
E41346.....154
E41348.....154
E41373.....163
E41388.....156
E41443.....48
E41446.....48
E42032.....147
E42034.....148
E42036.....148
E42040.....148
E42080.....150
E42082.....150
E42084.....150
E42086.....150
E52004.....146
EDRV30.....152
ELB24.....152
ELB30.....152
ELB36.....152
EMB2430.....152
EMB3036.....152

FINISHES, GLASS, SHADE

Code	Finish
AL	Aluminum
AP	Antique Pecan
BC	Black Chrome
BCN	Brushed Champagne
BK	Black
BZ	Bronze
CHP	Champagne
COF	Coffee
DG	Dark Gray
GL	Golden
GLD	Gold
GSN	Greystone
GY	Gray
MPLT	Multi-Plated
MS	Matte Silver
MW	Matte White
NAB	Natural Aged Brass
PC	Polished Chrome
PN	Polished Nickel
SA	Stain Aluminum
SBR	Satin Brass
SN	Satin Nickel
SSN	Sandstone
SV	Silver
WT	White

Code	Glass
01	White
18	Clear
24	Clear
75	Clear Acrylic
90	Frosted
91	Bubble glass
92	Satin White
93	Clear/Frosted
95	Rock crystal
124	Ripple
133	Patterned Acrylic

Code	Shade
GB	Glossy Black
GN	Glossy Navy
GW	Glossy White

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BL5GU10FT120V30	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear, T24 JA8 Compliant
	BL2G9CL120V30	L	G9	2	2W LED G9 3000K CRI80 Clear
	BL3G9CL120V30	L	G9	3	3W LED G9 3000K CRI80 Clear
	BL2-2G9FT120V30	L	G9	2.2	2.2W LED G9 3000K CRI80 Frost
	BL2-3G9CL120V35	L	G9	2.3	2.3W LED G9 3500K CRI80 Clear
	BL2-9G9CL120V27	L	G9	2.9	2.9W LED G9 2700K CRI80 Clear
	BL2-9G9CL120V35	L	G9	2.9	2.9W LED G9 3500K CRI80 Clear
	BL4G9CL120V830	L	G9	4	4W LED G9 3000K CRI90 Clear
	BX25G9CL12V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BX25G9FT120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BX40G9CL120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BX40G9FT120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BX50G9CL120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BX50G9FT120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BH35GU10CL120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BH50GU10CL120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear

CF - Compact Fluorescent F - Fluorescent H - Halogen I - Incandescent L - LED X - Xenon

Warranty and Other Information

- For specific and detailed warranty information, ask your ET2 Contemporary Lighting sales representative or visit www.et2online.com/warranty.
- ET2 Contemporary Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a echanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Lamps are not included unless otherwise noted.
- Printed in China

ET2 Contemporary Lighting is a trademark of Maxim Lighting International, Inc.
StarStrand and CounterMax are registered trademarks of Maxim Lighting International, Inc.
All designs, logos, products and images © Copyright 2021 ET2 Contemporary Lighting.
All Rights Reserved.

#ET2lighting

ET2 Contemporary Lighting™