



Contemporary Lighting™

January 2020 Supplement



Contemporary Lighting™

COLLECTIONS

Abyss | 87
Accord | 137
Allen | 83
Ambit | 57
Beacon | 139
Beam | 97
Boardwalk | 141
Brik | 144
Capsule | 21
Centrum | 11
Charm | 49
Chimes | 1
Cog | 101
Cycle | 35
Deuce | 95
Dwell | 93
Floating | 127
Global | 119

Halo | 9
Hemisphere | 77
Hive | 79
Hover | 29
iBar | 55
iWood | 53
Mermaid | 75
Micro | 89
Newton | 113
Omni | 143
Parallel | 117
Peg | 125
Penta | 99
Phaeton | 107
Pipes | 43
Pleat | 83
Quest | 63
Radar | 123

Raven | 85
Reflect | 5
Reveal | 109
Revolution | 103
Rinkle | 15
Ripple | 135
Rotator | 39
Sash | 81
Soji | 69
Sparkler | 131
Swank | 65
Sway | 79
Tracer | 37
Traverse | 25
Waterfall | 129
Zephyr | 45

MORE

Finishes | 148
Glass | 148
Index | 147

Lamping Guide | 145
Shade | 148
Warranty | 148

LEGEND



ADA
Compliant



Adjustable



Energy
Efficient



Energy Star
Certified



Slope



Installs
Up or Down



LED



California
Title 24



For Wet Location



For Damp Location



Dimmable using standard dimmer.
Lutron® CL dimmers are recommended.

HCO | Height from Center of Outlet
OAH | Overall Height



CHIMES

Round rings of Black support rows of tubing in your choice of Satin Brass, Satin Nickel or Satin Brass/ Satin Nickel combined. The tubing comes to life when illuminated from the front by LED which directs light both up and down for even room illumination. The color temperature of the LED can be adjusted by any Bluetooth device to change the appearance of the fixture to suit any room décor.


CHIMES

- Black band supports numerous tubes in your choice of: Satin Brass, Satin Nickel, or combined Satin Nickel/Satin Brass
- Bluetooth White Tunable Color Temperatures 2700-5000K, CRI 80+



E34207-BKSBR, BKSNI, BKSNSBR
Pendant

A




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E34207	BKSNI, BKSBR BKSNSBR	73W PCB LED 2700-5000K (Inte.)	33.75"L x 33.75"W x 15"H, 56"OAH	80+	7000	2500	120-277V Input

Finish options: Black/Satin Nickel (BKSNI) Black/Satin Brass (BKSBR) Black/Satin Nickel/Satin Brass (BKSNSBR)



CHIMES

- Black band supports numerous tubes in your choice of: Satin Brass, Satin Nickel, or combined Satin Nickel/Satin Brass
- Bluetooth White Tunable Color Temperatures 2700-5000K, CRI 80+



BKSBR



BKSN



BKSNSBR

E34205-BKSBR, BKSN, BKSNSBR
Pendant
A

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E34205	BKSN, BKSBR, BKSNSBR	53W PCB LED 2700-5000K (Inte.)	23.75"L x 23.75"W x 15"H, 56"OAH	80+	4900	1400	120-277V Input


Finish options: Black/Satin Nickel (BKSN) Black/Satin Brass (BKSBR) Black/Satin Nickel/Satin Brass (BKSNSBR)





E34201-BKSBR, BKSN, BKSNSBR
Wall Mount

B



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
				HCO	CRI	INIT.	DEL.	
B E34201	BKSN, BKSBR BKSNSBR	17W PCB LED 2700-5000K (Inte.)	14"W x 15"H x 7"Ext.	7.5"	80+	1400	490	     120-277V Input

Finish options: Black/Satin Nickel (BKSN) Black/Satin Brass (BKSBR) Black/Satin Nickel/Satin Brass (BKSNSBR)



REFLECT

A foldable frame of Black support Polished Nickel reflectors behind acrylic tubes which conceal LED modules that project ample light into the room. The bath vanities include our Bluetooth feature that allows for change in color temperature as well as dim ability.




REFLECT

- Foldable arms
- Two-tone Black and Polished Nickel
- Color Temperature 3000K, CRI 90+
- Bath vanity lights feature **Bluetooth White Tunable** Color Temperatures 2700-5000K, CRI 80+

E25128-01BKPN
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25128	01BKPN	8 X 8W PCB LED 3000K (Integrated)	32"L x 22"W x 24"H, 69"OAH	90+	5100	3160	

Finish: White Linen (01) Black/Polished Nickel (BKPN)

REFLECT

- Foldable arms
- Two-tone Black and Polished Nickel
- Color Temperature 3000K, CRI 90+
- Bath vanity lights feature **Bluetooth White Tunable** Color Temperatures 2700-5000K, CRI 80+



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25124	01BKPN	4 X 8W PCB LED 3000K (Integrated)	17"L x 20"W x 19"H, 64"OAH	90+	2550	1580	 
B	E25126	01BKPN	6 X 8W PCB LED 3000K (Integrated)	26"L x 18"W x 28"H, 73"OAH	90+	3800	2370	 


Finish: White Linen (01) Black/Polished Nickel (BKPN)



E25120-01BKPN

Bath Vanity

C




E25121-01BKPN

Bath Vanity



D



E25122-01BKPN

Bath Vanity



E



E25123-01BKPN

Bath Vanity



F



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	INIT.	LUMENS DEL.	Additional Information
C	E25120	01BKPN	2 x 4.5W PCB LED 2700-5000K (Inte.)	12"W x 5.5"H x 2.75"Ext.	3"	80+	680	480	
D	E25121	01BKPN	2 x 9W PCB LED 2700-5000K (Inte.)	24"W x 5.5"H x 2.75"Ext.	3"	80+	1500	910	120-277V Input
E	E25122	01BKPN	2 x 11.5W PCB LED 2700-5000K (Inte.)	30"W x 5.5"H x 2.75"Ext.	3"	80+	1900	1165	120-277V Input
F	E25123	01BKPN	2 x 13.5W PCB LED 2700-5000K (Inte.)	36"W x 5.5"H x 2.75"Ext.	3"	80+	2300	1410	120-277V Input

Finish: White Linen (01) Black/Polished Nickel (BKPN)

HALO

Large scale hoops of Polished Chrome are supported by arch yokes which allow the rings to pivot to adjust the direction of light. These fixtures are fitted with a tunable white LED light engines which can be Bluetooth enabled that allows you to change the color temperature as well as dim from your phone. You can also incorporate Alexa or Google Home for the ultimate in smart home control.




- Adjustable rings
- Large Scale pendants
- Bluetooth White Tunable
- Color Temperatures 2700-5000K
- CRI 90+




E23326-PC
Pendant

A



E23328-PC
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information
A	E23326	PC	28W PCB LED 2700-5000K (Integrated)	29.5"L x 29.5"W x 23.5"H, 145.25"OAH	90+ 2240 1100	
B	E23328	PC	33W PCB LED 2700-5000K (Integrated)	40"L x 40"W x 31.5"H, 153.25"OAH	90+ 2640 1320	

Finish: Polished Chrome (PC)



CENTRUM

Clear glass outer tube encases a white acrylic inner tube capped with polished Chrome caps creates this clean contemporary design. Powered by high output LED which is nicely diffused make this collection suitable for both residential and commercial applications.



CENTRUM


- Clear tempered glass
- White acrylic tube evenly illuminated
- 3000K Color temperature, CRI 80+



E23318-24PC

Pendant


A



E23317-24PC

Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information
A	E23318	24PC	34W PCB LED 3000K (Integrated)	35"L x 5"W x 5"H, 126.75"OAH	80+ 2720 2380	  
B	E23317	24PC	24W PCB LED 3000K (Integrated)	24.75"L x 5"W x 5"H, 126.75"OAH	80+ 1920 1680	  

Finish: Clear glass (24) Polished Chrome (PC)



CENTRUM

- Clear tempered glass
- White acrylic tube evenly illuminated
- 3000K Color temperature, CRI 80+



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E23312	24PC	34W PCB LED 3000K (Integrated)	5"L x 5"W x 35"H, 156.75"OAH	80+	2720	2380	
B	E23311	24PC	24W PCB LED 3000K (Integrated)	5"L x 5"W x 24.75"H, 146.5"OAH	80+	1920	1680	
C	E23310	24PC	16W PCB LED 3000K (Integrated)	5"L x 5"W x 17.75"H, 139.5"OAH	80+	1280	1120	


Finish: Clear glass (24) Polished Chrome (PC)



E23314-24PC

Bath Vanity


D



E23315-24PC

Bath Vanity


E



E23316-24PC

Bath Vanity


F



E23319-24PC

Floor Lamp

G



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
D	E23314	24PC	15W PCB LED 3000K (Integrated)	17.25"W x 4.75"H x 5.25"Ext.	5.25"	90+	1200	1050	
E	E23315	24PC	20W PCB LED 3000K (Integrated)	22"W x 4.75"H x 5.25"Ext.	5.25"	90+	1600	1400	
F	E23316	24PC	40W PCB LED 3000K (Integrated)	37.25"W x 4.75"H x 5.25"Ext.	5.25"	90+	3200	2800	
G	E23319	24PC	16W PCB LED 3000K (Integrated)	9.5"W x 63"H		80+	1280	1120	

Finish: Clear glass (24) Polished Chrome (PC)



RINKLE

Sheets of clear Pattern Acrylic are formed by hand to create this very unique lighting sculpture. Each sheet is illuminated by an LED strip on top and the pattern in the acrylic picks up the light for visibility. Each fixture will be unique in that the forming of acrylic is done by hand and will vary.


RINKLE

- Hand formed acrylic panes
- Polished Chrome metalwork
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner



E24878-133PC
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24878	133PC	32.5W PCB LED 3000K (Integrated)	35.5"L x 23.5"W x 15.75"H, 135.5"OAH	90+	2600	1820	  

Finish: Patterned Acrylic (133) Polished Chrome (PC)



RINKLE

- Hand formed acrylic panes
- Polished Chrome metalwork
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24873	133PC	36W PCB LED 3000K (Integrated)	52"L x 14.25"W x 15.75"H, 135.5"OAH	90+	2880	2000	

Finish: Patterned Acrylic (133) Polished Chrome (PC)



E24877-133PC
Pendant



E24875-133PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information
B	E24877	133PC	58.5W PCB LED 3000K (Integrated)	27.5"L x 27.5"W x 14"H, 133.75"OAH	90+ 4095 2320	 LED ①
C	E24875	133PC	25W PCB LED 3000K (Integrated)	21.5"L x 21.5"W x 14"H, 133.75"OAH	90+ 2000 900	 LED ①

Finish: Patterned Acrylic (133) Polished Chrome (PC)


RINKLE

- Hand formed acrylic panes
- Polished Chrome metalwork
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner



E24871-133PC
Wall Mount

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
				HCO	CRI	INIT.	DEL.	
A E24871	133PC	4.2W PCB LED 3000K (Integrated)	10"W x 15.5"H x 3.25"Ext.	7.75"	90+	336	230	   

Finish: Patterned Acrylic (133) Polished Chrome (PC)

E24879-133PC
Floor Lamp



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
B E24879	133PC	30W PCB LED 3000K (Integrated)	29.5"L x 29.5"W x 55"H	90+	2100	1000	 

Finish: Patterned Acrylic (133) Polished Chrome (PC)



CAPSULE

Glass vessels of Frost and Clear are illuminated by LED concealed in Brushed Aluminum domes which suspend from Black fabric wire to create this exclusive design. Unique separators add a unique design element that brings this collection to another level.


CAPSULE

- Clear glass vessels are frosted on bottom half to capture light
- Two-tone Black and Brushed Aluminum finish
- 3000K Color Temperature, CRI 90+




E24179-93BKAL
Pendant

A



E24171-93BKAL
Mini Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24179	93BKAL	9 x 4W PCB LED 3000K (Integrated)	33"L x 33"W x 48"H, 170"OAH	90+	3500	1800	
B	E24171	93BKAL	1 x 4W PCB LED 3000K (Integrated)	6.25"L x 6.25"W x 15"H, 137.25"OAH	90+	380	300	

Finish: Clear/Frosted Acrylic (93) Black/Aluminum (BKAL)


CAPSULE

- Clear glass vessels are frosted on bottom half to capture light
- Two-tone Black and Brushed Aluminum finish
- 3000K Color Temperature, CRI 90+




E24173-93BKAL
Pendant

A



E24176-93BKAL
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24173	93BKAL	3 x 4W PCB LED 3000K (Integrated)	19"L x 19"W x 40"H, 137"OAH	90+	1200	600	
B	E24176	93BKAL	6 x 4W PCB LED 3000K (Integrated)	26"L x 26"W x 44"H, 137"OAH	90+	2400	1600	

Finish: Clear/Frosted Acrylic (93) Black/Aluminum (BKAL)




E24175-93BKAL
Pendant

C



E24172-93BKAL
Wall Mount

D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
					HCO	CRI	INIT.	DEL.	
C	E24175	93BKAL	5 x 4W PCB LED 3000K (Integrated)	34"W x 40"H, 137"OAH		90+	1900	950	  
D	E24172	93BKAL	2 x 4W PCB LED 3000K (Integrated)	12.5"W x 21"H x 8"Ext.	9"	90+	760	590	  

Finish: Clear/Frosted Acrylic (93) Black/Aluminum (BKAL)



TRAVERSE


Multiple squares finished in Champagne or Black, are layered in a geometric pattern to form an interesting lighting sculpture. Enclosed behind the white acrylic lens is high power LED for even and economical illumination.

TRAVERSE



- Dimmable with Triac Dimmer
- 3000K Color Temperature
- CRI 80+



E21516-BK, CHP
Pendant



E21515-BK, CHP
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21516	BK, CHP	112W PCB LED 3000K (Integrated)	31"L x 31"W x 5.75"H, 127"OAH	80+	7840	5500	   
B	E21515	BK, CHP	80W PCB LED 3000K (Integrated)	35.5"L x 23.5"W x 6"H, 129"OAH	80+	5600	4000	  

Finish options: Black (BK) Champagne (CHP)


TRAVERSE

- Dimmable with Triac Dimmer
- 3000K Color Temperature
- CRI 80+




E21513-BK, CHP
Flush Mount

A



E21518-BK, CHP
Flush Mount

B




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	DEL.	Additional Information
A	E21513	BK, CHP	80W PCB LED 3000K (Integrated)	35.5"L x 23.5"W x 6.75"H	80+	5600	4000	
B	E21518	BK, CHP	112W PCB LED 3000K (Integrated)	31"L x 31"W x 6"H	80+	7840	5500	 


Finish options: Black (BK) Champagne (CHP)




E21511-BK
Outdoor Wall Mount
Suitable for Wet Location
C



E21510-CHP
Wall Mount
D



E21519-BK, CHP
Flush Mount
E



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
C	E21511	BK	31W PCB LED 3000K (Inte.)	10"W x 19.75"H x 4.75"Ext.	5"	80+	2170 2120	For Outdoor Use
D	E21510	CHP	42W PCB LED 3000K (Inte.)	28.5"W x 28.5"H x 3.5"Ext.	16.75"	80+	2940 1100	
E	E21519	BK, CHP	147W PCB LED 3000K (Inte.)	67.75"L x 67.75"W x 4.75"H		80+	10,290 7200	

Finish options: Black (BK) Champagne (CHP)



HOVER

Minimalist batons of extruded Black aluminum are fitted with V shaped acrylic diffusers for a wider beam of light. They can be arranged in numerous configurations allowing creativity and design of your own unique sculpture.




HOVER

- Square aluminum extrusions
- Light output from two faces of V shaped acrylic
- 3000K Color Temperature, CRI 80+



E21379-BK
Pendant
A




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21379	BK	16 x 10W PCB LED 3000K (Integrated)	28"L x 28"W x 1.5"H, 123.5"OAH	80+	12,880	8200	  

Finish: Black (BK)



HOVER

- Square aluminum extrusions
- Light output from two faces of V shaped acrylic
- 3000K Color Temperature, CRI 80+




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21378	BK	10 x 10W PCB LED 3000K (Integrated)	27.75"L x 27.75"W x 1.5"H, 126.75"OAH	80+	7560	4860	  

Finish: Black (BK)



E21376-BK
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E21376	BK	68W PCB LED 3000K (Integrated)	61"L x 11.75"W x 1.5"H, 123.25"OAH	80+	4760	3060	  



Finish: Black (BK)

HOVER

- Square aluminum extrusions
- Light output from two faces of V shaped acrylic
- 3000K Color Temperature, CRI 80+



E21375-BK
Pendant




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional	
				CRI	INIT.	DEL.	Information
A E21375	BK	5 x 18W PCB LED 3000K (Integrated)	47.5"L x 47.5"W x 1.5"H, 123.25"OAH	80+	6720	4320	  

Finish: Black (BK)




E21373-BK
Pendant

B



E21371-BK
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
					CRI	INIT.	DEL.		
B	E21373	BK	3 x 18W PCB LED 3000K (Integrated)	47.5"L x 47.5"W x 1.5"H, 133"OAH	80+	4130	3150		 
C	E21371	BK	20W PCB LED 3000K (Integrated)	47.5"L x 1.5"H, 123"OAH	80+	1400	1100		 

Finish: Black (BK)

CYCLE

This playful design of continuous channel finished in Black or Matte Silver, spiral from the canopy to create unique lighting sculptures. LED mounted inside the channel provides ample illumination with an indirect effect.



E21327-BK, MS
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21327	BK, MS	98W PCB LED 3000K (Integrated)	31.5"L x 31.5"W x 2"H, 124"OAH	80+	6860	5880	  


Finish options: Black (BK) Matte Silver (MS)

CYCLE

- Metalwork finished in Black or Matte Silver
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers




E21325-BK, MS
Pendant




E21320-BK, MS
Flush Mount

C



E21322-BK, MS
Flush Mount


D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E21325	BK, MS	77W PCB LED 3000K (Integrated)	24.5"L x 24.5"W x 2"H, 124"OAH	80+	5390	4690	  
C	E21320	BK, MS	53W PCB LED 3000K (Integrated)	18"L x 18"W x 2.75"H	80+	3710	3200	 
D	E21322	BK, MS	75W PCB LED 3000K (Integrated)	24.5"L x 24.5"W x 2.75"H	80+	5250	4500	 


Finish options: Black (BK) Matte Silver (MS)





TRACER

White tubing is playfully bent into an interesting Mobius loop. Inside the tube is a round LED board which directs the light in all directions as if the source was neon.




TRACER

- White Acrylic Tubing
- Polished Chrome metal details
- 3500K Color Temperature, CRI 90+



E24644-01PC
Pendant
A





	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24644	01PC	43W PCB LED 3500K (Integrated)	22.75"L x 22.75"W x 8.25"H, 126.25"OAH	90+	4000	3010	  
Finish: White Acrylic (01) Polished Chrome (PC)								





ROTATOR

Simple shapes constructed of rectangular aluminum channels of Matte White rotate on a frame to allow for excellent control of direction of light. Alternate up and down lighting for even room illumination and unique lighting effect.




ROTATOR

- Rotatable light source
- Matte White finish
- 3000K Color temperature, CRI 80+




E21230-MW
Flush Mount

A



E21236-MW
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21230	MW	30W PCB LED 3000K (Integrated)	19.75"L x 19.75"W x 3.75"H	80+	2400	2100	LED
B	E21236	MW	70W PCB LED 3000K (Integrated)	56"L x 18.75"W x 0.75"H, 122.5"OAH	80+	5600	4900	LED ⓘ

Finish: Matte White (MW)



ROTATOR

- Rotatable light source
- Matte White finish
- 3000K Color temperature, CRI 80+




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E21235	MW	47W PCB LED 3000K (Integrated)	36.25"L x 31.5"W x 0.75"H, 122.5"OAH	80+	3760	3290	  


Finish: Matte White (MW)



E21234-MW
Pendant



E21239-MW
Floor Lamp



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E21234	MW	47W PCB LED 3000K (Integrated)	27.5"L x 27.5"W x 0.75"H, 122.5"OAH	80+	3760	3290	LED ①
C	E21239	MW	30W PCB LED 3000K (Integrated)	8"L x 6.25"W x 64"H	80+	2400	2100	LED

Finish: Matte White (MW)




E32787-BKAL
Pendant
A

PIPES

Drums of Black conceal various size Brushed Aluminum tubes which are specially treated to create visual stimulation as the LED light passes through. This exclusive design produces incredible light without glare which adds to the glamor of this unique design.



- Hundreds of aluminum tubes in various sizes
- Two-tone Black and Aluminum finish
- 3000K Color Temperature, CRI 90+




E32782-BKAL
Flush Mount

B



E32785-BKAL
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E32787	BKAL	117W PCB LED 3000K (Inte.)	30"L x 30"W x 6.75"H, 129"OAH	90+	11,000	3800	120-277V Triac/0-10V Dimming
B	E32782	BKAL	58.5W PCB LED 3000K (Inte.)	24"L x 24"W x 7.75"H	90+	5850	2000	120-277V Triac/0-10V Dimming
C	E32785	BKAL	58.5W PCB LED 3000K (Inte.)	24"L x 24"W x 6.75"H, 129"OAH	90+	5850	2000	120-277V Triac/0-10V Dimming

Finish: Black/Aluminum (BKAL)



ZEPHYR


Rectangular Beveled Crystals are banded together to form soft square cylinders which are illuminated by LED that creates a brilliant lighting effect. Some items include metal chassis of Black which frame the crystal for a beautiful silhouette.



- Rectangular beveled crystals
- Matte Black steel frame
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers



E23304-20BK
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E23304	20BK	27W PCB LED 3000K (Integrated)	35.5"L x 9.25"W x 10"H, 131.25"OAH	90+	2970	2289	  

Finish: Crystal (20) Black (BK)


ZEPHYR

- Rectangular beveled crystals
- Matte Black steel frame
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers




E23300-20BK
Flush Mount

A




E23301-20BK
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E23300	20BK	22W PCB LED 3000K (Integrated)	15.75"L x 15.75"W x 9.25"H	90+	2420	1750	
B	E23301	20BK	6.5W PCB LED 3000K (Integrated)	6"L x 6"W x 8"H, 51.75"OAH	90+	715	310	

Finish: Crystal (20) Black (BK)



E23306-20PC
Bath Vanity

C




E23307-20PC
Bath Vanity

D



E23308-20PC
Bath Vanity

E



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
C	E23306	20PC	14W PCB LED 3000K (Integrated)	18"W x 5.5"H x 3.25"Ext.	2.75"	90+	1540	985	
D	E23307	20PC	18W PCB LED 3000K (Integrated)	24"W x 5.5"H x 3.25"Ext.	2.75"	90+	1980	1265	
E	E23308	20PC	22W PCB LED 3000K (Integrated)	30"W x 5.5"H x 3.25"Ext.	2.75"	90+	2420	1532	

Finish: Crystal (20) Polished Chrome (PC)



CHARM

Rings of Beveled Crystals are mounted into a Polished Chrome band and suspended from cable as if they were floating in air. Multiple size rings mounted in descending order create a unique and brilliant light form which is sure to be the focal point of the room.




CHARM

- Rectangular Beveled Crystal
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers




E30568-20PC
Pendant

A



E30567-20PC
Pendant

B





	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E30568	20PC	160W PCB LED 3000K (Integrated)	30.25"L x 15.25"W x 16.5"H, 138.5"OAH	90+	17,600	7800	
B	E30567	20PC	83W PCB LED 3000K (Integrated)	23.75"L x 23.5"W x 16.5"H, 138.5"OAH	90+	9130	5280	

Finish: Crystal (20) Polished Chrome (PC)



CHARM

- Rectangular Beveled Crystal
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
					CRI	INIT. DEL.	
A	E30563	20PC	45.6W PCB LED 3000K (Integrated)	20.5"L x 11.75"W x 11.75"H, 136"OAH	90+	3192 2500	
B	E30565	20PC	83W PCB LED 3000K (Integrated)	37.25"L x 13.75"W x 13.75"H, 136"OAH	90+	5780 4540	

Finish: Crystal (20) Polished Chrome (PC)




E30561-20PC
Wall/Flush Mount

C



E30560-20PC
Wall/Flush Mount

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
C	E30561	20PC	31W PCB LED 3000K (Integrated)	17"W x 2.5"H		90+	2170	1620	    
D	E30560	20PC	18.5W PCB LED 3000K (Integrated)	12"W x 12"H x 2.25"Ext.	6"	90+	1295	820	    


Finish: Crystal (20) Polished Chrome (PC)



iWOOD SMART LIGHT

Rectangular solid wood frames with stainless steel trim in your choice of Wenge with Polished Chrome or Antique Pecan with Brushed Champagne. Coupled with the controllability of the Philips Hue system, this collection is a great combination of style and technology. At the swipe of the finger or call out to a Home Control kit, one can create a warm ambience while dining or bright White light for workstation lighting. Compatible with a variety of other devices including Amazon Alexa and Google Home Kit, these pendants present the new generation of lighting.

- Friends of HUE product
- Natural wood pendants available in Antique Pecan with Brushed Champagne or Wenge with Polished Chrome
- Color Ambience tuning
- CRI 90+
- Unlock all the features with Philips HUE Bridge
- Compatible with Amazon Echo, Apple HomeKit, Google Home, and other Smart Home Controls




E35016-APBCN, -WEPC
Pendant

A



E35018-APBCN, -WEPC
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT.	DEL.	Additional Information
A	E35016	APBCN, WEPC	30W PCB LED (Integrated)	40.25"L x 3.5"W x 5.5"H, 124.75"OAH	90+	2100	1680  LED ①
B	E35018	APBCN, WEPC	43W PCB LED (Integrated)	59.75"L x 3.5"W x 5.5"H, 124.75"OAH	90+	3010	2580  LED ①

Finish: Antique Pecan/Brushed Champagne (APBCN) Wenge/Polished Chrome (WEPC)



iBAR SMART LIGHT

The iBar Friends of Hue collection features aluminum channels anodized in your choice of Brushed Aluminum or Brushed Black. The pendants support a solid block of Clear acrylic which creates a dramatic lighting effect. Entertain with 96 million color combinations or enjoy the health benefits of a regularly changing color temperature to suit the mood of the day. With Philips Hue technology, you can program a variety of themes for the ultimate in convenience, health, security, and entertainment.



E35020-83AL, -83BBK
Pendant

A



Color Ambience Light Control

Aluminum (AL)



Brushed Black (BBK)




- Friends of HUE product
- Aluminum Construction with Clear Acrylic diffuser
- Available in Brushed Aluminum with black accents or Brushed Black with chrome accents.
- Color Ambience tuning
- CRI 90+
- Unlock all the features with Philips HUE Bridge Compatible with Amazon Echo, Apple HomeKit, Google Home, and other Smart Home Controls



E35022-83AL, -83BBK
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E35020	83AL, 83BBK	30W PCB LED (Integrated)	41.75"L x 1"W x 6"H, 124.75"OAH	90+	2100	1680	
B	E35022	83AL, 83BBK	40W PCB LED (Integrated)	61.5"L x 1"W x 6"H, 124.75"OAH	90+	2800	2100	

Finish Options: Clear Acrylic (83) Aluminum (AL) Brushed Black (BBK)


AMBIT

Adjustable cylinders pivot on axis with light emitting from both the top and the bottom for even illumination throughout the room. Finished in Black with a contrasting Satin Nickel trim, this contemporary look is both a dramatic statement as well as functional lighting.



AMBIT

- Two tone Black and Satin Nickel finish
- Adjustable heads direct light
- Up and down light
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac or ELV dimmers



E25046-BKSN
Pendant


A

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E25046	BKSN	12 x 3W PCB LED 3000K (Integrated)	32.25"L x 32.25"W x 14.25"H, 58.25"OAH	80+	2880	2174	

Finish: Black/Satin Nickel (BKSN)

AMBIT

- Two tone Black and Satin Nickel finish
- Adjustable heads direct light
- Up and down light
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac or ELV dimmers




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A E25045	BKSN	10 x 3W PCB LED 3000K (Integrated)	42"L x 27.5"W x 26.5"H, 67.5"OAH	80+	2400 1882	   

Finish: Black/Satin Nickel (BKSN)




E25043-BKSN
Pendant

B



E25044-BKSN
Flush Mount

C




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E25043	BKSN	6 x 3W PCB LED 3000K (Integrated)	14"L x 14"W x 10"H, 132"OAH	80+	1440	1199	
C	E25044	BKSN	8 x 3W PCB LED 3000K (Integrated)	24.75"L x 24.75"W x 16.5"H	80+	1920	1474	

Finish: Black/Satin Nickel (BKSN)



AMBIT

- Two tone Black and Satin Nickel finish
- Adjustable heads direct light
- Up and down light
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac or ELV dimmers




E25041-BKSN
Pendant

A



E25049-BKSN
Floor Lamp

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25041	BKSN	2 x 3W PCB LED 3000K (Integrated)	7"L x 2.25"W x 9.5"H, 56"OAH	80+	480	473	   
B	E25049	BKSN	2 x 3W PCB LED 3000K (Integrated)	12.5"L x 9.75"W x 62.25"H	80+	480	421	 

Finish: Black/Satin Nickel (BKSN)



E25040-BKSN
Wall Mount

C



C	ITEM # FINISH LAMPING			DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
	E25040	BKSN	2 x 3W PCB LED 3000K (Integrated)	4.75"W x 9"H x 10.25"Ext.	4.5"	80+	480	413	   
Finish: Black/Satin Nickel (BKSN)									


QUEST

Inspired by contemporary Euro design, this collection features Satin White cased glass fonts suspended by rods of Gold with Black accents. Powered by integrated LED modules, light is directed downward in a soft and diffused manner.



E25118-92BKGLD
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E25118	92BKGLD	8 x 6W PCB LED 3000K (Integrated)	29"L x 29"W x 16"H, 61.5"OAH	80+	3840	2880	   

Finish: Satin White glass (92) Black/Gold (BKGLD)

- Two tone Black with Gold finish
- Satin White opal glass shades
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac or ELV dimmers

E25111-92BKGLD

Pendant


B



E25116-92BKGLD

Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E25111	92BKGLD	1 x 6W PCB LED 3000K (Integrated)	6.25"L x 6.25"W x 9.25"H, 132"OAH	80+	420	360	
C	E25116	92BKGLD	6 x 6W PCB LED 3000K (Integrated)	26.5"L x 26.5"W x 14.75"H, 60"OAH	80+	2880	2520	

Finish: Satin White glass (92) Black/Gold (BKGLD)



SWANK


Orbs of crystal Clear acrylic are trimmed with Natural Aged Brass or Polished Chrome band and frosted inside for excellent light diffusion. The bottom is dimpled for a unique optical effect.

SWANK

- Available in Natural Aged Brass or Polished Chrome
- Clear with Frosted interior Acrylic Orbs
- 3000K LED, CRI 80+
- Dimmable with CL Triac Dimmer



E24598-93NAB, -93PC
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24598	93NAB, 93PC	8 x 6W PCB LED 3000K (Integrated)	19"W x 5.5"H, 127.5"OAH	80+	3840	3450	  

Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)




SWANK

- Available in Natural Aged Brass or Polished Chrome
- Clear with Frosted interior Acrylic Orbs
- 3000K LED, CRI 80+
- Dimmable with CL Triac Dimmer




E24593-93NAB, -93PC
Pendant

A



E24595-93NAB, -93PC
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24593	93NAB, 93PC	3 x 6W PCB LED 3000K (Integrated)	11.75"W x 5.5"H, 127.5"OAH	80+	1440	1300	  
B	E24595	93NAB, 93PC	5 x 6W PCB LED 3000K (Integrated)	15"W x 5.5"H, 127.5"OAH	80+	2400	2160	  

Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)




• Flush Mount Option



E24590-93NAB, -93PC
Wall/Flush Mount

C



E24591-93NAB, -93PC
Pendant

D




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information	
							INIT.	DEL.		
C	E24590	93NAB, 93PC	1 x 6W PCB LED 3000K (Integrated)	4.75"W x 4.75"H x 6"Ext.	2.5"	80+	480	440		
D	E24591	93NAB, 93PC	1 x 6W PCB LED 3000K (Integrated)	4.5"W x 5.5"H, 127.75"OAH		80+	480	440		

Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)



SOJI


Inspired by Japanese lanterns, this soft contemporary collection features Satin White glass shades of various shapes and sizes mounted on metal frames finished in a dramatic 2-tone Gold with Black accents.



- Two tone Black with Gold finish
- Satin White opal glass shades
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers



E25069-92BKGLD
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25069	92BKGLD	43W PCB LED 3000K (Integrated)	15.75"L x 15.75"W x 27.5"H, 150"OAH	90+	3010	2230	  ①

Finish: Satin White glass (92) Black/Gold (BKGLD)


SOJI

- Two tone Black with Gold finish
- Satin White opal glass shades
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers



E25068-92BKGLD
Pendant

A





	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
					CRI	INIT. DEL.	
A	E25068	92BKGLD	27W PCB LED 3000K (Integrated)	39.5"L x 6"W x 6"H, 125"OAH	90+	1890 1570	  


Finish: Satin White glass (92) Black/Gold (BKGLD)



E25067-92BKGLD
Pendant



E25066-92BKGLD
Pendant






	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E25067	92BKGLD	13W PCB LED 3000K (Integrated)	6"L x 6"W x 17.25"H, 140"OAH	90+	1040	930	
C	E25066	92BKGLD	10W PCB LED 3000K (Integrated)	4.75"L x 4.75"W x 13"H, 135"OAH	90+	960	760	

Finish: Satin White glass (92) Black/Gold (BKGLD)

SOJI

- Two tone Black with Gold finish
- Satin White opal glass shades
- Pendants and wall sconces include JA8 LED G9 bulb
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25063	92BKGLD	2 x 5W G9 LED 3000K (Incl.)	7"L x 7"W x 8.75"H, 131"OAH	90+	960	760	   
B	E25064	92BKGLD	2 x 5W G9 LED 3000K (Incl.)	7"L x 7"W x 10.75"H, 133"OAH	90+	960	760	   
C	E25065	92BKGLD	2 x 5W G9 LED 3000K (Incl.)	9"L x 9"W x 7.5"H, 131"OAH	90+	960	760	   

Finish: Satin White glass (92) Black/Gold (BKGLD)




E25060-92BKGLD
Wall Mount

D




E25061-92BKGLD
Wall Mount

E



E25062-92BKGLD
Wall Mount

F



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS CRI INIT. DEL.	Additional Information
D	E25060	92BKGLD	1 x 5W G9 LED 3000K (Incl.)	4.75"W x 9.25"H x 9"Ext.	4.5"	90+ 480 380	
E	E25061	92BKGLD	1 x 5W G9 LED 3000K (Incl.)	4.75"W x 10.25"H x 9"Ext.	4.5"	90+ 480 380	
F	E25062	92BKGLD	1 x 5W G9 LED 3000K (Incl.)	6"W x 9.25"H x 10"Ext.	5"	90+ 480 380	

Finish: Satin White glass (92) Black/Gold (BKGLD)

MERMAID

This unique collection features pendants constructed of two separate pieces inserted inside each other. The matte Black outer shade is bevel cut in an opposing direction of the inner Metallic Gold shade. The inner shade can rotate to give a different look and a frosted glass pane softly diffuses the recessed LED source.




MERMAID


E21441-BKMG

Pendant

A



- Separated shades are adjustable
- Two tone matte Black and Metallic Gold finish
- LED diffuser
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E21448-BKMG


Pendant

B

E21444-BKMG

Pendant


C



E21442-BKMG

Pendant

D



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information
A	E21441	BKMG	1 x 7.2W PCB LED 3000K (Integrated)	4.75"L x 4.75"W x 9.25"H, 131.25"OAH	80+ 504 330   
B	E21448	BKMG	1 x 12W PCB LED 3000K (Integrated)	9.75"L x 8.75"W x 18.25"H, 140.5"OAH	80+ 960 469   
C	E21444	BKMG	4 x 7.2W PCB LED 3000K (Integrated)	22.5"L x 6.25"W x 29.75"H, 145"OAH	80+ 2016 900   
D	E21442	BKMG	2 x 7.2W PCB LED 3000K (Integrated)	16.5"L x 5.5"W x 23.25"H, 145"OAH	80+ 1008 540   

Finish: Black/Metallic Gold (BKMG)



HEMISPHERE

Constructed of double thick aluminum which has a hammered interior finish polished so to not only be beautiful, but multiply the lumen output. High polish enamel paints finish the exterior for the ultimate reflective surface. The larger sizes are fitted with commercial grade LED and multi-volt input drivers that dim with both ELV and 0-10V functions.



GW
(Glossy White)




GT
(Glossy Taupe)



GN
(Glossy Navy)




GB
(Glossy Black)



E24900-GBAL, GNAL, GTAL, GWAL
Pendant

A



E24902-GBAL, GNAL, GTAL, GWAL
Pendant

B

HEMISPHERE

- Heavy grade aluminum spinning with hammered detail on interior
- Exterior finished in your choice of reflective Black, White, Taupe, or Navy
- 24" and 31" models use multi-volt drivers with both ELV and 0-10V dimming options
- 3000K Color Temperature, CRI 90+



E24904-GBAL, GNAL, GTAL, GWAL
Pendant

C



E24906-GBAL, GNAL, GTAL, GWAL
Pendant

D

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24900	GBAL, GNAL, GTAL, GWAL	10W PCB LED 3000K (Inte.)	9"L x 9"W x 5"H, 126"OAH	90+	950	480	
B	E24902	GBAL, GNAL, GTAL, GWAL	15W PCB LED 3000K (Inte.)	14"L x 14"W x 8"H, 129"OAH	90+	1500	720	
C	E24904	GBAL, GNAL, GTAL, GWAL	20W PCB LED 3000K (Inte.)	24"L x 24"W x 13"H, 134"OAH	90+	1900	960	120-277V input ELV and 0-10V dimming options
D	E24906	GBAL, GNAL, GTAL, GWAL	30W PCB LED 3000K (Inte.)	31"L x 31"W x 17"H, 136"OAH	90+	2900	1440	120-277V input ELV and 0-10V dimming options

Finish options: Glossy Black shade (GB) Glossy Navy shade (GN)
Glossy Taupe shade (GT) Glossy White shade (GW) Aluminum (AL)




HIVE & SWAY

Unique shaped pendants of White gypsum and Grey concrete provide an economical solution for your lighting needs. With LED GU10 light bulbs included you get both style and long life from these durable pendants.



HIVE & SWAY

- Cast Concrete and Gypsum shades
- Paintable surface
- 3000K Color Temperature, CRI 90+
- 7 watt JA8 LED GU10 included



HIVE

E25035-GY, WT
Pendant



SWAY

E25034-GY, WT
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25035	GY, WT	1 x 7W GU10 3000K (Incl.)	7.75"L x 7.75"W x 7"H, 125.75"OAH	90+	490	450	JA8 bulb (Incl.)
B	E25034	GY, WT	1 x 7W GU10 3000K (Incl.)	7"L x 7"W x 7.5"H, 126"OAH	90+	490	450	JA8 bulb (Incl.)

Finish options: Gray (GY) White (WT)




SASH

Heavy weight cone shaped pendants of White gypsum or Grey concrete, both with Polished Chrome accents, project ample light downward by means of the LED GU10 lamps provided.

- Cast Concrete and Gypsum shades
- Paintable surface
- 3000K Color Temperature, CRI 90+
- 7 watt JA8 LED GU10 included



E25036-GYPC, WTPC
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E25036	GYPC, WTPC	1 x 7W GU10 3000K (Incl.)	7.75"L x 7.75"W x 10.75"H, 130"OAH	90+	490	450	  JA8 bulb (Incl.)

Finish options: Gray shade (GY) White shade (WT) Polished Chrome (PC)





ALLEN & PLEAT

Cylindrical shape pendants cast in White gypsum and accented with Black hardware provide a crisp contemporary design. Both are paintable so you can be creative with the finished look.



ALLEN & PLEAT

- Cast Concrete and Gypsum shades
- Paintable surface
- Cloth covered cord
- 3000K Color Temperature, CRI 90+
- 7 watt JA8 LED GU10 included

TITLE
24



ALLEN

E25037-WTBK
Pendant



PLEAT

E25038-WTBK
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25037	WTBK	1 x 7W GU10 3000K (Incl.)	3.75"L x 3.25"W x 12.5"H, 131.75"OAH	90+	490	450	JA8 bulb (Incl.)
B	E25038	WTBK	1 x 7W GU10 3000K (Incl.)	3.25"L x 3.25"W x 12.5"H, 131.75"OAH	90+	490	450	JA8 bulb (Incl.)

Finish: White/Black (WTBK)





RAVEN

Low profile cone shape metal shades finished in Black are fitted with a Satin White glass diffuser which conceals a high power LED light source.




RAVEN

- Aluminum Spun shades
- Satin White glass diffuser
- 3000K Color Temperature, CRI 90+




E24410-92BK
Pendant

A



E24412-92BK
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
					CRI	INIT. DEL.	
A	E24410	92BK	8.5W PCB LED 3000K (Integrated)	17.75"W x 5.25"H, 126.75"OAH	90+	680 400	  
B	E24412	92BK	15W PCB LED 3000K (Integrated)	23.5"W x 7"H, 128.75"OAH	90+	1200 600	  

Finish: Satin White glass (92) Black (BK)



ABYSS

These classic cone pendants available in Matte Black or Matte White appear normal from the outside but take on a different personality from below. Rather than the typical light source being up inside the shade, these pendants are illuminated on the bottom perimeter creating a black abyss on the inside which is an interesting lighting effect.



- Available in matte Black or Matte White finish
- Double shade creates unique ring of light
- Coordinating fiber cords match the fixture finish
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E20082	BK, MW	21W PCB LED 3000K (Integrated)	9.5"L x 9.5"W x 7.25"H, 128"OAH	80+	1470	940	
B	E20084	BK, MW	30W PCB LED 3000K (Integrated)	12.5"L x 12.5"W x 9.5"H, 130.5"OAH	80+	2100	1330	
C	E20086	BK, MW	38W PCB LED 3000K (Integrated)	15.75"L x 15.75"W x 12"H, 136"OAH	80+	2660	1600	

Finish options: Black (BK) Matte White (MW)




MICRO



A collection of very small LED pendants unique to the market. Shades of Gypsum, Concrete, and Aluminum available in a wide variety of shapes and finishes, these small scale pendants provide an amazing amount of light. The light engine is housed in machined aluminum to reduce heat. Drivers recess into the outlet box so the canopies are very low profile in keeping with the small scale of the pendant.





- Various pendants constructed of either: Concrete, Gypsum, or Aluminum
- Black, White, Polished Chrome, and Satin Brass finishes available (Finish based on material)
- Low Profile Canopies
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers




E25026-BKPC, -WTPC
Pendant



E25027-BKPC, -WTPC
Pendant



E25028-BKPC, -WTPC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25026	BKPC, WTPC	6W PCB LED 3000K (Integrated)	3.5"W x 2"H, 121"OAH	90+	412	284	  
B	E25027	BKPC, WTPC	6W PCB LED 3000K (Integrated)	2.75"W x 3"H, 122"OAH	90+	412	264	  
C	E25028	BKPC, WTPC	6W PCB LED 3000K (Integrated)	3.25"W x 2.75"H, 122"OAH	90+	412	212	  

Finish Options: Black/Polished Chrome (BKPC) White/Polished Chrome (WTPC)



E25024-BK, -PC, -SBR, -WT

Pendant

A

5"

2"


2"

MICRO

- Various pendants constructed of either: Concrete, Gypsum, or Aluminum
- Black, White, Polished Chrome, and Satin Brass finishes available (Finish based on material)
- Low Profile Canopies
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers



E25020-GY, -WT
Pendant



E25021-GY, -WT
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E25024	BK, PC, SBR, WT	4.5W PCB LED 3000K (Integrated)	2"W x 2"H, 121.25"OAH	90+	360	220	
B	E25020	GY, WT	4.5W PCB LED 3000K (Integrated)	1.75"W x 4"H, 123.25"OAH	90+	360	220	
C	E25021	GY, WT	4.5W PCB LED 3000K (Integrated)	2.25"W x 4"H, 123.25"OAH	90+	360	220	

Finish Options: Black (BK) Grey (GY) Polished Chrome (PC) Satin Brass (SBR) White (WT)






DWELL

Classic cylinder pendants of White with a very unique feature. The bottom is gimbaled to allow the light to be adjusted 30° to direct the light where you most need it. Each fixture is supplied with a replaceable LED reflector bulb.



- Bulb is on gimbal to direct light
- 3000K Color Temperature
- CRI 90+ for best color rendering
- Dimmable with Triac or ELV dimmers
- JA8 LED GU10 Bulbs Included
- Title 24 Compliant




E25002-WT
Pendant

A

5"

6.25"

3.5"



E25004-WT
Pendant

B

5"

11.75"

3.5"

• Directional gimbal for light

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25002	WT	7W GU10 LED 3000K (Incl.)	3.5"L x 3.5"W x 6.25"H, 125.5"OAH	90+	490	450	JA8 Bulb (Incl.)
B	E25004	WT	7W GU10 LED 3000K (Incl.)	3.5"L x 3.5"W x 11.75"H, 131"OAH	90+	490	450	JA8 Bulb (Incl.)

Finish: White (WT)






DEUCE

A collection of glass in glass pendants in 3 shapes and 2 finish combinations epitomizes classic contemporary design. Available in either Clear over Frost with Satin Brass accents or Smoke over Frost with Polished Chrome.

DEUCE


- Available in Clear glass with Satin Brass accents or Smoke glass with Polished Chrome Accents
- JA8 LED G9 bulb included
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers



E10040-138PC, -18SBR
Pendant
A



E10042-138PC, -18SBR
Pendant
B



E10044-138PC, -18SBR
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E10040	138PC, 18SBR	5W G9 LED 3000K (Incl.)	5.5"W x 11.25"H, 130"OAH	90+	480	380	
B	E10042	138PC, 18SBR	5W G9 LED 3000K (Incl.)	7.75"W x 8"H, 126"OAH	90+	480	380	
C	E10044	138PC, 18SBR	5W G9 LED 3000K (Incl.)	6.75"W x 10.5"H, 130"OAH	90+	480	380	

Finish Options: Clear glass (18) Smoke glass (138) Satin Brass (SBR) Polished Chrome (PC)





BEAM

Extruded aluminum girders of Black encase a series of adjustable LED spots accented with Polished Chrome. The lights can be directed to the surface below with high powered functional light. Available in 44" and 54" lengths these pendants work equally well over kitchen islands or rectangular tables.




BEAM

- Matte Black steel frame with Polished Chrome Accents
- Adjustable LED spot lights
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac or ELV dimmers




E24634-BKPC
Pendant



• Adjustable LED spot lights



E24636-BKPC
Pendant




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24634	BKPC	5 X 3W PCB LED 3000K (Integrated)	44"L x 3"W x 4.25"H, 54"OAH	80+	1200	840	
B	E24636	BKPC	6 X 3W PCB LED 3000K (Integrated)	54"L x 3"W x 4.25"H, 54"OAH	80+	1440	1000	

Finish: Black/Polisehd Chrome (BKPC)



E25106-BK
Pendant



PENTA

Formed by a series of Black pentagons into a spherical shape, this geometric collection is illuminated from the inside for a dramatic lighting effect. Available in 3 sizes ranging from 22" to the dramatic 40" large pendant.





PENTA

- Available in Black finish
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac or ELV dimmers



E25108-BK
Pendant

A



E25104-BK
Pendant

C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25108	BK	108W PCB LED 3000K (Integrated)	40"W x 40"H, 163"OAH	80+	8640	6480	  
B	E25106	BK	85W PCB LED 3000K (Integrated)	28"W x 28"H, 151"OAH	80+	6800	5100	  
C	E25104	BK	62W PCB LED 3000K (Integrated)	22"W x 22"H, 145"OAH	80+	4960	3720	  


Finish: Black (BK)



E24064-92BKSN

Pendant

A



COG

A scalloped aluminum extrusion is finished in Black with intersecting arms of Satin Nickel which support Satin White glass globes illuminated by LED G9 lamps that are included.

- Two-tone Satin Nickel and Black finish
- Satin White glass globes
- Additional downlight at bottom of the fixture
- LED G9 Bulb included
- 3000K Color Temperature, CRI 90+




• Downlight



E24066-92BKSN
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24064	92BKSN	31.5W G9 LED 3000K (Incl.)	30"L x 30"W x 16"H, 59.25"OAH	90+	2520	2000	
B	E24066	92BKSN	47.5W G9 LED 3000K (Incl.)	45"L x 45"W x 20"H, 63.25"OAH	90+	3800	3300	

Finish: Satin White glass (92) Black/Satin Nickel (BKSN)



REVOLUTION

Hoops of Polished Nickel surround glass balls of Satin White to create this crisp and clean modern design. This current design trend compliments both modern and transitional aesthetics.




REVOLUTION

- Polished Nickel
- Satin White globe glass



E12517-92PN
Pendant

A



ITEM #		FINISH	LAMPING	DIMENSION	Additional Information
A	E12517	92PN	7 X 60W CA (Not Incl.)	29.25"L x 29"W x 13.5"H, 53"OAH	190 1

Finish: Satin White glass (92) Polished Nickel (PN)


REVOLUTION

- Polished Nickel
- Satin White globe glass




E12513-92PN
Pendant

A



E12515-92PN
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	Additional Information
A	E12513	92PN	3 X 60W CA (Not Incl.)	28"L x 28"W x 13.5"H, 53"OAH	⌚ ⚙
B	E12515	92PN	5 X 60W CA (Not Incl.)	28"L x 28"W x 13.5"H, 53"OAH	⌚ ⚙



Finish: Satin White glass (92) Polished Nickel (PN)




E12510-92PN
Flush Mount



E12511-92PN
Wall Mount



E12519-92PN
Mini Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	Additional Information
C	E12510	92PN	1 X 60W CA (Not Incl.)	13"L x 13"W x 14"H		
D	E12511	92PN	1 X 60W CA (Not Incl.)	11"W x 11.5"H x 7.5"Ext.	9"	
E	E12519	92PN	1 X 60W CA (Not Incl.)	11"L x 11"W x 12"H, 60"OAH		 

Finish: Satin White glass (92) Polished Nickel (PN)



PHAETON

A geometrical frame constructed of Black tubing are fitted with machined aluminum caps with clear acrylic diffusers. Housed in the caps are integrated LED which project diffused light in all directions.




PHAETON

- Two-tone Satin Nickel and Black finish
- Clear acrylic diffuser with frosted interior
- 3000K Color Temperature, CRI 90+




E23084-75BKAL
Pendant

A



E23086-75BKAL
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional
					CRI	INIT.	DEL.	Information
A	E23084	75BKAL	38W PCB LED 3000K (Integrated)	30"L x 30"W x 24"H, 67.75"OAH	90+	3040	1650	  
B	E23086	75BKAL	48W PCB LED 3000K (Integrated)	35"L x 35"W x 29"H, 72.75"OAH	90+	3840	2100	  

Finish: Clear Acrylic (75) Black/Aluminum (BKAL)



REVEAL

Tubular shaped pendants finished in Satin Nickel with a Satin Brass band provide light from the bottom as well as a reveal behind the band. The soft glow of light from the band creates a beautiful lighting effect not normally seen from similar pendants.


REVEAL

- Unique two-tone Satin Nickel and Satin Brass finish
- Light reveal at band
- 3000K Color Temperature
- CRI 90+



E24758-SNSBR
Pendant

A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24758	SNSBR	8 x 6W PCB LED 3000K (Integrated)	32"L x 10"W x 12.25"H, 134"OAH	90+	3840	1400	  

Finish: Satin Nickel/Satin Brass (SNSBR)



REVEAL

- Unique two-tone Satin Nickel and Satin Brass finish
- Light reveal at band
- 3000K Color Temperature
- CRI 90+



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24757	SNSBR	7 x 6W PCB LED 3000K (Integrated)	18"L x 18"W x 12.25"H, 134"OAH	90+	3360	1200	  

Finish: Satin Nickel/Satin Brass (SNSBR)



E24753-SNSBR

Pendant


B



E24751-SNSBR

Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional
					CRI	INIT.	DEL.	Information
B	E24753	SNSBR	3 x 6W PCB LED 3000K (Integrated)	11"L x 11"W x 12.25"H, 134"OAH	90+	1440	540	  
C	E24751	SNSBR	1 x 6W PCB LED 3000K (Integrated)	3"L x 3"W x 12.25"H, 134"OAH	90+	480	180	  

Finish: Satin Nickel/Satin Brass (SNSBR)



NEWTON


Clear apple shaped glass rest on machined aluminum fonts finished in Satin Brass with integrated LED for even illumination without the glare. The large scale 25 light comes pre-arranged for ease of installation and is perfect for that tall ceiling application.

NEWTON

- Two-tone Black and Gold finish
- Large scale multi-pendant lights
- 3000K Color Temperature, CRI 80+



E24169-18BKGLD
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24169	18BKGLD	25 x 2.5W PCB LED 3000K (Integrated)	27.5"L x 27.5"W x 5.75"H, 114"OAH	80+	4375	3245	  

Finish: Clear glass (18) Black/Gold (BKGLD)




NEWTON

- Two-tone Black and Gold finish
- Large scale multi-pendant lights
- 3000K Color Temperature, CRI 80+




E24167-18BKGLD
Pendant




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24167	18BKGLD	12 x 2.5W PCB LED 3000K (Integrated)	27.5"L x 27.5"W x 5.75"H, 128"OAH	80+	2100	1650	  


Finish: Clear glass (18) Black/Gold (BKGLD)



E24165-18BKGLD
Pendant



E24162-18BKGLD
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional
					CRI	INIT.	DEL.	Information
B	E24165	18BKGLD	8 x 2.5W PCB LED 3000K (Integrated)	38.5"L x 10.5"W x 5.75"H, 127.75"OAH	80+	1400	1045	  
C	E24162	18BKGLD	1 x 9W PCB LED 3000K (Integrated)	8.75"L x 8.75"W x 10.25"H, 131.75"OAH	80+	630	500	  

Finish: Clear glass (18) Black/Gold (BKGLD)

PARALLEL


This unique design feature arms of Black with Gold accents that support glass in glass orbs which are Clear on the outside and Frost on the inside. The glass orbs are threaded that allows for secure attachment without the use of external screws. Ample light is provided from LED G9 lamps which are included.

- Two tone Black and plated Gold finish
- Dual Clear/Frosted Glass spheres
- Adjustable arms to customize configuration
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers
- LED G9 bulbs included



E23285-93BKGLD
Pendant

A




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E23285	93BKGLD	12 x 4W G9 LED 3000K (Incl.)	43.25"W x 43.25"W x 19.5"H, 59.5"OAH	80+	5400	4500	   

Finish: Clear glass (93) Black/Gold (BKGLD)



E23287-93BKGLD
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
B	E23287	93BKGLD	16 x 4W G9 LED 3000K (Incl.)	49.25"W x 49.25"W x 22"H, 61"OAH	80+	7200	6000	

Finish: Clear glass (93) Black/Gold (BKGLD)



GLOBAL

Clear blown glass shades of various sizes attach to a tubular body of Black with Satin Nickel accents to create a beautiful contemporary sculpture. The arms pivot on the body to allow flexibility of light direction.



- Two Tone Black with Satin Nickel finish
- Various sizes of Clear glass orb shades
- LED G4 light bulb included with fixture
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E25078	18BKSN	6 x 1.5W G4 LED 3000K (Incl.)	43.25" L x 6" W x 25.5" H	90+	900	720	LED

Finish: Clear glass (18) Black/Satin Nickel (BKSN)

GLOBAL

- Two Tone Black with Satin Nickel finish
- Various sizes of Clear glass orb shades
- LED G4 light bulb included with fixture
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers



E25076-18BKSN
Pendant
A


	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
					CRI	INIT. DEL.	
A	E25076	18BKSN	6 x 1.5W G4 LED 3000K (Incl.)	45"L x 45"W x 19.5"H, 63.5"OAH	90+	900 720	   

Finish: Clear glass (18) Black/Satin Nickel (BKSN)




E25074-18BKSN
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E25074	18BKSN	3 x 1.5W G4 LED 3000K (Incl.)	35.5"L x 35.5"W x 17.75"H, 63.75"OAH	90+	450	360	   

Finish: Clear glass (18) Black/Satin Nickel (BKSN)



RADAR

Soft ambient light is cast indirectly off the contoured white reflector by LED cleverly concealed in the Black cup centered on the disc. Light can be directed by adjusting the gimbaled reflector.

RADAR

- Two tone Black and White finish
- Adjustable dish
- Indirect light
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers




E21461-WTBK
Wall Mount

A



E21468-WTBK
Floor Lamp



B



- Adjustable dish



- Adjustable pendant



E21464-WTBK
Pendant

C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E21461	WTBK	7.5W PCB LED 3000K (Integrated)	11"W x 11"H x 4"Ext.	5.5"	90+	525	280	
B	E21468	WTBK	7.5W PCB LED 3000K (Integrated)	16.5"W x 72.75"H		90+	525	280	
C	E21464	WTBK	7.5W PCB LED 3000K (Integrated)	16.5"W x 12.75"H, 134.25"OAH		90+	525	280	

Finish: White/Black (WTBK)




PEG

Unique flush mount ceiling fixtures constructed out of White gypsum or Gray concrete with chrome accent bezels. The White gypsum can be painted to match the ceiling or to contrast as an accent color. The high power LED module provides ample lighting with excellent color rendering.




- Available in your choice of White gypsum with Black accents or Gray concrete with Polished Chrome accents.
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers



E25012-GY, -WT
Flush Mount

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25010	GY, WT	5 x 3W PCB LED 3000K (Integrated)	7.25"L x 7.25"W x 2.5"H	90+	1400	940	  
B	E25012	GY, WT	4 x 3W PCB LED 3000K (Integrated)	10"L x 10"W x 2"H	90+	1170	760	  

Finish options: Grey (GY) White (WT)



E42032-PCWT
Mirror

A



• 3000K Color Temperature



• 4200K Color Temperature



• 6400K Color Temperature

FLOATING LED MIRROR

LED mirrors are an excellent addition to any upscale home. These mirrors excel in top of the line quality, features, and appearance. Not only can you adjust the brightness but you also can change the color temperature to enhance the design of the room and other functional applications. Available in a variety of sizes and shapes you are sure to find a perfect match to your décor.




FLOATING

- Touch Dimmable
- Plug in or direct wire
- CRI 80+
- Dimmable with Triac dimmers




E42034-PCWT
Mirror

B




E42036-GLBK
Mirror

C



E42040-GLBK
Mirror

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E42032	PCWT	28W PCB LED 3000/4200/6400K (Inte.)	23.5"W x 23.5"H x 1.75"Ext.	11.75"	80+	2240	1875	
B	E42034	PCWT	40W PCB LED 3000/4200/6400K (Inte.)	31.5"W x 31.5"H x 1.75"Ext.	15.75"	80+	3200	2876	
C	E42036	GLBK	24W PCB LED 3000K (Integrated)	23.5"W x 23.5"H x 1.75"Ext.	11.75"	80+	1920	1795	
D	E42040	GLBK	28W PCB LED 3000K (Integrated)	31.5"W x 31.5"H x 1.5"Ext.	15.75"	80+	2240	2087	

Finish: Golden/Black (GLBK) Polished Chrome/White (PCWT)



WATERFALL

An aluminum frame of Polished Chrome or Black, cascades downward and supports a frosted acrylic diffuser which nicely diffuses the light from the LED enclosed. A perfect complement to the similar bath hardware found in many homes today.




WATERFALL

- Aluminum Construction
- Available in Polished Chrome or Black
- Frosted Acrylic diffuser
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers




E24842-90BK, -90PC
Bath Vanity

A




E24844-90BK, -90PC
Bath Vanity

B




E24846-90BK, -90PC
Bath Vanity

C



E24848-90BK, -90PC
Bath Vanity


D



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E24842 : 90BK, 90PC	13W PCB LED 3000K (Integrated)	18"W x 4.75"H x 3.25"Ext.	2.25"	90+	910	700	
B	E24844 : 90BK, 90PC	18W PCB LED 3000K (Integrated)	24"W x 4.75"H x 3.5"Ext.	2.25"	90+	1260	1000	
C	E24846 : 90BK, 90PC	22W PCB LED 3000K (Integrated)	30"W x 4.75"H x 3.5"Ext.	2.25"	90+	1540	1200	
D	E24848 : 90BK, 90PC	25W PCB LED 3000K (Integrated)	35.75"W x 4.75"H x 3.5"Ext.	2.25"	90+	1750	1400	

Finish options: Frosted glass (90) Black (BK) Polished Chrome (PC)





SPARKLER

Thousands of miniature crystals are embedded into a sheet of clear acrylic which form a material we call Gemite. When illuminated by the LED mounted in the Polished Chrome frame the Gemite glistens like the stars in a galaxy. With the added downlight you get both glamour and ample lighting from this beautiful vanity collection.


SPARKLER

- Crystals encased in acrylic called Gemite
- Polished Chrome frame
- Up/Down Light
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers




E24600-122PC
Flush Mount

A




E24605-122PC
Wall Mount

B



E24601-122PC
Flush Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
A	E24600	122PC	25.6W LED 3000K (Integrated)	13.75"L x 13.75"W x 2"H		90+	1790 460	  
B	E24605	122PC	8W LED 3000K (Integrated)	5.5"W x 11"H x 2.25"Ext.	5.5"	90+	880 298	   
C	E24601	122PC	25.6W LED 3000K (Integrated)	13"L x 13"W x 2"H		90+	1790 370	  

Finish: Clear Crystal (122) Polished Chrome (PC)



SPARKLER

- Crystals encased in acrylic called Gemite
- Polished Chrome frame
- Up/Down Light
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers




E24602-122PC
Bath Vanity

A




E24603-122PC
Bath Vanity

B



E24604-122PC
Bath Vanity

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information			
							INIT.	DEL.				
A	E24602	122PC	20.3W LED 3000K (Integrated)	19.75"W x 5.5"H x 2.5"Ext.	2.75"	90+	1420	1090				
B	E24603	122PC	25.6W LED 3000K (Integrated)	23.5"W x 5.5"H x 2.5"Ext.	2.75"	90+	1792	1400				
C	E24604	122PC	31 W LED 3000K (Integrated)	27.5"W x 5.5"H x 2.5"Ext.	2.75"	90+	2170	1705				

Finish: Clear Crystal (122) Polished Chrome (PC)







RIPPLE

A rippled horizontal bar in Polished Chrome illuminates hand-crafted artisanal Piastra-style glass. The glass's intricate texture creates an interesting light effect on the wall. Can be mounted either vertically as a wall sconce or horizontally over a mirror.



- Polished Chrome metalwork
- Hand formed Piastra-style glass
- Indirect illumination
- 3000K Color Temperature, CRI 90+



E24422-124PC
Bath Vanity
A

4.75" 18" 3.5"



E24424-124PC
Bath Vanity
B

4.75" 24" 3.5"



E24426-124PC
Bath Vanity
C

4.75" 30" 3.5"

	ITEM #	FINISH	LAMPING	DIMENSION	HCO		LUMENS		Additional Information
							INIT.	DEL.	
A	E24422	124PC	15W PCB LED 3000K (Integrated)	18"W x 4.75"H x 3.5"Ext.	9"	90+	1078	842	     
B	E24424	124PC	20W PCB LED 3000K (Integrated)	24"W x 4.75"H x 3.5"Ext.	12"	90+	1420	1110	     
C	E24426	124PC	24W PCB LED 3000K (Integrated)	30"W x 4.75"H x 3.5"Ext.	15"	90+	1711	1335	     

Finish: Ripple glass (124) Polished Chrome (PC)



ACCORD


Machined blocks of Brushed Aluminum house LED modules which project light through a clear acrylic diffuser and down to the surface below. Laser cutout tubes below wash with light and add character to this unique vanity design. A black edge along the back adds interest to the clean design.

- Machined Aluminum and Clear Acrylic construction
- Two tone Black and Aluminum finish
- 3000K Color temperature, CRI 90+




E20611-83BKAL
Bath Vanity

A




E20613-83BKAL
Bath Vanity

B



E20615-83BKAL
Bath Vanity

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E20611	83BKAL	6.5W PCB LED 3000K (Integrated)	5"W x 6"H x 5"Ext.	3"	90+	620	325	
B	E20613	83BKAL	19.5W PCB LED 3000K (Integrated)	18"W x 6"H x 5"Ext.	3"	90+	1850	975	
C	E20615	83BKAL	32.5W PCB LED 3000K (Integrated)	31"W x 6"H x 5"Ext.	3"	90+	3200	1625	

Finish: Clear Acrylic (83) Black/Aluminum (BKAL)



BEACON

This versatile wall sconce features an adjustable spot controlled by an on-off push button switch which works well bedside. If left in the upright position the light passes through a hole in the cantilevered top which houses colored gels of red, green, blue, or clear for a nice lighting effect.


BEACON

- Available in your choice of White gypsum with Polished Chrome accents or Gray concrete with matte Black accents.
- Adjustable Arm to direct light
- 4 colored lens included: Red, Green, Blue, Clear
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers



E25015-GYBK, -WTPC
Wall Mount

A



• On/Off switch

• Directional reading light



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
					HCO	CRI	INIT. DEL.		
A	E25015	GYBK, WTPC	4.2W PCB LED 3000K (Integrated)	5"W x 9.75"H x 4.75"Ext.	4.75"	90+	336	200	   

Finish options: Grey/Black (GYBK) White/Polished Chrome (WTPC)



BOARDWALK

This outdoor collection is cast in concrete for maximum durability in harsh climates such as coastal environments. Available in your choice of White or Grey Aggregate, both are powered by dual integrated LED boards for efficient and long life operation.




BOARDWALK


- Cast concrete construction
- Natural aggregate finish choices:
Sandstone or Greystone
- Dual 4 watt integrated LED modules
- 3000K Color Temperature, CRI 80+




E14380-GSN, SSN
Interior/Exterior Wall Sconce



E14382-GSN, SSN
Interior/Exterior Wall Sconce



E14384-GSN, SSN
Interior/Exterior Wall Sconce



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E14380	GSN, SSN	2 x 4W PCB LED 3000K (Integrated)	7.75"W x 10.25"H x 3.5"Ext.	5"	80+	670	450	 
B	E14382	GSN, SSN	2 x 4W PCB LED 3000K (Integrated)	7.75"W x 16.25"H x 3.5"Ext.	8"	80+	670	450	 
C	E14384	GSN, SSN	2 x 4W PCB LED 3000K (Integrated)	7.75"W x 22"H x 3.5"Ext.	11"	80+	670	450	 

Finish options: Greystone (GSN) Sandstone (SSN)


OMNI

Machined aluminum interior up and down wall sconce available in your choice of White or Black providing you an economical and architectural lighting fixture.

- Machined Aluminum construction
- Available in White and Black
- Wet location rated
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac or ELV dimmers
- Can be mounted vertically and horizontally



E23210-90BK, -90WT
Wall Mount



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional	
				HCO	CRI	INIT.	DEL. Information
A	E23210	90BK, 90WT	7W PCB LED 3000K (Integrated)	7.25"W x 4.75"H x 3.5"Ext.	2.25"	80+	560 390

Finish options: Frosted glass (90) Black (BK) White (WT)



BRIK


Low profile LED up and down wall sconce which can be used interior or exterior are available in both Black and White. The flat face provides a place for numbers which makes these great for multi-family installations.

- Machined Aluminum construction
- Available in White and Black
- Wet location rated
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac or ELV dimmers




E23212-BK, -WT
Interior/Exterior Wall Sconce

A



E23214-BK, -WT
Interior/Exterior Wall Sconce

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO CRI		LUMENS		Additional Information
							INIT.	DEL.	
A	E23212	BK, WT	8W PCB LED 3000K (Integrated)	4.75"W x 4.75"H x 1.5"Ext.	2.25"	80+	640	440	   
B	E23214	BK, WT	10W PCB LED 2700K (Integrated)	6.25"W x 6.25"H x 1.5"Ext.	3.25"	80+	800	650	   

Finish options: Black (BK) White (WT)

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BI40T8E12CL120V	I	E12	40	40W Incandescent E12 T8 120V Bulb Clear
	BI40T14E26CL120V	I	E26	40	40W Incandescent E26 T14 120V Bulb Clear
	BI40ST58E26CL 120V	I	E26	40	40W Incandescent MB ST58 120V Bulb Clear
	BI60ST64E26CL 120V	I	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BL4E12TCL120V27	L	E12	4	LED Filament 4W E12 Candelabra 2700K
	BL9E26FT120V30	L	E26	9	9W LED E26 3000K 120V Bulb Frost, T24 JA8 Compliant
	BL12E26FT120V30	L	E26	12	12W LED E26 3000K 120V Bulb Frost, T24 JA8 Compliant
	BL16E26FT120V30	L	E26	16	16W LED E26 3000K 120V Bulb Frost
	BL3-5A52E26CL120V22	L	E26	3.5	3.5W Dimmable LED A52 2200K 120V Bulb Clear
	BL3-5D40E26CL120V22	L	E26	3.5	3.5W Dimmable LED D40 2200K 120V Bulb Clear
	BL3-5G40E26CL120V22	L	E26	3.5	3.5W Dimmable LED G40 2200K 120V Bulb Clear
	BL3-5G40E26CL120V22	L	E26	3.5	3.5W Dimmable LED G40 2200K 120V Bulb Clear
	BL3-5ST64E26CL120V22	L	E26	3.5	3.5W Dimmable LED ST64 2200K 120V Bulb Clear
	BL5A50E26CL120V22	L	E26	5	5W Dimmable LED A50 2200K 120V Bulb Clear
	BL5BT56E26CL120V22	L	E26	5	5W Dimmable LED BT56 2200K 120V Bulb Clear
	BL5GU10FT120V30	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear, T24 JA8 Compliant
	BL9GU24FT120V30	L	GU24	9	9W Dimmable LED GU24 3000K 120V Bulb Frosted
	BL11GU24CL120V30	L	GU24	11	11W LED GU24 3000K 120V Clear
	BL1-2G4FT12V30	L	G4	1.2	1.2W LED DC AC 12V 3000K CRI80
	BL1-5G4CL12V	L	G4	1.5	1.5W LED G4 12V 3000K Bulb Clear
	BL1-5G4CLCOB12V	L	G4	1.5	1.5W LED COB 12V 3000K CRI80
	BL1-8G4CL12V	L	G4	1.8	1.8W LED DC AC 12V 3000K CRI80
	BL2G9CL120V30	L	G9	2	2W LED G9 3000K CRI80 Clear
	BL3G9CL120V30	L	G9	3	3W LED G9 3000K CRI80 Clear
	BL2-2G9FT120V30	L	G9	2.2	2.2W LED G9 3000K CRI80 Frost
	BL2-3G9CL120V35	L	G9	2.3	2.3W LED G9 3500K CRI80 Clear
	BL2-9G9CL120V27	L	G9	2.9	2.9W LED G9 2700K CRI80 Clear
	BL2-9G9CL120V35	L	G9	2.9	2.9W LED G9 3500K CRI80 Clear
	BL4G9CL120V830	L	G9	4	4W LED G9 3000K CRI90 Clear

Linedrawings	Item	Type	Base	Watt	Description
	BL11PAR30CL120V30	L	PAR30	11	11W Dimmable LED PAR30 3000K 120V
	BL16PAR38CL120V30	L	PAR38	16	16W Dimmable LED PAR38 3000K 120V
	BL4MR11FT12V30	L	MR11	4	4W LED MR11 12V 3000K Bulb Frosted
	BL3MR16FLCL12V	L	MR16	3	3W LED MR16 3000K 12V Bulb Clear
	BL7MR16FLCL12V	L	MR16	7	7W LED MR16 3000K 12V Clear
	BX10G4CL12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BX10G4FT12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BX20G4CL12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BX20G4FT12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BX35G4CL12V	X	G4	35	35W Xenon Bi-Pin G4 12V Bulb Clear
	BX25G9CL12V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BX25G9FT120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BX40G9CL120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BX40G9FT120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BX50G9CL120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BX50G9FT120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BH50PAR20FTCL120V	H	E26	50	50W Halogen PAR20 120V Bulb Clear
	BH35GU10CL120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BH50GU10CL120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear

CF - Compact Fluorescent F - Fluorescent H - Halogen I - Incandescent L - LED X - Xenon

INDEX

E10040.....	96	E23086.....	108	E24603.....	133	E25061.....	74
E10042.....	96	E23210.....	143	E24604.....	133	E25062.....	74
E10044.....	96	E23212.....	144	E24605.....	132	E25063.....	73
E12510.....	106	E23214.....	144	E24634.....	98	E25064.....	73
E12511.....	106	E23285.....	117	E24636.....	98	E25065.....	73
E12513.....	105	E23287.....	118	E24644.....	38	E25066.....	72
E12515.....	105	E23300.....	47	E24751.....	112	E25067.....	72
E12517.....	104	E23301.....	47	E24753.....	112	E25068.....	71
E12519.....	106	E23304.....	46	E24757.....	111	E25069.....	70
E14380.....	142	E23306.....	48	E24758.....	110	E25074.....	122
E14382.....	142	E23307.....	48	E24842.....	130	E25076.....	121
E14384.....	142	E23308.....	48	E24844.....	130	E25078.....	120
E20082.....	88	E23310.....	13	E24846.....	130	E25104.....	100
E20084.....	88	E23311.....	13	E24848.....	130	E25106.....	99
E20086.....	88	E23312.....	13	E24871.....	19	E25108.....	100
E20611.....	138	E23314.....	14	E24873.....	17	E25111.....	64
E20613.....	138	E23315.....	14	E24875.....	18	E25116.....	64
E20615.....	138	E23316.....	14	E24877.....	18	E25118.....	63
E21230.....	40	E23317.....	12	E24878.....	16	E25120.....	8
E21234.....	42	E23318.....	12	E24879.....	20	E25121.....	8
E21235.....	41	E23319.....	14	E24900.....	77	E25122.....	8
E21236.....	40	E23326.....	10	E24902.....	77	E25123.....	8
E21239.....	42	E23328.....	10	E24904.....	78	E25124.....	7
E21320.....	36	E24064.....	101	E24906.....	78	E25126.....	7
E21322.....	36	E24066.....	102	E25002.....	94	E25128.....	6
E21325.....	36	E24162.....	116	E25004.....	94	E30560.....	52
E21327.....	35	E24165.....	116	E25010.....	126	E30561.....	52
E21371.....	34	E24167.....	115	E25012.....	126	E30563.....	51
E21373.....	34	E24169.....	114	E25015.....	140	E30565.....	51
E21375.....	33	E24171.....	22	E25020.....	92	E30567.....	50
E21376.....	32	E24172.....	24	E25021.....	92	E30568.....	50
E21378.....	31	E24173.....	23	E25024.....	91	E32782.....	44
E21379.....	30	E24175.....	24	E25026.....	90	E32785.....	44
E21441.....	76	E24176.....	23	E25027.....	90	E32787.....	43
E21442.....	76	E24179.....	22	E25028.....	90	E34201.....	4
E21444.....	76	E24410.....	86	E25034.....	80	E34205.....	3
E21448.....	76	E24412.....	86	E25035.....	80	E34207.....	2
E21461.....	124	E24422.....	136	E25036.....	81	E35016.....	54
E21464.....	124	E24424.....	136	E25037.....	84	E35018.....	54
E21468.....	124	E24426.....	136	E25038.....	84	E35020.....	55
E21510.....	28	E24590.....	68	E25040.....	62	E35022.....	56
E21511.....	28	E24591.....	68	E25041.....	61	E42032.....	127
E21513.....	27	E24593.....	67	E25043.....	60	E42034.....	128
E21515.....	26	E24595.....	67	E25044.....	60	E42036.....	128
E21516.....	26	E24598.....	66	E25045.....	59	E42040.....	128
E21518.....	27	E24600.....	132	E25046.....	58		
E21519.....	28	E24601.....	132	E25049.....	61		
E23084.....	108	E24602.....	133	E25060.....	74		

FINISHES, GLASS, SHADE

Code	Finish
AL	Aluminum
AP	Antique Pecan
BBK	Brushed Black
BCN	Brushed Champagne
BK	Black
BRZ	Anodized Bronze
CHP	Champagne
GL	Golden
GLD	Gold
GSN	Greystone
GY	Grey
MG	Metallic Gold
MS	Metallic Silver
MW	Matte White
NAB	Natural Aged Brass
PC	Polished Chrome
PN	Polished Nickel
SBR	Satin Brass
SN	Satin Nickel
SSN	Sandstone
WE	Wenge
WT	White

Code	Glass
01	White Acrylic
18	Clear
20	Crystal
24	Clear
61	White Acrylic
75	Clear Acrylic
83	Clear Acrylic
90	Frosted
92	Satin White
93	Clear/Frosted
122	Clear Crystal
124	Ripple
133	Patterned Acrylic
138	Smoke

Code	Shade
GB	Glossy Black
GN	Glossy Navy
GT	Glossy Taupe
GW	Glossy White
GY	Gray
WT	White

Warranty and Other Information

- For specific and detailed warranty information, ask your ET2 Contemporary Lighting sales representative or visit www.et2online.com/warranty.
- ET2 Contemporary Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Lamps are not included unless otherwise noted.
- Printed in China



ET2 Contemporary Lighting is a trademark of Maxim Lighting International, Inc.

StarStrand and CounterMax are registered trademarks of Maxim Lighting International, Inc.

All designs, logos, products and images © Copyright 2020 ET2 Contemporary Lighting.

All Rights Reserved.

#ET2lighting



LETCAT2001
\$5.00



A MAXIM GROUP COMPANY

#ET2lighting

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 626.956.4226

Dallas Trade Mart: 214.748.8455
Showroom: 3901
Email: info@et2online.com
Web: www.et2online.com



ET2 Contemporary Lighting and all designs,
logos and images © 2020 ET2 Contemporary
Lighting. All Rights Reserved.