LETCAT2009

A MAXIM GROUP COMPANY

#ET2lighting

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 626.956.4226
Dallas Showroom: 3901
Email: Webinfo@et2online.com
ET2 Web Address: www.et2online.com

ET2 Contemporary Lighting and all designs, logos and images © 2020 ET2 Contemporary Lighting. All Rights Reserved.

2020 FALL INTRODUCTION

E2 Contemporary Lighting™

COLLECTIONS

Bobble | 13
Cono | 33
Focal Point | 37
Fungo | 25
Groove | 21
Palla | 25
Perpetual | 9
Robotica | 5
Swank | 29
Taylor | 39
Union | 17

MORE

Finishes | 44
Glass | 44
Index | 43
Lamping Guide | 41
Warranty | 45

LEGEND

ADA Compliant
Adjustable
Energy Efficient
Energy Star Certified
Slope
Installs Up or Down
LED
California Title 24
For Wet Location
For Damp Location
Bluetooth

Dimmable using standard dimmer.
Lutron® CL dimmers are recommended.

HCO | Height from Center of Outlet
OAH | Overall Height

ET2 Contemporary Lighting collections artfully blend luxurious finishes, smooth surfaces, and bold angles with creative shapes and forms that transform ordinary rooms into exceptional spaces. The contemporary designs feature iridescent crystals, sculpted glass, and a strong base in minimalist design. These intelligent designs embrace advanced technology and modern styling, making impactful pieces that are accessible in everyday lighting.

ROBOTICA

This unique design features arms that branch in multiple directions, both rotating and pivoting that allows light to be directed where needed. The Black finish is a dramatic contrast to the V shaped acrylic diffuser which disperses light in two directions. A high powered LED light engine is fully dimmable for your desired light level.

ROBOTICA

• DC plugs on replaceable LED modules
Field adjustable configuration
Matte Black finish with opal white V-shaped acrylic lenses
3000k Color Temperature
Dimmable with Triac or ELV dimmers

E21246-BK
Pendant
A



E21244-BK
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21246	BK	8 x 7W PCB LED 3000K (Inte.)	38.25"L x 37"W x 27.25"H, 68.5"OAH	80+	3920	2500	LED

Finish: Black (BK)

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E21244	BK	5 x 7W PCB LED 3000K (Inte.)	36.5"L x 26.5"W x 19.75"H, 61"OAH	80+	2450	1600	LED

Finish: Black (BK)

PERPETUAL

Sweeping lines curve and curl in a continuous motion, finished in a rich Brushed Champagne. Not just a lighting fixture but a sculptural work of art. Gentle illumination moves in all directions for a dramatic lighting effect.



PERPETUAL

- Unique Brushed Champagne finish
- Dimmable with ELV dimmers
- Stainless steel construction

E20454-BCN
Pendant
A



E20456-BCN
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E20454	BCN	45.6W PCB LED 3000K (Inte.)	32"L x 32"W x 16.5"H, 136.5"OAH	90+	3190	1820	LED

Finish: Brushed Champagne (BCN)

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E20456	BCN	63.6W PCB LED 3000K (Inte.)	46"L x 46"W x 14.5"H, 140.25"OAH	90+	4450	2540	LED

Finish: Brushed Champagne (BCN)

BOBBLE

Numerous spheres of heavy Bubble Glass are suspended in an avant-garde fashion connected at various points with a contrasting red cord that creates an artistic impression of light. The Polished Chrome canopy reflects light from the integrated LED in a galaxy-like fashion.

BOBBLE

- Heavily aerated bubble glass of varying sizes
- Red PVC cord
- High Powered integrated LED
- Larger pendant is adjustable up to 12 feet
- Dimmable with ELV dimmers

E20656-91PC
Pendant
A



E20658-91PC
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E20656	91PC	16 x 1.5W PCB LED 3000K (Inte.)	23.5"L x 23.5"W x 48.5"H, 168"OAH	80+	2160	1680	LED

Finish: Bubble glass (91) Polished Chrome (PC)

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E20658	91PC	24 x 1.5W PCB LED 3000K (Inte.)	31.5"L x 31.5"W x 48.25"H, 193.75"OAH	80+	3240	2520	LED

Finish: Bubble glass (91) Polished Chrome (PC)

UNION

Intersecting rings for this large scale sculpture available in either vertical or horizontal configurations. Multiple high end finishes were used to blend in with today's eclectic interiors. The perfect fixture to fill a large space, this can also be installed against the wall as artwork.

UNION

- Rose Gold, Polished Brass, Chrome, and Black Chrome rings are internally illuminated
- Large scale design
- Dimmable with ELV dimmers



E20375-MPLT
Pendant
A



E20377-MPLT
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E20375	MPLT	65W PCB LED 3000K (Inte.)	39.5"L x 4.75"W x 46.75"H, 166.5"OAH	90+	4550	2600	LED

Finish: Multi-Plated (MPLT)

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E20377	MPLT	65W PCB LED 3000K (Inte.)	46.75"L x 4.75"W x 39.5"H, 159.25"OAH	90+	4550	2600	LED

Finish: Multi-Plated (MPLT)

GROOVE

Rings formed from U-shaped aluminum channel are finished in your choice of Black or Gold. These fixtures are Bluetooth enabled which allows you to tune the color temperature to match your mood or room décor.



GROOVE

- White Adjustable CCT 2700K – 6000K
- Diameters up to 40”
- Smart Life app recommended
- Dimmable with Triac wall or Bluetooth enabled device

E22724-BK, -GLD
Pendant
A





E22726-BK, **-GLD**
Pendant
B



E22720-BK, **-GLD**
Flush Mount
C





E22728-BK, -GLD
Pendant
D

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E22724	BK, GLD	27W PCB LED 2700-6000K (Inte.)	23.5"L x 23.5"W x 1.25"H, 123"OAH	90+	1890	800	
B	E22726	BK, GLD	35W PCB LED 2700-6000K (Inte.)	31.5"L x 31.5"W x 1.25"H, 123"OAH	90+	2450	1000	

Finish Options: Black (BK) Gold (GLD)

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E22720	BK, GLD	27W PCB LED 2700-6000K (Inte.)	24.5"L x 24.5"W x 3.25"H	90+	1890	800	
D	E22728	BK, GLD	41W PCB LED 2700-6000K (Inte.)	39.5"L x 39.5"W x 1.5"H, 123"OAH	90+	2870	1200	

Finish Options: Black (BK) Gold (GLD)

FUNGO

Classic contemporary shaped pendants are constructed with a uni-body design, where the bottom is a continuation of the top. A dramatic two-tone finish is available in your choice of Black/Satin Brass, Dark Gray/Coffee, or Satin Nickle/Black. The LED light source is concealed to reduce glare while providing ample light below.

PALLA

Spherical shaped pendants are constructed unibody design. A dramatic two-tone finish is available in your choice of Black/Satin Brass, Dark Gray/Coffee, or Satin Nickle/Black. The LED light source is concealed to reduce glare while providing ample light below.

FUNGO

- Fully enclosed shade left unopen inside
- Aluminum construction
- Two tone finish
- Driverless LED, dimmable with ELV dimmers

E24914-BKSBR, -DGCOF, **-SNBK**
Pendant

A



E24916-BKSBR, **-DGCOF**, -SNBK
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24914	BKSBR, DGCOF, SNBK	8W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 11"H, 135.25"OAH	90+	720	230	LED
B	E24916	BKSBR, DGCOF, SNBK	12W PCB LED 3000K (Inte.)	23.5"L x 23.5"W x 16.5"H, 136.25"OAH	90+	1080	310	LED

Finish options: Black/Satin Brass (BKSBR) Dark Gray/Coffee (DGCOF) Satin Nickel/Black (SNBK)

PALLA

- Finished on the bottom
- Aluminum construction
- Two tone finish
- Driverless LED, dimmable with ELV dimmers

E24924-DGCOF, -SBRCOF, **-**SNBK
Pendant

A



E24926-DGCOF, -SBRCOF, **-SNBK**
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24924	DGCOF, SBRCOF, SNBK	8W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 11.75"H, 135.75"OAH	90+	720	330	LED
B	E24926	DGCOF, SBRCOF, SNBK	12W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 14.5"H, 139"OAH	90+	1080	480	LED

Finish options: Dark Gray/Coffee (DGCOF) Satin Brass/Coffee (SBRCOF) Satin Nickel/Black (SNBK)

SWANK

Orbs of crystal Clear acrylic are trimmed with Natural Aged Brass or Polished Chrome band and frosted inside for excellent light diffusion. The bottom is dimpled for a unique optical effect.

SWANK

- Available in Natural Aged Brass or Polished Chrome
- Clear with Frosted interior Acrylic Orbs
- 3000K LED, CRI 80+
- Dimmable with CL Triac Dimmer

E24599-93NAB, **-93PC**
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24599	93NAB, 93PC	10 x 6W PCB LED 3000K (Integrated)	31.25"L x 12.5"W x 5.5"H, 127.5"OAH	80+	5610	4950	LED

Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)

SWANK

- Available in Natural Aged Brass or Polished Chrome
- Clear with Frosted interior Acrylic Orbs
- 3000K LED, CRI 80+
- Dimmable with CL Triac Dimmer

E24593-93NAB, **-93PC**
Pendant
A



E24598-93NAB, -93PC
Pendant
B



- Flush Mount Option

E24590-93NAB, -93PC
Wall/Flush Mount
C

E24591-93NAB, **-93PC**
Pendant
D



E24595-93NAB, -93PC
Pendant
E



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24593	93NAB, 93PC	3 x 6W PCB LED 3000K (Integrated)	11.75"W x 5.5"H, 127.5"OAH	80+	1440	1300	DIMMABLE LED
B	E24598	93NAB, 93PC	8 x 6W PCB LED 3000K (Integrated)	19"W x 5.5"H, 127.5"OAH	80+	3840	3450	DIMMABLE LED

Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E24590	93NAB, 93PC	1 x 6W PCB LED 3000K (Integrated)	4.75"W x 4.75"H x 6"Ext.	2.5"	80+	480	440	DIMMABLE LED DARK SKY
D	E24591	93NAB, 93PC	1 x 6W PCB LED 3000K (Integrated)	4.5"W x 5.5"H, 127.75"OAH		80+	480	440	DIMMABLE LED
E	E24595	93NAB, 93PC	5 x 6W PCB LED 3000K (Integrated)	15"W x 5.5"H, 127.5"OAH		80+	2400	2160	DIMMABLE LED

Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)

CONO

Elongated stems seamlessly transition in to a flared cone, creating a clean contemporary design. The Polished Chrome metal encases LED which illuminates the Clear glass cone for a crisp and clean lighting effect.

CONO

- Crystal Clear hand blown glass shades
- Dimmable with Triac or ELV dimmers



E21536-24PC
Pendant
B



E21535-24PC
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21535	24PC	3 x 15W PCB LED 3000K (Inte.)	49.75"L x 14"W x 24.75"H, 146"OAH	80+	4050	3600	LED
B	E21536	24PC	5 x 5W + 15W PCB LED 3000K (Inte.)	26"L x 26"W x 24.75"H, 146"OAH	80+	3150	2800	LED

Finish: Clear glass (24) Polished Chrome (PC)

CONO

- Crystal Clear hand blown glass shades
- Dimmable with Triac or ELV dimmers



E21530-24PC
Mini Pendant
A





E21533-24PC
Pendant
B

E21531-24PC
Wall Mount
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21530	24PC	5W PCB LED 3000K (Inte.)	8.5"L x 8.5"W x 18.5"H, 140.75"OAH	80+	350	280	LED
B	E21533	24PC	12W PCB LED 3000K (Inte.)	14"L x 14"W x 24.75"H, 146"OAH	80+	1080	960	LED

Finish: Clear glass (24) Polished Chrome (PC)

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E21531	24PC	5W PCB LED 3000K (Inte.)	8.5"W x 10.25"H x 9.25"Ext.	4.75"	80+	350	280	LED

Finish: Clear glass (24) Polished Chrome (PC)

FOCAL POINT

Satin White dome shaped glass suspend from yokes of Black, conceal a LED light source which projects light onto a horizontal round glass diffuser. The diffuser is etched with a clear reveal to better diffuse the light below.

FOCAL POINT

- Available in 2 sizes
- Dimmable with ELV dimmer to 10%
- Driverless LED, dimmable with ELV dimmers

E23332-92BK
Pendant
A



E23336-92BK
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23332	92BK	8W PCB LED 3000K (Inte.)	10"L x 10"W x 17.5"H, 138"OAH	90+	800	650	LED
B	E23336	92BK	15W PCB LED 3000K (Inte.)	15"L x 15"W x 19.5"H, 140.25"OAH	90+	1200	910	LED

Finish: Satin White glass (92) Black (BK)

TAYLOR

A clean update to the fixed rail track fixture, the Tailor features machined aluminum heads finished in Satin Nickel or Black that swivel to direct the light where it's needed most. Great for family rooms and multi-family applications.

TAYLOR

- High Lumen output LED light source
- Range voltage input 110V-277V
- Dimmable with ELV and 0-10V dimmers

E52004-BK, -SN, -WT
Track Light

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E52004	BK, SN, WT	4 x 7W PCB LED 3000K (Inte.)	34"L x 5"W x 5.75"H	90+	1820	1580	

Finish Options: Black (BK) Satin Nickel (SN) White (WT)

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BI40T8E12CL120V	I	E12	40	40W Incandescent E12 T8 120V Bulb Clear
	BI40T14E26CL120V	I	E26	40	40W Incandescent E26 T14 120V Bulb Clear
	BI40ST58E26CL120V	I	E26	40	40W Incandescent MB ST58 120V Bulb Clear
	BI60ST64E26CL120V	I	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BL4E12TCL120V27	L	E12	4	LED Filament 4W E12 Candelabra 2700K
	BL9E26FT120V30	L	E26	9	9W LED E26 3000K 120V Bulb Frost, T24 JA8 Compliant
	BL12E26FT120V30	L	E26	12	12W LED E26 3000K 120V Bulb Frost, T24 JA8 Compliant
	BL16E26FT120V30	L	E26	16	16W LED E26 3000K 120V Bulb Frost
	BL3-5A52E26CL120V22	L	E26	3.5	3.5W Dimmable LED A52 2200K 120V Bulb Clear
	BL3-5D40E26CL120V22	L	E26	3.5	3.5W Dimmable LED D40 2200K 120V Bulb Clear
	BL3-5G40E26CL120V22	L	E26	3.5	3.5W Dimmable LED G40 2200K 120V Bulb Clear
	BL3-5G40E26CL120V22	L	E26	3.5	3.5W Dimmable LED G40 2200K 120V Bulb Clear
	BL3-5ST64E26CL120V22	L	E26	3.5	3.5W Dimmable LED ST64 2200K 120V Bulb Clear
	BL5A50E26CL120V22	L	E26	5	5W Dimmable LED A50 2200K 120V Bulb Clear
	BL5BT56E26CL120V22	L	E26	5	5W Dimmable LED BT56 2200K 120V Bulb Clear
	BL5GU10FT120V30	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear, T24 JA8 Compliant
	BL9GU24FT120V30	L	GU24	9	9W Dimmable LED GU24 3000K 120V Bulb Frosted
	BL11GU24CL120V30	L	GU24	11	11W LED GU24 3000K 120V Clear
	BL1-2G4FT12V30	L	G4	1.2	1.2W LED DC AC 12V 3000K CRI80
	BL1-5G4CL12V	L	G4	1.5	1.5W LED G4 12V 3000K Bulb Clear
	BL1-5G4CLCOB12V	L	G4	1.5	1.5W LED COB 12V 3000K CRI80
	BL1-8G4CL12V	L	G4	1.8	1.8W LED DC AC 12V 3000K CRI80
	BL2G9CL120V30	L	G9	2	2W LED G9 3000K CRI80 Clear
	BL3G9CL120V30	L	G9	3	3W LED G9 3000K CRI80 Clear
	BL2-2G9FT120V30	L	G9	2.2	2.2W LED G9 3000K CRI80 Frost
	BL2-3G9CL120V35	L	G9	2.3	2.3W LED G9 3500K CRI80 Clear
	BL2-9G9CL120V27	L	G9	2.9	2.9W LED G9 2700K CRI80 Clear
	BL2-9G9CL120V35	L	G9	2.9	2.9W LED G9 3500K CRI80 Clear
	BL4G9CL120V830	L	G9	4	4W LED G9 3000K CRI90 Clear

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BL11PAR30CL120V30	L	PAR30	11	11W Dimmable LED PAR30 3000K 120V
	BL16PAR38CL120V30	L	PAR38	16	16W Dimmable LED PAR38 3000K 120V
	BL4MR11FT12V30	L	MR11	4	4W LED MR11 12V 3000K Bulb Frosted
	BL3MR16FLCL12V	L	MR16	3	3W LED MR16 3000K 12V Bulb Clear
	BL7MR16FLCL12V	L	MR16	7	7W LED MR16 3000K 12V Clear
	BX10G4CL12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BX10G4FT12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BX20G4CL12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BX20G4FT12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BX35G4CL12V	X	G4	35	35W Xenon Bi-Pin G4 12V Bulb Clear
	BX25G9CL12V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BX25G9FT120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BX40G9CL120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BX40G9FT120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BX50G9CL120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BX50G9FT120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BH50PAR20FTCL120V	H	E26	50	50W Halogen PAR20 120V Bulb Clear
	BH35GU10CL120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BH50GU10CL120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear

CF - Compact Fluorescent F - Fluorescent H - Halogen I - Incandescent L - LED X - Xenon

INDEX

E20375.....19
E20377.....20
E20454.....11
E20456.....12
E20656.....15
E20658.....16
E21244.....8
E21246.....7
E21530.....35
E21531.....36
E21533.....35
E21535.....34
E21536.....34
E22720.....24
E22724.....23
E22726.....23
E22728.....24
E23332.....38
E23336.....38
E24590.....32
E24591.....32
E24593.....31
E24595.....32
E24598.....31
E24599.....30
E24914.....27
E24916.....27
E24924.....28
E24926.....28
E52004.....40

FINISHES, GLASS

Code	Finish
BK	Black
BCN	Brushed Champagne
COF	Coffee
DG	Dark Gray
GLD	Gold
MPLT	Multi-Plated
NAB	Natural Aged Brass
PC	Polished Chrome
SBR	Satin Brass
SN	Satin Nickel
WT	White

Code	Glass
24	Clear
91	Bubble
92	Satin White
93	Clear/Frosted

Warranty and Other Information

- For specific and detailed warranty information, ask your ET2 Contemporary Lighting sales representative or visit www.et2online.com/warranty.
- ET2 Contemporary Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a echanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Lamps are not included unless otherwise noted.
- Printed in China

ET2 Contemporary Lighting is a trademark of Maxim Lighting International, Inc.
StarStrand and CounterMax are registered trademarks of Maxim Lighting International, Inc.
All designs, logos, products and images © Copyright 2020 ET2 Contemporary Lighting.
All Rights Reserved.

#ET2lighting

ET2 Contemporary Lighting™