



Contemporary Lighting™

Winter Release 2021



Contemporary Lighting™

COLLECTIONS

Blossom | 17

Bobble | 41

Cono | 37

Focal Point | 35

Fungo | 31

Groove | 13

Luminance | 59

Palla | 31

Perpetual | 27

Rinkle | 49

Robotica | 55

Rollo | 7

Signature | 11

Swank | 45

Taylor | 61

Tether | 1

Union | 23

MORE

Finishes | 68

Glass | 68

Index | 67

Lamping Guide | 65

Warranty | 68

LEGEND



ADA
Compliant



Adjustable



Energy
Efficient



Energy Star
Certified



Slope



Installs
Up or Down



LED



California
Title 24



For Wet Location



For Damp Location



Dimmable using standard dimmer.
Lutron® CL dimmers are recommended.

HCO | Height from Center of Outlet

OAH | Overall Height




TETHER

Tapered Antique Brass rings suspend from leather straps in this playful design. Within these rings, concealed LED light sources provide indirect light. This light casts light on neighboring rings while simultaneously illuminating the area above and below the fixture. Suitable for both modern and transitional settings.




TETHER

- Metal finished in Antique Brass
- Wire stitched within genuine Natural leather
- 3000K 90+ CRI
- Dimmable to 10% using ELV dimmer



E24085-NAB
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24085	NAB	106.6W PCB LED 3000K (Inte.)	59"L x 7.75"W x 19.75"H, 83"OAH	90+	4260	3200	  


Finish: Natural Aged Brass (NAB)





• Natural leather straps

E24084-NAB
Pendant
B




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
B E24084	NAB	81.2W PCB LED 3000K (Inte.)	44.5"L x 9"W x 19.75"H, 83"OAH	90+	3250	2440	  



Finish: Natural Aged Brass (NAB)

TETHER


- Metal finished in Antique Brass
- Wire stitched within genuine Natural leather
- 3000K 90+ CRI
- Dimmable to 10% using ELV dimmer



E24083-NAB
Pendant
A



E24081-NAB
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24083	NAB	59.6W PCB LED 3000K (Inte.)	34.25"L x 9"W x 19.75"H, 83"OAH	90+	2380	1790	  
B	E24081	NAB	24.5W PCB LED 3000K (Inte.)	22.75"L x 5.5"W x 19.75"H, 83"OAH	90+	980	740	  

Finish: Natural Aged Brass (NAB)






E24080-NAB

Wall Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
					HCO	CRI	INIT.	DEL.	
C	E24080	NAB	11.6W PCB LED 3000K (Inte.)	11.75"W x 20.75"H x 5"Ext.	3"	90+	460	350	

Finish: Natural Aged Brass (NAB)



ROLLO

A softer approach to modern lighting, this collection utilizes a hydro dipping technique to create an Antique Pecan finish with Matte Black accents. The LED integrated light source evenly illuminates a white polycarbonate lens that provides ample down-lighting wherever it is installed.




ROLLO

- Hydro-dipped wood finish
- Adjustable configuration
- 3000K 90+ CRI
- Dimmable to 10% using ELV dimmer



E24946-APBK
Pendant
A




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
					CRI	INIT. DEL.	
A	E24946	APBK	34W PCB LED 3000K (Inte.)	40.5"L x 2"W x 3.5"H, 124.25"OAH	90+	1700 1400	  
Finish: Antique Pecan/Black (APBK)							



E24943-APBK
Pendant

B




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
B E24943	APBK	240W PCB LED 3000K (Inte.)	28"L x 28"W x 6.5"H, 51.75"OAH	90+	3300	2800	  

Finish: Antique Pecan/Black (APBK)



SIGNATURE

Organic lines sweep across horizontally and terminate as if a signature was written in 3 dimensions. Finished in a rich Brushed Champagne or Black Chrome, this collection is as much a sculpture as it is a functional light source.




- Exclusive high end finish
- Neutral 3000K 90+ CRI
- Dimmable to 10% using ELV dimmer



E20468-BC, -BCN
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E20468	BC, BCN	63W PCB LED 3000K (Inte.)	41.25"L x 14.25"W x 11.75"H, 131.75"OAH	90+	4410	2520	  

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)



GROOVE

Rings formed from U-shaped aluminum channel are finished in your choice of Black or Gold. These fixtures are Bluetooth enabled which allows you to tune the color temperature to match your mood or room décor.






GROOVE


- White Adjustable CCT 2700K – 6000K
- Diameters up to 40"
- Smart Life app recommended
- Dimmable with Triac wall or Bluetooth enabled device



E22720-BK, -GLD
Flush Mount



E22729-BK, -GLD
Pendant





	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E22729	BK, GLD	160W PCB LED 2700-5000K (Inte.)	39.5"L x 39.5"W x 1.25"H, 123.5"OAH	90+	11,200	5000	
B	E22720	BK, GLD	27W PCB LED 2700-6000K (Inte.)	24.5"L x 24.5"W x 3.25"H	90+	1890	800	

Finish Options: Black (BK) Gold (GLD)



E22724-BK, -GLD
Pendant

C




E22726-BK, -GLD
Pendant

D



E22728-BK, -GLD
Pendant

E



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
C	E22724	BK, GLD	27W PCB LED 2700-6000K (Inte.)	23.5"L x 23.5"W x 1.25"H, 123"OAH	90+	1890	800	   
D	E22726	BK, GLD	35W PCB LED 2700-6000K (Inte.)	31.5"L x 31.5"W x 1.25"H, 123"OAH	90+	2450	1000	   
E	E22728	BK, GLD	41W PCB LED 2700-6000K (Inte.)	39.5"L x 39.5"W x 1.5"H, 123"OAH	90+	2870	1200	   

Finish Options: Black (BK) Gold (GLD)



BLOSSOM

A branched frame inspired by a close observation of nature. Finely engineered and designed in delicate detail, the soft Gold finish pairs with organically formed Morning Frost glass that is partially frosted to conceal the LED light source within. Contemporary in design and soft in nature, this collection complements both modern and transitional aesthetics.




BLOSSOM

- Cast alloy construction
- Molten textured glass
- G9 LED lamps included



E32798-93BK, -93NAB
Pendant

A



E32795-93BK, -93NAB
Pendant

B


	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E32798	93BK, 93NAB	10 x 4W G9 LED 3000K (Incl.)	24.75"L x 19.25"W x 37.5"H, 84.5"OAH	80+	5000	4000	
B	E32795	93BK, 93NAB	5 x 4W G9 LED 3000K (Incl.)	43.25"L x 35.75"W x 25.75"H, 72.75"OAH	80+	2500	2000	

Finish Options: Clear/Frosted glass (93) Black (BK) Natural Aged Brass (NAB)



E32797-93BK, -93NAB
Pendant

C




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
C E32797	93BK, 93NAB	10 x 4W G9 LED 3000K (Incl.)	70.5"L x 17.25"W x 19"H, 56.75"OAH	80+	5000	4000	  

Finish Options: Clear/Frosted glass (93) Black (BK) Natural Aged Brass (NAB)



E32790-93BK, -93NAB
Semi-Flush Mount

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E32790	93BK, 93NAB	3 x 4W G9 LED 3000K (Incl.)	27"L x 20"W x 18.5"H	80+	1500	1200	 LED

Finish Options: Clear/Frosted glass (93) Black (BK) Natural Aged Brass (NAB)

BLOSSOM


- Cast alloy construction
- Molten textured glass
- G9 LED lamps included



E32792-93BK, -93NAB

Wall Mount

B



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
				HCO	CRI	INIT.	DEL.	
B E32792	93BK, 93NAB	2 x 4W G9 LED 3000K (Incl.)	10.5"W x 18.75"H x 6.5"Ext.	12"	80+	1000	800	

Finish Options: Clear/Frosted glass (93) Black (BK) Natural Aged Brass (NAB)

UNION

Intersecting rings for this large scale sculpture available in either vertical or horizontal configurations. Multiple high end finishes were used to blend in with today's eclectic interiors. The perfect fixture to fill a large space, this can also be installed against the wall as artwork.






UNION

- Rose Gold, Polished Brass, Chrome, and Black Chrome rings are internally illuminated
- Large scale design
- Dimmable with ELV dimmers



E20375-MPLT
Pendant
A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E20375	MPLT	65W PCB LED 3000K (Inte.)	39.5"L x 4.75"W x 46.75"H, 166.5"OAH	90+	4550	2600	  

Finish: Multi-Plated (MPLT)



E20377-MPLT
Pendant

B



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
B E20377	MPLT	65W PCB LED 3000K (Inte.)	46.75"L x 4.75"W x 39.5"H, 159.25"OAH	90+	4550	2600	  

Finish: Multi-Plated (MPLT)



PERPETUAL

Sweeping lines curve and curl in a continuous motion, finished in a rich Brushed Champagne or Black Chrome. Not just a lighting fixture but a sculptural work of art. Gentle illumination moves in all directions for a dramatic lighting effect.




PERPETUAL

- Brushed Champagne or Black Chrome finish
- Dimmable with ELV dimmers
- Stainless steel construction



E20456-BC, -BCN
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E20456	BC, BCN	63W PCB LED 3000K (Inte.)	46.25"L x 27.25"W x 20.25"H, 140.25"OAH	90+	4410	2520	  

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E20455	BC, BCN	43W PCB LED 3000K (Inte.)	37"L x 14.25"W x 15.75"H, 135.25"OAH	90+	3010	1720	  
C	E20454	BC, BCN	45W PCB LED 3000K (Inte.)	32.25"L x 16.5"W x 16.5"H, 136.25"OAH	90+	3150	1800	  

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)





FUNGO

Classic contemporary shaped pendants are constructed with a uni-body design, where the bottom is a continuation of the top. A dramatic two-tone finish is available in your choice of Black/Satin Brass, Dark Gray/Coffee, or Satin Nickel/Black. The LED light source is concealed to reduce glare while providing ample light below.



PALLA


Spherical shaped pendants are constructed unibody design. A dramatic two-tone finish is available in your choice of Black/Satin Brass, Dark Gray/Coffee, or Satin Nickel/Black. The LED light source is concealed to reduce glare while providing ample light below.

FUNGO


- Fully enclosed shade left unopen inside
- Aluminum construction
- Two tone finish
- Driverless LED, dimmable with ELV dimmers



E24914-BKSBR, -DGCOF, -SNBK
Pendant



E24916-BKSBR, -DGCOF, -SNBK
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24914	BKSBR, DGCOF, SNBK	8W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 11"H, 135.25"OAH	90+	720	230	①
B	E24916	BKSBR, DGCOF, SNBK	12W PCB LED 3000K (Inte.)	23.5"L x 23.5"W x 16.5"H, 136.25"OAH	90+	1080	310	①

Finish options: Black/Satin Brass (BKSBR) Dark Gray/Coffee (DGCOF) Satin Nickel/Black (SNBK)


- Finished on the bottom
- Aluminum construction
- Two tone finish
- Driverless LED, dimmable with ELV dimmers



E24924-DGCOF, -SBRCOF, -SNBK

Pendant


A



E24926-DGCOF, -SBRCOF, -SNBK

Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24924	DGCOF, SBRCOF, SNBK	8W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 11.75"H, 135.75"OAH	90+	720	330	  ①
B	E24926	DGCOF, SBRCOF, SNBK	12W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 14.5"H, 139"OAH	90+	1080	480	  ①

Finish options: Dark Gray/Coffee (DGCOF) Satin Brass/Coffee (SBRCOF) Satin Nickel/Black (SNBK)



FOCAL POINT

Satin White dome shaped glass suspend from yokes of Black, conceal a LED light source which projects light onto a horizontal round glass diffuser. The diffuser is etched with a clear reveal to better diffuse the light below.




FOCAL POINT

- Available in 2 sizes
- Dimmable with ELV dimmer to 10%
- Driverless LED, dimmable with ELV dimmers




E23332-92BK
Pendant

A



E23336-92BK
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E23332	92BK	8W PCB LED 3000K (Inte.)	10"L x 10"W x 17.5"H, 138"OAH	90+	800	650	
B	E23336	92BK	15W PCB LED 3000K (Inte.)	15"L x 15"W x 19.5"H, 140.25"OAH	90+	1200	910	

Finish: Satin White glass (92) Black (BK)

CONO



Elongated stems seamlessly transition in to a flared cone, creating a clean contemporary design. The Polished Chrome metal encases LED which illuminates the Clear glass cone for a crisp and clean lighting effect.





CONO

- Crystal Clear hand blown glass shades
- Dimmable with Triac or ELV dimmers




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information
A	E21535	24PC	3 x 15W PCB LED 3000K (Inte.)	49.75"L x 14"W x 24.75"H, 146"OAH	80+ 4050 3600	
B	E21536	24PC	4 x 5W + 1 x 15W PCB LED 3000K (Inte.)	26"L x 26"W x 24.75"H, 146"OAH	80+ 3150 2800	

Finish: Clear glass (24) Polished Chrome (PC)

CONO

- Crystal Clear hand blown glass shades
- Dimmable with Triac or ELV dimmers




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21530	24PC	5W PCB LED 3000K (Inte.)	8.5"L x 8.5"W x 18.5"H, 140.75"OAH	80+	350	280	
B	E21533	24PC	12W PCB LED 3000K (Inte.)	14"L x 14"W x 24.75"H, 146"OAH	80+	1080	960	

Finish: Clear glass (24) Polished Chrome (PC)



E21531-24PC
Wall Mount


C



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
				HCO	CRI	INIT.	DEL.	
C E21531	24PC	5W PCB LED 3000K (Inte.)	8.5"W x 10.25"H x 9.25"Ext.	4.75"	80+	350	280	   

Finish: Clear glass (24) Polished Chrome (PC)





BOBBLE


Numerous spheres of heavy Bubble Glass are suspended in an avant-garde fashion connected at various points with a contrasting red cord that creates an artistic impression of light. The Polished Chrome canopy reflects light from the integrated LED in a galaxy-like fashion.

BOBBLE

- Heavily aerated bubble glass of varying sizes
- Red PVC cord
- High Powered integrated LED
- Larger pendant is adjustable up to 12 feet
- Dimmable with ELV dimmers



E20656-91PC
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E20656	91PC	16 x 1.5W PCB LED 3000K (Inte.)	23.5"L x 23.5"W x 48.5"H, 168"OAH	80+	2160	1680	  

Finish: Bubble glass (91) Polished Chrome (PC)






E20658-91PC
Pendant

B

31.5"



48.25"



31.5"

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E20658	91PC	24 x 1.5W PCB LED 3000K (Inte.)	31.5"L x 31.5"W x 48.25"H, 193.75"OAH	80+	3240	2520	  

Finish: Bubble glass (91) Polished Chrome (PC)



SWANK


Orbs of crystal Clear acrylic are trimmed with Natural Aged Brass or Polished Chrome band and frosted inside for excellent light diffusion. The bottom is dimpled for a unique optical effect.

- Available in Natural Aged Brass or Polished Chrome
- Clear with Frosted interior Acrylic Orbs
- 3000K LED, CRI 80+
- Dimmable with CL Triac Dimmer



E24599-93NAB, -93PC
Pendant

A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24599	93NAB, 93PC	10 x 6W PCB LED 3000K (Integrated)	31.25"L x 12.5"W x 5.5"H, 127.5"OAH	80+	5610	4950	  

Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)


SWANK

- Available in Natural Aged Brass or Polished Chrome
- Clear with Frosted interior Acrylic Orbs
- 3000K LED, CRI 80+
- Dimmable with CL Triac Dimmer

E24593-93NAB, -93PC
Pendant



E24598-93NAB, -93PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E24593	93NAB, 93PC	3 x 6W PCB LED 3000K (Integrated)	11.75"W x 5.5"H, 127.5"OAH	80+	1440	1300	
B	E24598	93NAB, 93PC	8 x 6W PCB LED 3000K (Integrated)	19"W x 5.5"H, 127.5"OAH	80+	3840	3450	



Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)



• Flush Mount Option




E24590-93NAB, -93PC
Wall/Flush Mount



E24591-93NAB, -93PC
Pendant



E24595-93NAB, -93PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional
							INIT.	DEL.	Information
C	E24590	93NAB, 93PC	1 x 6W PCB LED 3000K (Integrated)	4.75"W x 4.75"H x 6"Ext.	2.5"	80+	480	440	  
D	E24591	93NAB, 93PC	1 x 6W PCB LED 3000K (Integrated)	4.5"W x 5.5"H, 127.75"OAH		80+	480	440	  
E	E24595	93NAB, 93PC	5 x 6W PCB LED 3000K (Integrated)	15"W x 5.5"H, 127.5"OAH		80+	2400	2160	  

Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)



RINKLE

Sheets of clear Pattern Acrylic are formed by hand to create this very unique lighting sculpture. Each sheet is illuminated by an LED strip on top and the pattern in the acrylic picks up the light for visibility. Each fixture will be unique in that the forming of acrylic is done by hand and will vary.


RINKLE

- Hand formed acrylic panes
- Polished Chrome metalwork
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner



E24878-133PC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24878	133PC	32.5W PCB LED 3000K (Integrated)	35.5"L x 23.5"W x 15.75"H, 135.5"OAH	90+	2600	1820	  

Finish: Patterned Acrylic (133) Polished Chrome (PC)


RINKLE

- Hand formed acrylic panes
- Polished Chrome metalwork
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner



E24873-133PC
Pendant


A



NEW

E24874-133PC
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24873	133PC	36W PCB LED 3000K (Integrated)	52"L x 14.25"W x 15.75"H, 135.5"OAH	90+	2880	2000	  
B	E24874	133PC	7.2W PCB LED 3000K (Integrated)	15.75"L x 15.75"W x 15.75"H, 135.25"OAH	90+	504	290	  

Finish: Patterned Acrylic (133) Polished Chrome (PC)





E24877-133PC
Pendant



E24875-133PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
C	E24877	133PC	58.5W PCB LED 3000K (Integrated)	27.5"L x 27.5"W x 14"H, 133.75"OAH	90+	4095	2320	
D	E24875	133PC	25W PCB LED 3000K (Integrated)	21.5"L x 21.5"W x 14"H, 133.75"OAH	90+	2000	900	


Finish: Patterned Acrylic (133) Polished Chrome (PC)

RINKLE

- Hand formed acrylic panes
- Polished Chrome metalwork
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner



E24871-133PC
Wall Mount



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information	
				HCO	CRI	INIT.	DEL.		
A	E24871	133PC	4.2W PCB LED 3000K (Integrated)	10"W x 15.5"H x 3.25"Ext.	7.75"	90+	336	230	   

Finish: Patterned Acrylic (133) Polished Chrome (PC)



E24879-133PC
Floor Lamp



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
B E24879	133PC	30W PCB LED 3000K (Integrated)	29.5"L x 29.5"W x 55"H	90+	2100	1000	

Finish: Patterned Acrylic (133) Polished Chrome (PC)

ROBOTICA

This unique design features arms that branch in multiple directions, both rotating and pivoting that allows light to be directed where needed. The Black finish is a dramatic contrast to the V shaped acrylic diffuser which disperses light in two directions. A high powered LED light engine is fully dimmable for your desired light level.






ROBOTICA

- DC plugs on replaceable LED modules
- Field adjustable configuration
- Matte Black finish with opal white V-shaped acrylic lenses
- 3000k Color Temperature
- Dimmable with Triac or ELV dimmers



E21246-BK
Pendant
A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E21246	BK	8 x 7W PCB LED 3000K (Inte.)	38.25"L x 37"W x 27.25"H, 68.5"OAH	80+	3920	2500	  ① ⑨⑨
Finish: Black (BK)							



E21244-BK
Pendant

B



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
B E21244	BK	5 x 7W PCB LED 3000K (Inte.)	36.5"L x 26.5"W x 19.75"H, 61"OAH	80+	2450	1600	   

Finish: Black (BK)



LUMINANCE

A flexible LED mirror that allows for both vertical and horizontal installation with an endless length configuration. LED light bars projecting 50% more light than your typical concealed light source match the exact dimensions of selected mirror lengths and suspend them to the wall. Additional light bars can be added to create wider mirror lengths broken up by the light source. A remote driver was created to fit within standard junction boxes for convenient installation. This economical LED mirror kit can be configured to your space requirements.

- Easy to install mirror bracket
- Requires 4" outlet box with wall switching
- Dimmable to 10% using ELV dimmer

Easily customizable mirror kit system
Installs vertically or horizontally

Step 1



Step 2



Step 3



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
					INIT.	DEL.	
E42080	90PC	2 x 14W PCB LED 3000K (Inte.)	30"W x 24"H Mirror	90+	2160	1052	  Includes 1xEMB2430-SV, 2xELB24-PC, 1xEDRV30
E42082	90PC	2 x 18W PCB LED 3000K (Inte.)	24"W x 30"H Mirror	90+	2640	1404	  Includes 1xEMB2430-SV, 2xELB30-PC, 1xEDRV30
E42084	90PC	2 x 18W PCB LED 3000K (Inte.)	36"W x 30"H Mirror	90+	2640	1404	  Includes 1xEMB3036-SV, 2xELB30-PC, 1xEDRV30
E42086	90PC	2 x 20W PCB LED 3000K (Inte.)	30"W x 36"H Mirror	90+	3240	1584	  Includes 1xEMB3036-SV, 2xELB36-PC, 1xEDRV30

Finish: Frosted glass (90) Polished Chrome (PC)



LUMINANCE

- Easy to install mirror bracket
- Requires 4" outlet box with wall switching
- Dimmable to 10% using ELV dimmer



EMB3036-SV
Mirror
A



EMB2430-SV
Mirror
B



EDRV30
Driver
F



ELB24-PC
LED Light Bar
C



ELB30-PC
LED Light Bar
D



ELB36-PC
LED Light Bar
E

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	EMB3036	SV		30"W x 36"H				
B	EMB2430	SV		24"W x 30"H				
C	ELB24	PC	10.8W PCB LED 3000K (Inte.)	24"L	90+	1080	526	  
D	ELB30	PC	13.2W PCB LED 3000K (Inte.)	30"L	90+	1320	702	  
E	ELB36	PC	16.2W PCB LED 3000K (Inte.)	36"L	90+	1620	792	  
F	EDRV30			3"W x 3"H x 1.25"Ext.				12V, 30W Driver

Finish: Silver (SV) Polished Chrome (PC)





TAYLOR


A clean update to the fixed rail track fixture, the Taylor features machined aluminum heads finished in Satin Nickel or Black that swivel to direct the light where it's needed most. Great for family rooms and multi-family applications.



- High Lumen output LED light source
- Range voltage input 110V-277V
- Dimmable with ELV and 0-10V dimmers



E52004-BK, -SN, -WT
Track Light



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E52004	BK, SN, WT	4 x 7W PCB LED 3000K (Inte.)	34"L x 5"W x 5.75"H	90+	1820	1580	    

Finish Options: Black (BK) Satin Nickel (SN) White (WT)

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BL4E12TCL120V27	L	E12	4	LED Filament 4W E12 Candelabra 2700K
	BL9E26FT120V30	L	E26	9	9W LED E26 3000K 120V Bulb Frost, T24 JA8 Compliant
	BL12E26FT120V30	L	E26	12	12W LED E26 3000K 120V Bulb Frost, T24 JA8 Compliant
	BL16E26FT120V30	L	E26	16	16W LED E26 3000K 120V Bulb Frost
	BL3-5A52E26CL120V22	L	E26	3.5	3.5W Dimmable LED A52 2200K 120V Bulb Clear
	BL3-5D40E26CL120V22	L	E26	3.5	3.5W Dimmable LED D40 2200K 120V Bulb Clear
	BL3-5G40E26CL120V22	L	E26	3.5	3.5W Dimmable LED G40 2200K 120V Bulb Clear
	BL3-5G40E26CL120V22	L	E26	3.5	3.5W Dimmable LED G40 2200K 120V Bulb Clear
	BL3-5ST64E26CL120V22	L	E26	3.5	3.5W Dimmable LED ST64 2200K 120V Bulb Clear
	BL5A50E26CL120V22	L	E26	5	5W Dimmable LED A50 2200K 120V Bulb Clear
	BL5BT56E26CL120V22	L	E26	5	5W Dimmable LED BT56 2200K 120V Bulb Clear
	BL5GU10FT120V30	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear, T24 JA8 Compliant
	BL9GU24FT120V30	L	GU24	9	9W Dimmable LED GU24 3000K 120V Bulb Frosted
	BL1-2G4FT12V30	L	G4	1.2	1.2W LED DC AC 12V 3000K CRI80
	BL1-5G4CL12V	L	G4	1.5	1.5W LED G4 12V 3000K Bulb Clear
	BL1-5G4CLCOB12V	L	G4	1.5	1.5W LED COB 12V 3000K CRI80
	BL1-8G4CL12V	L	G4	1.8	1.8W LED DC AC 12V 3000K CRI80
	BL2G9CL120V30	L	G9	2	2W LED G9 3000K CRI80 Clear
	BL3G9CL120V30	L	G9	3	3W LED G9 3000K CRI80 Clear
	BL2-2G9FT120V30	L	G9	2.2	2.2W LED G9 3000K CRI80 Frost
	BL2-3G9CL120V35	L	G9	2.3	2.3W LED G9 3500K CRI80 Clear
	BL2-9G9CL120V27	L	G9	2.9	2.9W LED G9 2700K CRI80 Clear
	BL2-9G9CL120V35	L	G9	2.9	2.9W LED G9 3500K CRI80 Clear
	BL4G9CL120V830	L	G9	4	4W LED G9 3000K CRI90 Clear

Linedrawings	Item	Type	Base	Watt	Description
	BL11PAR30CL120V30	L	PAR30	11	11W Dimmable LED PAR30 3000K 120V
	BL3MR16FLCL12V	L	MR16	3	3W LED MR16 3000K 12V Bulb Clear
	BL7MR16FLCL12V	L	MR16	7	7W LED MR16 3000K 12V Clear
	BX10G4CL12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BX10G4FT12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BX20G4CL12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BX20G4FT12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BX35G4CL12V	X	G4	35	35W Xenon Bi-Pin G4 12V Bulb Clear
	BX25G9CL12V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BX25G9FT120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BX40G9CL120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BX40G9FT120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BX50G9CL120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BX50G9FT120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BH50PAR20FTCL120V	H	E26	50	50W Halogen PAR20 120V Bulb Clear
	BH35GU10CL120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BH50GU10CL120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear

CF - Compact Fluorescent F - Fluorescent H - Halogen I - Incandescent L - LED X - Xenon

INDEX

E20375.....	25	E24591.....	48	EDRV30.....	62
E20377.....	26	E24593.....	47	ELB24.....	62
E20454.....	30	E24595.....	48	ELB30.....	62
E20455.....	30	E24598.....	47	ELB36.....	62
E20456.....	29	E24599.....	46	EMB2430.....	62
E20468.....	12	E24871.....	53	EMB3036.....	62
E20656.....	43	E24873.....	51		
E20658.....	44	E24874.....	51		
E21244.....	58	E24875.....	52		
E21246.....	57	E24877.....	52		
E21530.....	39	E24878.....	50		
E21531.....	40	E24879.....	54		
E21533.....	39	E24914.....	33		
E21535.....	38	E24916.....	33		
E21536.....	38	E24924.....	34		
E22720.....	15	E24926.....	34		
E22724.....	16	E24943.....	10		
E22726.....	16	E24946.....	9		
E22728.....	16	E32790.....	21		
E22729.....	15	E32792.....	22		
E23332.....	36	E32795.....	19		
E23336.....	36	E32797.....	20		
E24080.....	6	E32798.....	19		
E24081.....	5	E42080.....	60		
E24083.....	5	E42082.....	60		
E24084.....	4	E42084.....	60		
E24085.....	3	E42086.....	60		
E24590.....	48	E52004.....	64		

FINISHES, GLASS, SHADE

Code	Finish
AP	Antique Pecan
BC	Black Chrome
BCN	Brushed Champagne
BK	Black
COF	Coffee
DG	Dark Gray
GLD	Gold
MPLT	Multi-Plated
NAB	Natural Aged Brass
PC	Polished Chrome
PN	Polished Nickel
SBR	Satin Brass
SN	Satin Nickel
SV	Silver
WT	White

Code	Glass
24	Clear
90	Frosted
91	Bubble
92	Satin White
93	Clear/Frosted
133	Patterned Acrylic

Warranty and Other Information

- For specific and detailed warranty information, ask your ET2 Contemporary Lighting sales representative or visit www.et2online.com/warranty.
- ET2 Contemporary Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Lamps are not included unless otherwise noted.
- Printed in China



ET2 Contemporary Lighting is a trademark of Maxim Lighting International, Inc.
 StarStrand and CounterMax are registered trademarks of Maxim Lighting International, Inc.
 All designs, logos, products and images © Copyright 2021 ET2 Contemporary Lighting.
 All Rights Reserved.

#ET2lighting



LETCAT2101
\$5.00



A MAXIM GROUP COMPANY

#ET2lighting

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 626.956.4226

Dallas Trade Mart: 214.748.8455
Showroom: 3901
Email: info@et2online.com
Web: www.et2online.com



ET2 Contemporary Lighting and all designs,
logos and images © 2021 ET2 Contemporary
Lighting. All Rights Reserved.