

ET2

2022 WINTER SUPPLEMENT



Contemporary Lighting™

COLLECTIONS

Alcove | 61
Alumilux Aster | 35
Alumilux Cube | 80
Alumilux Facet | 81
Alumilux Glow | 73
Alumilux Line | 67
Alumilux Majik | 74
Alumilux Outline | 79
Alumilux Prime | 65
Alumilux Spartan | 82
Alumilux Tau | 77
Alumilux Tilt | 78
Axle | 7
Baritone | 53
Blok | 75
Clutch | 45
Diaphane | 13
Dorian | 49
Hover | 27
iCorona | 41
Interval | 11
iQ | 43
Mobius | 37
Modular | 69
Mona | 47
Pendulum | 9
Pipette | 17
Pleat | 1
Rampart | 55
Reeds | 3
Rune | 63
Soprano | 51
Telstar | 23
Torch | 21
Tower | 59

MORE

Finishes | 84
Glass | 84
Index | 83
Warranty | 84

LEGEND

ADA Compliant

Adjustable

Energy Efficient

Energy Star Certified

Slope

Installs Up or Down

LED

California Title 24

For Wet Location

For Damp Location

Dimmable using standard dimmer. Lutron® CL dimmers are recommended.

HCO | Height from Center of Outlet
OAH | Overall Height



PLEAT

Pleated cylinders shades formed by White plaster cast molds are contrasted with matte Black hardware to provide a crisp, contemporary design. JA8 Listed LED GU10 lamps included that brightly illuminate spaces below with excellent color rendering. A surface mount option features a joint that can be positioned to direct the light. The joint is made so that it can function on both wall and ceiling applications, with the added feature of directing the shades to exact positions required.




PLEAT

- Cast White Plaster shades with pleated texture
- Dimmable LED GU10 lamps provided, JA8 Listed
- Adjustable joint on surface mount configuration directs light
- Two tone White plaster with Black accents



E25039-WTBK
Wall/Flush Mount


A





E25038-WTBK
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25039	WTBK	1 x 7W GU10 LED 3000K (Incl.)	3.25"W x 6"H	90+	810	700	JA8 bulb (Incl.)
B	E25038	WTBK	1 x 7W GU10 LED 3000K (Incl.)	3.25"L x 3.25"W x 12.5"H, 131.75"OAH	90+	490	450	JA8 bulb (Incl.)

Finish: White/Black (WTBK)

REEDS

Reeded glass tubes are matched to ribbed aluminum LED housings in a Gold finish. The glass shades feature an internal frosted glass diffuser that soften the high-powered LED boards concealed above. These low-voltage light sources are powered by a commercially rated range voltage LED driver with universal dimming that enables the product to function in both residential and decorative commercial or hospitality applications.






REEDS



- Dual glass shades with Interior frosted glass
- Clear Reeded glass exterior
- Ribbed aluminum housings in Gold finish
- Range voltage drivers with universal dimming
- Dimmable LED light source, 3000K Color Temperature
- Single and Multi-light pendants configurations

E11019-144GLD
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11019	144GLD	12 x 5W PCB LED 3000K (Inte.)	22.5"L x 22.5"W x 17"H, 140"OAH	90+	5400	3840	

Finish: Clear Ribbed glass (144) Gold (GLD)


REEDS

- Dual glass shades with Interior frosted glass
- Clear Reeded glass exterior
- Ribbed aluminum housings in Gold finish
- Range voltage drivers with universal dimming
- Dimmable LED light source, 3000K Color Temperature
- Single and Multi-light pendants configurations



E11015-144GLD
Pendant

A




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11015	144GLD	5 x 5W PCB LED 3000K (Inte.)	13.75"L x 13.75"W x 17"H, 140"OAH	90+	2250	1600	

Finish: Clear Ribbed glass (144) Gold (GLD)




E11013-144GLD
Pendant
B





E11011-144GLD
Pendant
C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E11013	144GLD	3 x 5W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 17"H, 140"OAH	90+	1350	960	
C	E11011	144GLD	1 x 5W PCB LED 3000K (Inte.)	2.25"L x 2.25"W x 17"H, 140"OAH	90+	500	400	

Finish: Clear Ribbed glass (144) Gold (GLD)

AXLE

Suspended by an axle of Gold pins, a Clear glass orb is illuminated with a sleek continuing line of evenly diffused LED in a white acrylic cylinder. The elongated nature of the Gold metalwork is elegantly vertical in size with a pop of playful interest and light. Available as a hanging pendant or oversized wall sconce, the dramatic two-tone design provides interest and functional light.






AXLE

- Plated Gold finish
- Clear glass
- Innovative LED tube encased in white glass
- CRI 90+, 3000K
- Dimmable with both Triac and Electric Low Voltage Dimmers
- Available as a hanging pendant and large sized wall sconce




E11040-24GLD
Pendant
A





E11041-24GLD
Wall Mount
B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11040	24GLD	11.2W PCB LED 3000K (Inte.)	8"L x 8"W x 22"H, 144"OAH		90+	1050	950	
B	E11041	24GLD	10W PCB LED 3000K (Inte.)	8"W x 15.75"H x 9"Ext.	8"	90+	900	720	

Finish: Clear glass (24) Glod (GLD)



PENDULUM


A trio of flat metal panels finished in Brushed Bronze encase a Satin White opal glass shade. Within the glass a conveniently replaceable G9 LED lamp is provided.

PENDULUM

- Black finish
- Satin White glass
- LED G9 bulb included



E11090-92BK
Mini Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11090	92BK	4W G9 LED 3000K (Incl.)	7.5"L x 7.5"W x 16.5"H, 136.75"OAH	90+	450	380	

Finish: Satin White glass (92) Black (BK)



INTERVAL


Three sizes stainless steel intersecting panels in ellipses and spheres are illuminated by a double raceway of dedicated LED light strips. An additional LED light source directs light downward. Stylishly finished in brushed Satin Brass or Matte Black, these sculptural lighting elements complement an architectural environment adding interest and functional light.

INTERVAL

- Available in Matte Black and brushed Satin Brass finishes
- Dedicated LED light source
- CRI 90+, 3000K
- 120-277V range voltage input
- Dimmable at 120V with ELV dimmers





E21486-BK, -SBR
Pendant
A





E21484-BK, **-SBR**
Pendant
B





E21482-BK, -SBR
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21486	BK, SBR	35W PCB LED 3000K (Inte.)	9.75"L x 9.75"W x 14.25"H, 59.25"OAH	90+	2450	1750	
B	E21484	BK, SBR	26W PCB LED 3000K (Inte.)	7.75"L x 7.75"W x 12.25"H, 57.25"OAH	90+	1820	1300	
C	E21482	BK, SBR	18W PCB LED 3000K (Inte.)	8"L x 7.75"W x 8.25"H, 53.25"OAH	90+	1260	900	

Finish Options: Black (BK) Satin Brass (SBR)

DIAPHANE


Hexagonal tubes of various lengths terminate at blocks of naturally translucent rock crystal. Each stone varies in diaphaneity making a unique display of refracted light. Available in a plated soft Gold or Matte Black, this luxurious LED pendant light cluster enhances the beauty of the natural material.






DIAPHANE

- Available in Matte Black and plated Gold finishes
- Dedicated LED light source
- CRI 90+, 3000K





E11032-95BK, -95GLD
Pendant


A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11032	95BK, 95GLD	12 x 5W PCB LED 3000K (Inte.)	27.5"L x 27.5"W x 23.75"H, 145"OAH	90+	5200	4200	

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)

DIAPHANE

- Available in Matte Black and plated Gold finishes
- Dedicated LED light source
- CRI 90+, 3000K



E11023-95BK, **-95GLD**
Pendant
A




E11029-95BK, -95GLD
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11023	95BK, 95GLD	3 x 5W PCB LED 3000K (Inte.)	9.75"L x 9.75"W x 23.75"H, 147"OAH	90+	1200	540	
B	E11029	95BK, 95GLD	9 x 5W PCB LED 3000K (Inte.)	15"L x 15"W x 32.5"H, 147"OAH	90+	4000	3860	

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)




E11020-95BK, **-95GLD**
Pendant
C






E11021-95BK, **-95GLD**
Pendant
D





E11022-95BK, -95GLD
Pendant
E



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E11020	95BK, 95GLD	5W PCB LED 3000K (Inte.)	1.5"W x 15.75"H, 133.75"OAH	90+	450	300	
D	E11021	95BK, 95GLD	5W PCB LED 3000K (Inte.)	1.5"W x 19.75"H, 137.75"OAH	90+	450	300	
E	E11022	95BK, 95GLD	5W PCB LED 3000K (Inte.)	1.5"W x 23.75"H, 141.75"OAH	90+	450	300	

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)

PIPETTE

Slender Clear glass tubes sheath a Polished Chrome rod that supports a small and bright LED lamp. The glass is etched at a bisecting line where the lamp illuminates to softly diffuse the light. This reduces any glare while brightly and provides even illumination both outward and below. Available in two tube lengths, the pendants are also available in multiples to create a modern candle-like cluster. An additional surface mounted option supports the glass on a structure that allows it to hang freely for use as a ceiling flush mounted fixture or sharp 90 degree suspension of the glass when mounted to a wall. JA8 Listed LED G9 lamps in 3000K are provided for convenience and energy efficiency.






PIPETTE

- Available in 12” and 18” glass tube lengths
- Clear glass with etched bottom half to reduce glare
- Dimmable LED G9 lamps provided, JA8 Listed
- Single and Multi-light pendants configurations





E31099-93PC
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E31099	93PC	17 X 4W G9 LED 3000K (Incl.)	47.25"L x 23.5"W x 18"H, 138"OAH	90+	7650	5000	JA8 bulb (Incl.)

Finish: Clear/Frosted glass (93) Polished Chrome (PC)

PIPETTE


- Available in 12” and 18” glass tube lengths
- Clear glass with etched bottom half to reduce glare
- Dimmable LED G9 lamps provided, JA8 Listed
- Single and Multi-light pendants configurations





E31093-93PC
Pendant
A






E31095-93PC
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E31093	93PC	3 X 4W G9 LED 3000K (Incl.)	11.75"L x 11.75"W x 12"H, 138"OAH	90+	1350	950	JA8 bulb (Incl.)
B	E31095	93PC	3 X 4W G9 LED 3000K (Incl.)	11.75"L x 11.75"W x 18"H, 138"OAH	90+	1350	950	JA8 bulb (Incl.)

Finish: Clear/Frosted glass (93) Polished Chrome (PC)




E31091-93PC
Pendant
C






E31092-93PC
Pendant
D





E31090-93PC
Wall Mount
E



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E31091	93PC	1 X 4W G9 LED 3000K (Incl.)	1.25"L x 1.25"W x 12"H, 138"OAH		90+	450	350	JA8 bulb (Incl.)
D	E31092	93PC	1 X 4W G9 LED 3000K (Incl.)	1.25"L x 1.25"W x 18"H, 138"OAH		90+	450	350	JA8 bulb (Incl.)
E	E31090	93PC	1 X 4W G9 LED 3000K (Incl.)	4.75"W x 13.25"H x 4"Ext.	2.25"	90+	450	350	JA8 bulb (Incl.)

Finish: Clear/Frosted glass (93) Polished Chrome (PC)




TORCH

Machined Aluminum tubes of Black, Polished Chrome, or Brass suspend within clear glass overlays. An LED GU10 bulb is recessed within the metal tube providing great directional lighting. Available as a single pendant or as a 4-Light linear pendant and compatible with the 120V canopy kits sold separately.

TORCH


- Available in 3 finishes: Satin Brass, matte Black, and Polished Chrome
- Clear glass shade overlays
- JA8 Compliant LED GU10 bulb included
- CRI 90+, 3000K





E11004-24BK, -24PC, -24SBR
Linear Pendant
B





E11000-24BK, -24PC, **-24SBR**
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11000	24BK, 24PC, 24SBR	1 x 7W GU10 LED 3000K (Incl.)	2.5"W x 14.75"H, 136"OAH	90+	700	450	
B	E11004	24BK, 24PC, 24SBR	4 x 7W GU10 LED 3000K (Incl.)	28"L x 6"W x 14.75"H, 136"OAH	90+	2200	1280	

Finish Options: Clear glass (24) Black (BK) Polished Chrome (PC) Satin Brass (SBR)



TELSTAR

Translucent acrylic panels dotted to guide indirect LED strips integrated into the body of the fixture. The angular forms of the pendants create a strikingly modern display of light that is both airy and voluminous. An additional LED GU10 bulb is recessed at the bottom of the fixture for additional functional light. Available in Satin Brass or Matte Black finishes.








TELSTAR

- Available in Natural Aged Brass or Matte Black
- Translucent acrylic light guide panels
- CRI 90+, 3000K
- 120-277V range voltage input
- Dimmable at 120V with ELV dimmers



E25132-133BK, **-133NAB**
Pendant
A




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25132	133BK, 133NAB	47W PCB LED 3000K (Inte.)	26"L x 26"W x 18"H, 61.25"OAH	90+	3760	1880	


Finish Options: Patterned Acrylic (133) Black (BK) Natural Aged Brass (NAB)



E25136-133BK, **-133NAB**
Pendant
B







E25134-133BK, -133NAB
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E25136	133BK, 133NAB	55W PCB LED 3000K (Inte.)	22"L x 22"W x 30"H, 73.25"OAH	90+	4400	2450	
C	E25134	133BK, 133NAB	49W PCB LED 3000K (Inte.)	18.25"L x 18.25"W x 24"H, 67.25"OAH	90+	3920	1960	

Finish Options: Patterned Acrylic (133) Black (BK) Natural Aged Brass (NAB)



HOVER

Minimalist batons of extruded Black aluminum are fitted with V shaped acrylic diffusers for a wider beam of light. They can be arranged in numerous configurations allowing creativity and design of your own unique sculpture.








HOVER

- 8-Light Vertical Pendant
- 24” Adjustable Wall Light
- Mounting is made according to switch junction box sizes with an additional cover plate included
- On/Off switch at plate




E21377-BK
Pendant
A




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21377	BK	51W PCB LED 3000K (Inte.)	18.25"L x 18"W x 18.25"H, 140.5"OAH	90+	3000	2000	

Finish: Black (BK)



E21379-BK
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E21379	BK	184W PCB LED 3000K (Integrated)	28"L x 28"W x 1.5"H, 148.25"OAH	80+	12,880	8200	


Finish: Black (BK)

HOVER

- Square aluminum extrusions
- Light output from two faces of V shaped acrylic
- 3000K Color Temperature, CRI 80+




E21378-BK
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21378	BK	108W PCB LED 3000K (Integrated)	27.75"L x 27.75"W x 46.5"H, 126.75"OAH	80+	7560	4860	

Finish: Black (BK)



E21373-BK
Pendant
B



E21376-BK
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E21373	BK	3 x 18W PCB LED 3000K (Integrated)	47.5"L x 47.5"W x 17.25"H, 133"OAH	80+	4130	3150	
C	E21376	BK	68W PCB LED 3000K (Integrated)	61"L x 11.75"W x 28"H, 123.25"OAH	80+	4760	3060	

Finish: Black (BK)


HOVER

- Square aluminum extrusions
- Light output from two faces of V shaped acrylic
- 3000K Color Temperature, CRI 80+



E21375-BK
Pendant


A





E21371-BK
Pendant

B





	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21375	BK	96W PCB LED 3000K (Integrated)	47.5"L x 47.5"W x 17.25"H, 123.25"OAH	80+	6720	4320	
B	E21371	BK	20W PCB LED 3000K (Integrated)	47.5"L x 17.25"H, 123"OAH	80+	1400	1100	

Finish: Black (BK)






• Adjustable Wall Light




E21372-BK
Wall Mount
C








E21374-BK
Wall Mount
D



• Rotates

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E21372	BK	15.6W PCB LED 3000K (Inte.)	24"W x 4.75"H x 4.25"Ext.	3.75"	90+	1100	750	
D	E21374	BK	19W PCB LED 3000K (Inte.)	30"W x 4.75"H x 4.25"Ext.	2.5"	90+	1330	950	

Finish: Black (BK)

ASTER

These Alumilux pendants provide a full range of streamlined, architectural design. Cast and extruded pieces of aluminum provide illumination that complement the sleek styling of commercial applications and minimalist modern design. Be it over a table or a work station, these versatile products direct lighting for both task anddecorative uses.






ASTER

- Available in various shapes and finishes
- Dimmable with Electronic Low Voltage dimmer
- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Available in 120V and 220V-277V*



E41443-BK, **-SA**
Pendant


A





E41446-BK, -SA
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41443	BK, SA	23W LED 3000K (Inte.)	44.5"L x 44.5"W x 20.25"H, 135.25"OAH	90+	1610	1500	
B	E41446	BK, SA	60W LED 3000K (Inte.)	44.5"L x 44.5"W x 20.25"H, 135.25"OAH	90+	4200	3932	

Finish options: Black (BK) Satin Aluminum (SA)



MOBIUS

A seamless loop of light and metal, the Mobius loop pushes boundaries with a non-orientable surface. Encased in a hand formed etched acrylic tube a innovative, omnidirectional LED light strip brightly illuminates. Inspired by artisanal metal knot décor, the LED pendants provide both functional light and create interest in their form. Finished in Natural Aged Brass and completed with a two-tone black and brass canopy, this fashion-forward lighting sculpture is sure to make a statement.








MOBIUS

- Gold and Matte Black
- Table Lamp uses natural black marble at its base
- Satin White etched acrylic tubes
- Innovative omnidirectional LED light strips
- CRI 90+, 3000K
- 120-277V range voltage input
- Dimmable at 120V with ELV dimmers



E25092-01BKGLD
Mini Pendant
A




E25096-01BKGLD
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25092	01BKGLD	11.8W PCB LED 3000K (Inte.)	12.25"L x 10.5"W x 13.25"H, 58.5"OAH	90+	940	900	
B	E25096	01BKGLD	40.3W PCB LED 3000K (Inte.)	32"L x 27"W x 29"H, 73.75"OAH	90+	3510	3220	

Finish: White Acrylic (01) Black/Gold (BKGLD)




E25094-01BKGLD
Pendant
C





E25090-01BKGLD
Table Lamp
D




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E25094	01BKGLD	27.8W PCB LED 3000K (Inte.)	24.75"L x 20"W x 24.5"H, 69.5"OAH	90+	2430	2220	
D	E25090	01BKGLD	13.2W PCB LED 3000K (Inte.)	12.25"L x 10.5"W x 14.25"H	90+	1050	910	

Finish: White Acrylic (01) Black/Gold (BKGLD)

E35104-BK, **-MW**
Pendant

A



Color Ambience Light Control

iCORONA

Winner of the 2020 Red Dot Award for lighting, the iCorona from ET2 combines the most advanced in LED technology with thoughtful design. Encased inside a dual Matte White ring is a color changing light engine powered by Philips controls to tune color, brightness, and set routines that will add health and security to your home while away. All of these features and more are conveniently made available from the palm of your hand or even from the sound of your voice when paired with compatible Smart Home devices.


iCORONA

- Winner of the 2020 Red Dot Award for Best of Lighting
- Unlock smart control features with Philips Wiz control
- Friends of HUE product
- Indirect lighting within the aluminum ring
- Matte White finish reflects light
- Color Ambience tuning
- CRI 80+
- Philips HUE App Control
- Compatible with Amazon Echo, Apple HomeKit, Google Home, and other Smart Home Controls

WiZ CONNECTED





E35100-BK, -MW
Flush Mount
B






E35101-BK, **-MW**
Flush Mount
C







RGB color change



E35106-BK, -MW
Pendant
D

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E35104	BK, MW	27W PCB LED (Integrated)	27.75"L x 27.75"W x 4"H, 123.75"OAH	80+	1890	1220	
B	E35100	BK, MW	18W PCB LED (Integrated)	17.75"L x 17.75"W x 5.5"H	80+	1200	900	
C	E35101	BK, MW	21W PCB LED (Integrated)	22.75"L x 22.75"W x 5.75"H	80+	1470	950	
D	E35106	BK, MW	36W PCB LED (Integrated)	35.5"L x 35.5"W x 4"H, 125.5"OAH	80+	2400	1800	

Finish Options: Black (BK) Matte White (MW)

iQ

Rings finished in Brushed Black are fitted with a custom formed diffuser that evenly diffuses the light. Controls developed in collaboration with Philips Wiz add smart lighting features that can change color, brightness and be programmed for various routines scheduled on the Philips Wiz app or compatible smart home control hub. To unlock all these incredible features, download the Wiz Connected app or connect with smart home devices such as Amazon Echo or Google Assistant.



Color Ambience Light Control




- Unlock smart control features with Philips Wiz control
- Friends of HUE product
- Anodized Brushed Black finish
- Color Ambience tuning
- CRI 90+
- Philips HUE App Control
- Compatible with Amazon Echo, Apple HomeKit, Google Home, and other Smart Home Controls

WiZ CONNECTED




E31250-BBK
Flush Mount
A






E31254-BBK
Pendant
B





E31258-BBK
Pendant
C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E31250	BBK	40W PCB LED (Integrated)	17.75"L x 17.75"W x 5.25"H	90+	2800	2240	
B	E31254	BBK	40W PCB LED (Integrated)	17.75"L x 17.75"W x 4.25"H, 124"OAH	90+	2800	2240	
C	E31258	BBK	60W PCB LED (Integrated)	23.5"L x 23.5"W x 4.25"H, 124"OAH	90+	3500	2800	

Finish: Brushed Black (BBK)



CLUTCH

Designed to fit the essentials, this bath vanity series will always come in clutch. Dedicated LED illuminates the backside of a low-profile curved opal White glass sweeping upwards to a metal latch conveniently finished in your choice of Polished Chrome, Gold, and Matte Black. Make a statement without saying too much.






CLUTCH

- Opal White glass
- Available in Gold, Matte Black and Polished Chrome
- Driver-less LED integrated technology
- CRI 90+, 3000K
- Dimmable with ELV and Triac dimmers



E25131-92BK, -92GLD, -92PC
Bath Vanity


A





E25133-92BK, **-92GLD**, -92PC
Bath Vanity


B





E25135-92BK, -92GLD, **-92PC**
Bath Vanity

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25131	92BK, 92GLD, 92PC	12W PCB LED 3000K (Inte.)	13"W x 4.75"H x 3"Ext.	2.5"	90+	960	670	
B	E25133	92BK, 92GLD, 92PC	20W PCB LED 3000K (Inte.)	22"W x 4.75"H x 3"Ext.	2.5"	90+	1600	1200	
C	E25135	92BK, 92GLD, 92PC	28W PCB LED 3000K (Inte.)	30"W x 4.75"H x 3"Ext.	2.5"	90+	2240	1700	

Finish Options: White glass (92) Black (BK) Gold (GLD) Polished Chrome (PC)

MONA


Whether used as vanity lighting or above portraits and bookcases, the Mona LED integrated wall sconces are sure to illuminate a masterpiece. The tubular LED frame rotates along the center to position the lighting wherever it is directed unlocking more potential uses for the hard-wired light source. A slim single gang box back plate or an additional cover plate can be used to mount the fixture more conveniently. Available in a rich Gold plated finish or Matte Black powder coat, these sconces pair well in both modern and traditional settings.






MONA

- Dual junction box mounting configuration with additional cover plate for standard junction boxes
- Available in a plated Gold finish or Matte Black powder coat
- Dimmable LED light source, 3000K Color Temperature
- Rotatable light source for portrait or above vanity lighting




E21340-BK, -**GLD**
Bath Vanity
A





E21344-BK, -GLD
Bath Vanity
B




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21340	BK, GLD	14W PCB LED 3000K (Inte.)	18.5"W x 4.25"H x 3"Ext.	2"	90+	980	680	
B	E21344	BK, GLD	18W PCB LED 3000K (Inte.)	30.5"W x 4.25"H x 3"Ext.	2"	90+	1260	900	

Finish Options: Black (BK) Gold (GLD)

DORIAN


A bold and timeless wall sconce collection, Dorian features a sleek square block support with two cylindrical LED light tubes that extend from it horizontally. These tubes are individually rotatable, allowing the user to position the LED light wherever needed. It is designed to mount to your choice of a single gang or standard 3-0 and 4-0 junction boxes for use above portraits, shelves, pantries, or even as a bathroom vanity. Available in Matte Black or plated Gold, these sconces are handsome and designed with enduring appeal.






DORIAN

- Dual junction box mounting configuration with additional cover plate for standard junction boxes
- Available in a plated Gold finish or Matte Black powder coat
- Dimmable LED light source, 3000K Color Temperature
- Rotatable light source for portrait or above vanity lighting




E21352-BK, -GLD, **-PC**
Bath Vanity
A





E21354-BK, **-GLD,** -PC
Bath Vanity
B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21352	BK, GLD, PC	15W PCB LED 3000K (Inte.)	22.5"W x 3"H x 3.5"Ext.	1.5"	90+	1050	750	
B	E21354	BK, GLD, PC	18W PCB LED 3000K (Inte.)	30.5"W x 3"H x 3.5"Ext.	2.5"	90+	1260	900	

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC)

SOPRANO

Hitting a high note with an affordable solution for LED bath vanities, the Soprano series features an Satin White glass tube supported on a streamlined aluminum extrusion finished in Polished Chrome. On its backside, a dip-switch allows you to select between 5 color temperatures to allow simple changes from a relaxingly warm 2700k to more neutral white lighting temperatures and up to a daylight white of 5000k. Convenient and clean, this LED bath bar is an easy choice to update a bathroom.












SOPRANO

5000K
4000K
3500K
3000K
2700K

- Satin White glass cylinder
- Polished Chrome metalwork
- Driver-less LED integrated
- CCT Selectable:
  2700-3000-3500-4000K-5000K
- Dimmable with Triac and ELV dimmers




E23410-01PC
Bath Vanity
A






E23412-01PC
Bath Vanity
B





E23414-01PC
Bath Vanity
C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23410	01PC	16W PCB LED 2700-5000K (Inte.)	18"W x 4.75"H x 3.5"Ext.	2.5"	90+	1200	990	
B	E23412	01PC	20W PCB LED 2700-5000K (Inte.)	24"W x 4.75"H x 3.5"Ext.	2.5"	90+	1400	1200	
C	E23414	01PC	30W PCB LED 2700-5000K (Inte.)	30"W x 4.75"H x 3.5"Ext.	2.5"	90+	2100	1550	

Finish: White glass (01) Polished Chrome (PC)

BARITONE

Squares of Satin White glass are supported by flat Polished Chrome end caps with an extruded aluminum frame. Housed on the backside of the LED vanity light is a device to select from 5 color temperatures: 2700k-3000k-3500k-4000k-5000k. A dual mounting backplate allows for the fixture to seamlessly install to a switch box making the glass appear as if floating on the wall. An additional mounting bracket and cover plate is included in the packaging to accommodate larger junction boxes. Enhancing these features with a range voltage 120-277V input, makes this heavy hitting note land squarely into specification requests as well as the home improvement do-it-yourselfer.





5000K 4000K 3500K 3000K 2700K


BARITONE

- Satin White glass with Polished Chrome (PC) or Satin Nickel (SN) Caps
- Dual Mounting System on either switch box or standard 3-0 and 4-0 junction box
- Range Voltage 120-277V Input
- Dimmable with ELV at 120V
- Dip Switch CCT Selectable: 2700-3000-3500-4000-5000K

Removable backplate




E23408-01PC, -01SN
Bath Vanity
A






E23406-01PC, -01SN
Bath Vanity
B






E23404-01PC, **-01SN**
Bath Vanity
C






E23402-01PC, -01SN
Bath Vanity
D





E23400-01PC, **-01SN**
Bath Vanity
E



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23408	01PC, 01SN	40W PCB LED 2700-5000K (Inte.)	48"W x 5"H x 3.25"Ext.	2.25"	90+	3370	2700	
B	E23406	01PC, 01SN	35W PCB LED 2700-5000K (Inte.)	36"W x 5"H x 3.25"Ext.	2.25"	90+	2400	1930	
C	E23404	01PC, 01SN	30W PCB LED 2700-5000K (Inte.)	30"W x 5"H x 3.25"Ext.	2.25"	90+	2050	1650	
D	E23402	01PC, 01SN	25W PCB LED 2700-5000K (Inte.)	24"W x 5"H x 3.25"Ext.	2.25"	90+	1700	1380	
E	E23400	01PC, 01SN	20W PCB LED 2700-5000K (Inte.)	18"W x 5"H x 3.25"Ext.	2.25"	90+	1350	1100	

Finish Options: White glass (01) Polished Chrome (PC) Satin Nickel (SN)



RAMPART

Sharp rectilinear strands of aluminum surround a squared LED housing at the center. The LED casts bright lighting both upwards and downwards creating an intriguing pattern that radiates across the architecture around it. Available in 3 sizes of sconce, and an additional pendant and post mount option, this collection offers a full range of products that carries it various potential applications from the exterior of your space to interiors without boundaries. Finished in a Matte Black outdoor rated powder coat, the design is captivating as a minimal monochromatic light source in complimentary modernist settings.








RAMPART

- Corrosive-resistant Aluminum construction
- Squared rods surround LED housing
- Up/Down Lighting
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated
- Available as a pendant, post mount, and 3 sizes of wall sconce in Matte Black



E30112-BK
Outdoor Wall


A





E30114-BK
Outdoor Wall


B





E30116-BK
Outdoor Wall

C




	ITEM #	FINISH	LAMPING	DIMENSION	BP	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30112	BK	2 x 4W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 2.5"Ext.	4.5"W x 4.5"H	4"	90+	540	300	
B	E30114	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 11.75"H x 2.5"Ext.	4.5"W x 4.5"H	6"	90+	840	600	
C	E30116	BK	2 x 6W PCB LED 3000K (Inte.)	6.25"W x 14"H x 2.5"Ext.	4.25"W x 3"H	7"	90+	840	600	

Finish: Black (BK)




E30110-BK
Outdoor Post
D





E30119-BK
Outdoor Pendant
E



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
D	E30110	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 15"H	90+	540	300	
E	E30119	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 11.75"H, 60"OAH	90+	540	300	

Finish: Black (BK)



TOWER

A box of UV-rated acrylic is constructed of precise miter cut corners and silk screened white on its interior to form a tower of evenly distributed LED illumination. For wet locations, the LED light source is completely sealed and provides softer omnidirectional illumination to add security and sufficiently brighten spaces. The die cast aluminum frame is finished in a black outdoor rated powder coat for longer lasting color in outdoor settings.TOWER – A box of UV-rated acrylic is constructed of precise miter cut corners and silk screened white on its interior to form a tower of evenly distributed LED illumination. For wet locations, the LED light source is completely sealed and provides softer omnidirectional illumination to add security and sufficiently brighten spaces. The die cast aluminum frame is finished in a black outdoor rated powder coat for longer lasting color in outdoor settings.






TOWER

- Clear acrylic boxes are miter cut and silk screened white on their interior
- Evenly distributed lighting with high lumen output
- Constructed of corrosive-resistant Aluminum
- Sandy Black outdoor rated powder coat
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated



E30182-01BK
Outdoor Wall


A





E30184-01BK
Outdoor Wall


B





E30186-01BK
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30182	01BK	15W PCB LED 3000K (Inte.)	8"W x 15"H x 4"Ext.	7.5"	90+	1200	1170	
B	E30184	01BK	18W PCB LED 3000K (Inte.)	8"W x 18"H x 4"Ext.	9"	90+	1440	1270	
C	E30186	01BK	22W PCB LED 3000K (Inte.)	8"W x 22"H x 4"Ext.	11"	90+	1760	1760	

Finish: White Acrylic (01) Black (BK)

ALCOVE

Die cast aluminum frames accommodate a niche that features a decorative panel of stainless steel in a Gold finish. Two strips of dedicated LED lighting illuminate the washboard form that in its contrasting Gold hue creates a warmer ambient light source for your exterior.






ALCOVE

- Stainless steel corrugated panels in Gold finish
- Two tone Black with Gold outdoor rated powder coat
- Corrosive-resistant Aluminum with Stainless Steel
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated




E30102-BKGLD
Outdoor Wall
A






E30104-BKGLD
Outdoor Wall
B





E30106-BKGLD
Outdoor Wall
C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30102	BKGLD	2 x 9W PCB LED 3000K (Inte.)	6.5"W x 10"H x 2.5"Ext.	5"	90+	1440	300	
B	E30104	BKGLD	2 x 12W PCB LED 3000K (Inte.)	6.5"W x 14"H x 2.5"Ext.	7"	90+	1920	470	
C	E30106	BKGLD	2 x 18W PCB LED 3000K (Inte.)	6.5"W x 20"H x 2.5"Ext.	10"	90+	2880	600	

Finish: Black/Gold (BKGLD)

RUNE

Artisanal cast glass slabs are supported by a central Die Cast Aluminum housing that is finished in an outdoor rated Black powder coat. Emphasizing the natural beauty of the glass' imperfect contours, the sconces humbly illuminate these casually luxurious materials. Available in 3 configurations that represent 3 sizes of the collection, the sconces provide sufficient light as they showcase artistic glass craftsmanship.






RUNE

- Cast glass blocks supported by corrosive-resistant Aluminum brackets
- Dimmable LED light source, 3000K Color Temperature
- Available in 3 size configurations



E30132-24BK
Outdoor Wall


A





E30134-24BK
Outdoor Wall


B





E30136-24BK
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30132	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 12"H x 2"Ext.	6"	90+	1280	650	
B	E30134	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 15.5"H x 2"Ext.	6"	90+	1280	690	
C	E30136	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 19"H x 2"Ext.	9.5"	90+	1280	690	

Finish: Clear glass (24) Black (BK)







PRIME

- Indirect Wall Lighting
- ADA Compliant
- ETL & cETL wet location listed, IP65 rated
- Title 24 listed
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 90+






E41307-BK, -SA, -WT

Interior/Exterior Wall Sconce

A



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41307	BK, SA, WT	5W LED 3000K (Inte.)	4.25"W x 15.75"H x 3.75"Ext.	12.5"	90+	430	300	

Finish options: Black (BK) Aluminum (SA) White (WT)



LINE


The use of a line is one of the most basic elements of architectural design. Lines define the shape, form and volume of a design solution. With this driverless solution, solid lengths of machined aluminum encase a high powered LED to brightly illuminate structures without glare. Accentuate those great lines with an indirect lighting product as well built as its architectural environment.

- ETL & cETL wet location listed, IP65 rated
- ADA Compliant
- Indirect back lighting
- Long lengths available (up to 8”)
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+

E41342-ABZ, **-BK**
Interior/Exterior Wall Sconce

A






E41343-BK, -BZ, -SA
Interior/Exterior Wall Sconce

B






E41344-BK, -**BZ**, -SA, -WT
Interior/Exterior Wall Sconce

C






E41348-BK, -BZ, **-SA**, -WT
Interior/Exterior Wall Sconce

D





	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41342	ABZ, BK	9W LED 3000K (Inte.)	4.5”W x 18”H x 1.5”Ext.	16.5”	80+	900	540	
B	E41343	BK, BZ, SA	13W LED 3000K (Inte.)	4.5”W x 24”H x 2.25”Ext.	12”	80+	1300	1040	can be installed hoirzontally
C	E41344	BK, BZ, SA, WT	30W LED 3000K (Inte.)	4.5”W x 51”H x 2.25”Ext.	25.5”	80+	2800	1860	can be installed hoirzontally
D	E41348	BK, BZ, SA, WT	60W LED 3000K (Inte.)	4.5”W x 96”H x 2.25”Ext.	48”	80+	5800	3600	can be installed hoirzontally

Finish options: Architectural Bronze (ABZ) Black (BK) Bronze (BZ) Satin Aluminum (SA) White (WT)



MODULAR

A series of shade options provide a variety of lighting designs suited to your application. The cast aluminum disc has a slight curve softening its form and designed to complement shade options available. Choose from Dark Sky compliant down-lights using flat lenses and directional light or from several UV-rated acrylic lens options that create domes, spheres, or cylinders. The integrated LED lights provide ample functional lighting, while the minimal forms translate the sconce's usage between indoor and outdoor applications.


MODULAR

- Modular sconce design constructed of corrosive-resistant Aluminum
- Select from cylindrical and dome glass shades or minimal flat lenses
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Energy Star and JA8 Listed
- Available in Black finish
- Wet Location Rated



E30160-BK
Interior/Exterior Wall Sconce


A






E30161-10BK
Wall Mount

B






Up and Down light

E30170-BK
Interior/Exterior Wall Sconce


C





E30171-10BK
Wall Mount

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	INIT.	DEL.	Additional Information
A	E30160	BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	640	450	
B	E30161	10BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	640	450	
C	E30170	BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1280	900	
D	E30171	10BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1280	840	


Finish: Clear/White (10) Black (BK)

MODULAR

- Modular sconce design constructed of corrosive-resistant Aluminum
- Select from cylindrical and dome glass shades or minimal flat lenses
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Energy Star and JA8 Listed
- Available in Black finish
- Wet Location Rated




E30164-BK
Wall Mount
A






E30165-10BK
Wall Mount
B





E30175-10BK
Wall Mount
C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30164	BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	640	475	
B	E30165	10BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	640	450	
C	E30175	10BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1280	800	

Finish: Clear/White (10) Black (BK)










GLOW


- ETL & cETL wet location listed, IP65 rated
- ADA Compliant
- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmer
- Interior/Exterior wall sconces
- Indirect backlight





E41280-BK, -SA, -WT
Interior/Exterior Wall Sconce

A



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41280	BK, SA, WT	15W PCB LED 3000K (Inte.)	10"W x 10"H x 1.5"Ext.	5"	90+	1050	830	Bick Lit

Finish options: Black (BK) Satin Aluminum (SA) White (WT)

MAJIK

- ETL & cETL wet location listed, IP65 rated
- ADA Compliant
- Machined Aluminum
- 3000K Color Temperature
- Adjustable wall-lighting effect
- Up/Down light




• Adjustable





E41326-BK, -SA, -WT
Wall Mount

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E41326	BK, SA, WT	4W PCB LED 3000K (Inte.)	4.25"W x 4.25"H x 3.5"Ext.	3.5"	90+	280	140	

Finish options: Black (BK) Satin Aluminum (SA) White (WT)

BLOK

The classic cube form has become a staple in modern lighting design. This option has been specified to minimal extension for ADA compliance. The smaller downlight size takes into consideration Night Sky requirements in some locations while it and the larger 2-Light option can be used in corridor spaces for both commercial and hospitality requirements. This product offering is not only commercially rated, but economically priced with IP ratings that allow installations either indoors or in the great outdoors. The high powered LED light engine is low voltage and includes a range voltage driver to conveniently meet various site requirements.






BLOK

- Cubes constructed of corrosive-resistant Aluminum
- ADA Compliant
- Down-light and Up/Down Light Configurations
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated



E23216-BK, **-WT**
Outdoor Wall


A





E23218-BK, -WT
Outdoor Wall

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23216	BK, WT	1 x 8W PCB LED 3000K (Inte.)	4.75"W x 4.75"H x 4"Ext.	2.25"	80+	630	440	
B	E23218	BK, WT	2 x xxxW PCB LED 3000K (Inte.)	6.25"W x 6.25"H x 4"Ext.	3.25"	80+	1080	820	

Finish options: Black (BK) White (WT)

TAU


- Indirect wall lighting
- ADA Compliant
- ETL & cETL wet location listed, IP65 rated
- Available in 120V and 220V-277V*
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 80+





E41388-BK, -SA, -WT
Interior/Exterior Wall Sconce

A



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41388	BK, SA, WT	10W LED 3000K (Inte.)	6"W x 6"H x 2"Ext.	3"	80+	700	490	Backlit Indirect

Finish options: Black (BK) Satin Aluminum (SA) White (WT)

TILT

- ETL & cETL wet location listed, IP65 rated
- Adjustable face plate for lighting direction
- Indirect lighting
- 220V & 277V available for special order



- Adjustable
- Indirect










E41333-BK, -SA, -WT
Interior/Exterior Wall Sconce

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E41333	BK, SA, WT	8W LED 3000K (Inte.)	5"W x 7"H x 2.75"Ext.	3.5"	90+	560	300	Dim. with ELV dimmer

Finish options: Black (BK) Satin Aluminum (SA) White (WT)

OUTLINE

- Low profile design available in 6” and 9” widths
- ADA Compliant
- ETL & cETL wet location listed, IP65 rated
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 80+








E41329-BK, -SA, -WT

Interior/Exterior Wall Sconce

A



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41329	BK, SA, WT	8W LED 3000K (Integrated)	4.5"W x 4.5"H x .75"Ext.	3.25"	80+	560	180	Dimmable with ELV dimmer

Finish options: Black (BK) Satin Aluminum (SA) White (WT)

CUBE

• Adjustable










- Adjustable Wall Lighting Effect for p/ Down Light
- ETL & cETL wet location listed, IP65 rated
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 90+




• ADA version

E41328-SA, -**WT**
Interior/Exterior Wall Sconce
B





E41308-BK, -BZ
Interior/Exterior Wall Sconce
C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E41328	SA, WT	6W LED 3000K (Inte.)	7"W x 6"H x 2.75"Ext.	3"	90+	420	344	Adjustable light
C	E41308	BK, BZ	6W LED 3000K (Inte.)	4.5"W x 4.5"H x 4.25"Ext.	2.25"	90+	420	360	Adjustable light

Finish options: Black (BK) Bronze (BZ) Satin Aluminum (SA) White (WT)

FACET

- ETL & cETL wet location listed, IP65 rated
- Dimmable with Electronic Low Voltage dimmer
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90+










E41373-BK, -SA, -WT

Interior/Exterior Wall Sconce

A



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41373	BK, SA, WT	7W LED 3000K (Inte.)	7"W x 8.5"H x 2.5"Ext.	4.25"	90+	560	460	Dim. with Triac dimmer

Finish options: Black (BK) Satin Aluminum (SA) White (WT)

SPARTAN


- ETL & cETL wet location listed, IP65 rated
- Up/Down Light
- Title 24 listed
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 90+
- ADA Compliant, low profile design





E41310-BK, -BZ, -SA
Interior/Exterior Wall Sconce

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E41310	BK, BZ, SA	10W LED 3000K (Inte.)	6.75"W x 4.25"H x 1.75"Ext.	2.25"	90+	750	510	

Finish options: Black (BK) Bronze (BZ) Satin Aluminum (SA)

INDEX

E11000.....22
E11004.....22
E11011.....6
E11013.....6
E11015.....5
E11019.....4
E11020.....16
E11021.....16
E11022.....16
E11023.....15
E11029.....15
E11032.....14
E11040.....8
E11041.....8
E11090.....10
E21340.....48
E21344.....48
E21352.....50
E21354.....50
E21371.....33
E21372.....34
E21373.....32
E21374.....34
E21375.....33
E21376.....32
E21377.....29
E21378.....31
E21379.....30
E21482.....12
E21484.....12
E21486.....12
E23216.....76
E23218.....76
E23400.....54
E23402.....54
E23404.....54
E23406.....54
E23408.....54
E23410.....52
E23412.....52
E23414.....52
E25038.....2
E25039.....2
E25090.....40
E25092.....39
E25094.....40
E25096.....39
E25131.....46
E25132.....25
E25133.....46
E25134.....26
E25135.....46
E25136.....26
E30102.....62
E30104.....62
E30106.....62
E30110.....58
E30112.....57
E30114.....57
E30116.....57
E30119.....58
E30132.....64
E30134.....64
E30136.....64
E30160.....70
E30161.....70
E30164.....71
E30165.....71
E30170.....70
E30171.....70
E30175.....71
E30182.....60
E30184.....60
E30186.....60
E31090.....20
E31091.....20
E31092.....20
E31093.....19
E31095.....19
E31099.....18
E31250.....44
E31254.....44
E31258.....44
E35100.....42
E35101.....42
E35104.....41
E35106.....42
E41280.....73
E41307.....66
E41308.....80
E41310.....82
E41326.....74
E41328.....80
E41329.....79
E41333.....78
E41342.....68
E41343.....68
E41344.....68
E41348.....68
E41373.....81
E41388.....77
E41443.....36
E41446.....36

FINISHES, GLASS

Code	Finish
ABZ	Architectural Bronze
BBK	Brushed Black
BK	Black
BZ	Bronze
GLD	Gold
MW	Matte White
NAB	Natural Aged Brass
PC	Polished Chrome
SA	Stain Aluminum
SBR	Satin Brass
SN	Satin Nickel
WT	White

Code	Glass
01	White
10	Clear/White
24	Clear
92	Satin White
93	Clear/Frosted
95	Rock crystal
133	Patterned Acrylic
144	Clear Ribbed

Warranty and Other Information

- For specific and detailed warranty information, ask your ET2 Contemporary Lighting sales representative or visit www.et2online.com/warranty.
- ET2 Contemporary Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a echanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Lamps are not included unless otherwise noted.
- Printed in China

ET2 Contemporary Lighting is a trademark of Maxim Lighting International, Inc.
StarStrand and CounterMax are registered trademarks of Maxim Lighting International, Inc.
All designs, logos, products and images © Copyright 2022 ET2 Contemporary Lighting.
All Rights Reserved.

#ET2lighting

LETCAT2201
$5.00

A MAXIM GROUP COMPANY

#ET2lighting

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 626.956.4226

Dallas Trade Mart: 214.748.8455
Showroom: 3901
Email: info@et2online.com
Web: www.et2online.com

ET2 Contemporary Lighting and all designs, logos and images © 2022 ET2 Contemporary Lighting. All Rights Reserved.