ET2

2022 SUMMER SUPPLEMENT

ET2 Contemporary Lighting™

COLLECTIONS

Alcove | 65
Axle | 23
Blok | 71
Brik | 69
Carmen | 5
Dorian | 37
Echo | 43
Gravity | 59
Modular | 73
Mona | 41
Nodes | 19
Penrose | 29
Pierce | 25
Pipette | 49
Pleat | 47
Rampart | 53
Reeds | 33
Rinkle | 7
Rune | 63
Sonata | 1
Stillo | 13
Tectonic | 61
Totem | 57
Tower | 67
Unity | 17

Finishes | 79
Glass | 79
Index | 77
Lamping | 78
Warranty | 79

LEGEND

ADA Compliant

Adjustable

Energy Efficient

Energy Star Certified

Slope

Installs Up or Down

LED

California Title 24

For Wet Location

For Damp Location

Dimmable using standard dimmer. Lutron® CL dimmers are recommended.

HCO | Height from Center of Outlet
OAH | Overall Height

SONATA

Composed of gently curving aluminum channels in Matte Black that support a patterned translucent acrylic arranged in groups of vertical stripes, this series of pendants and coordinating ADA sconce express a musical quality in brilliant LED light. The wall sconce visibly suggests the shape of a piano, while the pendants return inward where they bend at the ends in an instrumental, elegant shape. A story told in simple forms, the collection is illuminated by dedicated LED light sources concealed within the frames enhancing the translucent undulating slabs of patterned acrylic. Their sculptural form is sure to add wonder to both classical and modern settings.

SONATA

- Vertically striped translucent acrylic panes are bent by hand
- Stark contrasting Matte Black aluminum frame
- Integrated LED in a Neutral White 3000K color temperature
- ADA compliant wall sconce
- Dimmable with Electronic Low Voltage Dimmer switches

E24773-133BK
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24773	133BK	30W PCB LED 3000K (Inte.)	35.5"L x 7.75"W x 7"H, 128.5"OAH	80+	1500	780	

Finish: Patterned Acrylic (133) Black (BK)

SONATA

- Vertically striped translucent acrylic panes are bent by hand
- Stark contrasting Matte Black aluminum frame
- Integrated LED in a Neutral White 3000K color temperature
- ADA compliant wall sconce
- Dimmable with Electronic Low Voltage Dimmer switches

E24774-133BK
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24774	133BK	54W PCB LED 3000K (Inte.)	47.25"L x 10"W x 7"H, 128.5"OAH	80+	2700	1250	

Finish: Patterned Acrylic (133) Black (BK)

E24771-133BK
Pendant

B

E24770-133BK
ADA Compliant Wall Mount

C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24771	133BK	24W PCB LED 3000K (Inte.)	14"L x 12.75"W x 6.75"H, 128.5"OAH		80+	1200	760	
C	E24770	133BK	10W PCB LED 3000K (Inte.)	11.75"W x 15"H x 4"Ext.	4.75"	80+	500	310	

Finish: Patterned Acrylic (133) Black (BK)

CARMEN

Poetic and organic in design, the undulating form of the metal shade appears to float effortlessly on a slender frame. Abstract discs of LED lighting are encased in round, adjustable heads so that the light can be directed upwards for indirect lighting reflected on the internal white painted face of the shade or the light sources can be rotated downward to provide bright illumination exactly where needed. The simple, sculptural form adds dimension in its scale evocative of a manta ray or the seductive quality of a woman wearing a large floppy hat.

CARMEN

- Abstract undulating metal shades partly conceal light source while reflecting light downward
- Rotatable LED discs direct light where desired
- Available in 3 sizes and 2 finish combinations: White shades with black hardware or Black exterior/ White interior shade with Satin Brass hardware

E24964-WTBK, -WTBKGLD
Pendant
A

E24966-WTBK, **-WTBKGLD**
Pendant
B

E24968-WTBK, -WTBKGLD
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24964	WTBK, WTBKGLD	7W PCB LED 3000K (Inte.)	16"L x 16"W x 8"H, 51.75"OAH	90+	560	490	
B	E24966	WTBK, WTBKGLD	14W PCB LED 3000K (Inte.)	24"L x 24"W x 10"H, 53.75"OAH	90+	1120	980	
C	E24968	WTBK, WTBKGLD	21W PCB LED 3000K (Inte.)	32"L x 32"W x 11"H, 54.5"OAH	90+	1680	1470	

Finish Options: White (WT) Black (BK) Gold (GLD)

RINKLE

An airy arrangement of abstract forms, the Rinkle pendants feature sheets of transparent acrylic shaped by hand. The light guided acrylic captures the glow of energy efficient LEDs recessed within strips of shining stainless steel, obscuring the source of illumination. Delicately suspended by a series of thin wires, the pendants appear to be floating in an adjustable configuration of weightless light sculpture. Available in Polished Chrome and Brushed Gunmetal, its unique design adds an artistic statement to a variety of interiors with complimentary finishes.

RINKLE

- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner
- Available in Polished Chrome or Brushed Gunmetal

E24875-133PC, **-133BGM**
Pendant
A

E24874-133PC, -133BGM
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24875	133PC, 133BGM	15W PCB LED 3000K (Inte.)	21.5"L x 21.5"W x 15.75"H, 133.75"OAH	90+	1200	750	
B	E24874	133PC, 133BGM	10W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 15.75"H, 135.25"OAH	90+	800	500	

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) Polished Chrome (PC)

RINKLE

- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner
- Available in Polished Chrome or Brushed Gunmetal

E24873-133PC, **-133BGM**
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24873	133PC, 133BGM	35W PCB LED 3000K (Inte.)	50.5"L x 15"W x 15.75"H, 135.5"OAH	90+	2760	1730	

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) Polished Chrome (PC)

E24878-133PC, -133BGM
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24878	133PC, 133BGM	33W PCB LED 3000K (Inte.)	35.5"L x 23.5"W x 15.75"H, 135.5"OAH	90+	2600	1630	DIMMABLE LED

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) Polished Chrome (PC)

RINKLE

- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner
- Available in Polished Chrome or Brushed Gunmetal

E24880-133PC, **-133BGM**
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24880	133PC, 133BGM	66W PCB LED 3000K (Inte.)	36.25"L x 36.25"W x 15.75"H, 197.25"OAH	90+	5280	3300	

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) Polished Chrome (PC)

E24871-133PC**, -133BGM**
ADA Compliant Wall Mount

C

E24877-133PC, -133BGM
Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24877	133PC, 133BGM	35W PCB LED 3000K (Inte.)	27.5"L x 27.5"W x 15.75"H, 133.75"OAH		90+	2800	1750	
C	E24871	133PC, 133BGM	4W PCB LED 3000K (Inte.)	10"W x 15.5"H x 3.25"Ext.	7.75"	90+	336	210	

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) Polished Chrome (PC)

STILLO

The classic teardrop glass shade is elevated in a luxurious collection of pendant configurations using substantially dense glass that are hand blown in elongated forms and curated into various color combinations. Suspended within the long, slender glass is a similarly long and slender socket to illuminate an energy efficient LED G4 lamp at the base of the glass. The slender tube running within the glass also supports the glass with elegantly flat thumb screws in coordinating finishes. Choose from Matte Black metal with Mirror Smoked glass for a moodier ambience, crystal Clear glass that accentuates the thickness of the glass walls paired with transitional Satin Nickel metalwork, or celebrate the design with effervescent Bubble glass and plated Gold metalwork.

STILLO

- Thick glass shades are Hand Blown in organic teardrop shapes
- Available in a variety of coordinating finish combinations: Satin Nickel with Crystal Clear glass, Matte Black with Mirror Smoked glass, or plated Gold with fizzy Bubble glass
- Dimmable low-voltage LED G4 lamps provided
- Neutral White 3000K Color Temperature

E24219-138BK**, -118GLD**, -122SN
Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24219	138BK, 118GLD, 122SN	18 x 1.5W G4 LED 3000K (Incl.)	25.5"L x 25.5"W x 18"H, 137.5"OAH	80+	3600	2700	DIMMABLE LED

Finish Options: Champagne Bubble glass (118) Clear Crystal (122) Smoke glass (138) Black (BK) Gold (GLD) Satin Nickle (SN)

STILLO

- Thick glass shades are Hand Blown in organic teardrop shapes
- Available in a variety of coordinating finish combinations: Satin Nickel with Crystal Clear glass, Matte Black with Mirror Smoked glass, or plated Gold with fizzy Bubble glass
- Dimmable low-voltage LED G4 lamps provided
- Neutral White 3000K Color Temperature

E24217-138BK, **-118GLD**, -122SN
Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24217	138BK, 118GLD, 122SN	9 x 1.5W G4 LED 3000K (Incl.)	16.25"L x 16.25"W x 18"H, 137.5"OAH	80+	1800	1350	

Finish Options: Champagne Bubble glass (118) Clear Crystal (122) Smoke glass (138) Black (BK) Gold (GLD) Satin Nickle (SN)

E24213-138BK, -118GLD, **-122SN**
Pendant
B

E24211-138BK, -118GLD, -122SN
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24213	138BK, 118GLD, 122SN	3 x 1.5W G4 LED 3000K (Incl.)	10"L x 10"W x 18"H, 137.5"OAH	80+	600	450	
C	E24211	138BK, 118GLD, 122SN	1 x 1.5W G4 LED 3000K (Incl.)	5.25"L x 5.25"W x 18"H, 137.5"OAH	80+	200	150	

Finish Options: Champagne Bubble glass (118) Clear Crystal (122) Smoke glass (138) Black (BK) Gold (GLD) Satin Nickle (SN)

UNITY

Abstract shapes of stainless steel are finished in Brushed Champagne or Black Chrome and intersect to create an intriguing sculpture of light. Unity provides both art and illumination for those searching for a unique lighting piece.

UNITY

- Available in Brushed Champagne and Black Chrome
- Stainless Steel construction
- 3000K Color Temperature
- CRI 90+
- Dimmable with ELV/Triac dimmers

E24616-BC, -BCN
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24616	BC, BCN	50W PCB LED 3000K (Integrated)	55"L x 16.5"W x 12"H, 131.75"OAH	90+	4800	2500	

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)

NODES

Introducing a new take on the now classically modern LED ring, large illuminated spheres act as "nodes" to support the tapered aluminum channel while also providing additional down light. Featuring a CCT selectable switch, the collection conveniently allows end users to select from warmer white light to energizing bright white lighting in 5 color temperature options. The convenient functionality is matched with its performance, meeting California's JA8 Title 24 requirements. Rated to deliver higher lumens per watt and power sources that supports range voltage input and 3 in one dimming, this product is designed to meet the requirements of both home and commercial projects.

NODES

- CCT Selectable LED integrated rings
- Choose from warm to cool color temperatures that include: 2700-3000-3500-4000-5000K
- Available in Satin Nickel, Matte Black, and plated Gold finishes
- California Title 24 JA8 listed LED products
- 120-277V input
- Dimmable with Electronic Low Voltage (ELV) dimmers

CCT SELECT

E23514-AL, -BK, **-GLD**
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23514	AL, BK, GLD	50W PCB LED 2700-5000K (Inte.)	40"L x 40"W x 2.75"H, 104"OAH	90+	4000	3500	JA8 Bulb Incl.

Finish Options: Aluminum (AL) Black (BK) Gold (GLD)

NODES

- CCT Selectable LED integrated rings
- Choose from warm to cool color temperatures that include: 2700-3000-3500-4000-5000K
- Available in Satin Nickel, Matte Black, and plated Gold finishes
- California Title 24 JA8 listed LED products
- 120-277V input
- Dimmable with Electronic Low Voltage (ELV) dimmers

CCT SELECT

• Wall Mount Option

E23510-AL, **-BK**, -GLD
Flush/Wall Mount

B

• Adjustable

E23513-AL, -BK, -GLD
Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23513	AL, BK, GLD	40W PCB LED 2700-5000K (Inte.)	32"L x 32"W x 2.75"H, 108"OAH	90+	3200	2800	JA8 Bulb Incl.
B	E23510	AL, BK, GLD	10W PCB LED 2700-5000K (Inte.)	4.75"L x 4.75"W x 5.5"H	90+	800	700	

Finish Options: Aluminum (AL) Black (BK) Gold (GLD)

E23511-AL, -BK, **-GLD**
Pendant
D

E23512-AL, **-BK**, -GLD
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E23512	AL, BK, GLD	35W PCB LED 2700-5000K (Inte.)	24"L x 24"W x 2.75"H, 110"OAH	90+	2800	2450	JA8 Bulb Incl.
D	E23511	AL, BK, GLD	24W PCB LED 2700-5000K (Inte.)	18"L x 18"W x 2.75"H, 120"OAH	90+	1920	1680	JA8 Bulb Incl.

Finish Options: Aluminum (AL) Black (BK) Gold (GLD)

AXLE

Suspended by an axle of Gold pins, a Clear glass orb is illuminated with a sleek continuing line of evenly diffused LED in a white acrylic cylinder. The elongated nature of the Gold metalwork is elegantly vertical in size with a pop of playful interest and light. Available as a hanging pendant or oversized wall sconce, the dramatic two-tone design provides interest and functional light.

AXLE

- Plated Gold finish
- Clear glass
- Innovative LED tube encased in white glass
- CRI 90+, 3000K
- Dimmable with both Triac and Electric Low Voltage Dimmers
- Available as a hanging pendant and large sized wall sconce

E11040-24GLD
Pendant
A

E11041-24GLD
Wall Mount
B

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11040	24GLD	11.2W PCB LED 3000K (Inte.)	8"L x 8"W x 22"H, 144"OAH		90+	1050	950	
B	E11041	24GLD	10W PCB LED 3000K (Inte.)	8"W x 15.75"H x 9"Ext.	8"	90+	900	720	

Finish: Clear glass (24) Glod (GLD)

PIERCE

An elongated profile with piercing statement, this series of pendants feature thin black wires that support a tapered metal pendant. Recessed in this form is a high powered LED that illuminates a brilliantly faceted crystal element with etched details inside its form to capture light and enhance its beauty. Available in Gold or Matte Black, the design complements both modern and many transitional interiors. A coordinating ADA compliant wall sconce was designed with a rigid stem for public spaces and has been sealed for use in damp locations.

PIERCE

- Unique faceted crystal points with interior etching to capture light
- Tapered metal tubes available in Black or plated Gold
- LED integrated 3000K dimmable
- ADA compliant sconce with elongated profile, perfect for luxurious corridor lighting

E24229-122BK**, -122GLD**

Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24229	122BK, 122GLD	12 x 3W PCB LED 3000K (Inte.)	24.75"L x 24.75"W x 19"H, 141"OAH	90+	2200	1060	

Finish Options: Clear Crystal (122) Black (BK) Gold (GLD)

PIERCE

- Unique faceted crystal points with interior etching to capture light
- Tapered metal tubes available in Black or plated Gold
- LED integrated 3000K dimmable
- ADA compliant sconce with elongated profile, perfect for luxurious corridor lighting

E24221-122BK, **-122GLD**
Pendant

A

E24227-122BK, -122GLD
Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24221	122BK, 122GLD	1 x 3W PCB LED 3000K (Inte.)	2.25"L x 2.25"W x 19"H, 141"OAH	90+	350	220	
B	E24227	122BK, 122GLD	9 x 3W PCB LED 3000K (Inte.)	19"L x 19"W x 19"H, 141"OAH	90+	1500	800	

Finish Options: Clear Crystal (122) Black (BK) Gold (GLD)

E24225-122BK, -122GLD
Pendant

C

E24220-122BK, **-122GLD**
ADA Compliant Wall Mount

D

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E24225	122BK, 122GLD	5 x 3W PCB LED 3000K (Inte.)	13"L x 13"W x 19"H, 141"OAH		80+	1050	560	
D	E24220	122BK, 122GLD	1 x 3W PCB LED 3000K (Inte.)	2.25"W x 20.75"H x 4"Ext.	2.25"	80+	350	220	

Finish Options: Clear Crystal (122) Black (BK) Gold (GLD)

PENROSE

A cubist work of art, the Penrose collection carefully calculates the structural form of a cube space when corners do not meet. This tracery of this shape is emphasized by its dedicated LED light source housed within aluminum channels and then cast in various directions. Available in Matte Black or Gold, this series is a feat of human engineering in design. Translating a mathematical challenge into a sculptural work of art with the function of delivering light to interior spaces.

PENROSE

- Sculptural engineering where joints do not meet along the outline
- Dimmable LED integration casts light in all directions along the frame
- Cube and rectilinear pendants with coordinating ADA compliant sconce and 24” vanity lighting
- Available in Black or painted Gold

E21266-BK, **-GLD**
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21266	BK, GLD	108W PCB LED 3000K (Inte.)	38”L x 16”W x 16”H, 138”OAH	90+	5400	3420	

Finish Options: Black (BK) Gold (GLD)

PENROSE

- Sculptural engineering where joints do not meet along the outline
- Dimmable LED integration casts light in all directions along the frame
- Cube and rectilinear pendants with coordinating ADA compliant sconce and 24” vanity lighting
- Available in Black or painted Gold

E21262-BK, -GLD
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21262	BK, GLD	54W PCB LED 3000K (Inte.)	16"L x 16"W x 16"H, 138"OAH	90+	2700	1700	

Finish Options: Black (BK) Gold (GLD)

E21260-BK, -GLD
ADA Compliant Wall Mount

B

E21263-BK, **-GLD**
Wall Mount

C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E21260	BK, GLD	14W PCB LED 3000K (Inte.)	7"W x 17.75"H x 2.25"Ext.	9"	90+	700	470	
C	E21263	BK, GLD	30W PCB LED 3000K (Inte.)	8.5"W x 24"H x 7"Ext.	12"	90+	1500	950	

Finish Options: Black (BK) Gold (GLD)

REEDS

Reeded glass tubes are matched to ribbed aluminum LED housings in a Gold finish. The glass shades feature an internal frosted glass diffuser that soften the high-powered LED boards concealed above. These low-voltage light sources are powered by a commercially rated range voltage LED driver with universal dimming that enables the product to function in both residential and decorative commercial or hospitality applications.

REEDS

- Dual glass shades with Interior frosted glass
- Clear Reeded glass exterior
- Ribbed aluminum housings in Gold finish
- Range voltage input with universal dimming
- Dimmable LED light source, 3000K Color Temperature
- Single and Multi-light pendants configurations

E11019-144GLD
Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11019	144GLD	12 x 5W PCB LED 3000K (Inte.)	22.5"L x 22.5"W x 17"H, 140"OAH	90+	5400	3840	120-277V input

Finish: Clear Ribbed glass (144) Gold (GLD)

REEDS

- Dual glass shades with Interior frosted glass
- Clear Reeded glass exterior
- Ribbed aluminum housings in Gold finish
- Range voltage input with universal dimming
- Dimmable LED light source, 3000K Color Temperature
- Single and Multi-light pendants configurations

E11015-144GLD
Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11015	144GLD	5 x 5W PCB LED 3000K (Inte.)	13.75"L x 13.75"W x 17"H, 140"OAH	90+	2250	1600	120-277V input

Finish: Clear Ribbed glass (144) Gold (GLD)

E11013-144GLD
Pendant
B

E11011-144GLD
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E11013	144GLD	3 x 5W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 17"H, 140"OAH	90+	1350	960	120-277V input
C	E11011	144GLD	1 x 5W PCB LED 3000K (Inte.)	2.25"L x 2.25"W x 17"H, 140"OAH	90+	500	400	120-277V input

Finish: Clear Ribbed glass (144) Gold (GLD)

DORIAN

Sleek cube supports extend outward with slender cylindrical tubes that house dedicated LED light sources. The tubes are individually rotatable, allowing you to direct the light where desired. The collection includes linear and vertical pendant configurations of various length providing a lighting solution that does not obstruct views and brightens surroundings. The elongated vertical pendants are ideal for illuminating lofty spaces. Their rotatable features allow you to direct the light along areas such as stairwells and can even be used to highlight artwork and collectibles displayed at taller heights. The timeless design of the wall mounted sconces function as both vanity lights and portrait lights with the added dual mounting back plate that can install either to a single gang junction box or to more standard 3-0 or 4-0 boxes using the cover plate provided. Dimensionally compliant with ADA regulations, the sconces provide function for hospitality applications as well. Available in Matte Black, Polished Chrome, and plated Gold, this collection is an unobtrusive, handsome design with timeless appeal.

DORIAN

- Slender round profile with rotatable light source
- Available in Gold, Polished Chrome, or Matte Black
- ADA compliant sconces
- Dual mounting sconce applications for single gang or 3-0/4-0 junction boxes
- LED integrated 3000K color temperature

E21357-BK, **-GLD**, -PC
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21357	BK, GLD, PC	3 x 6W PCB LED 3000K (Inte.)	47.5"L x 4.75"W x 1"H, 44.5"OAH	90+	1260	1080	

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC)

DORIAN

- Slender round profile with rotatable light source
- Available in Gold, Polished Chrome, or Matte Black
- ADA compliant sconces
- Dual mounting sconce applications for single gang or 3-0/4-0 junction boxes
- LED integrated 3000K color temperature

E21355-BK, -GLD, **-PC**
Pendant

A

E21358-BK, -GLD, -PC
Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21355	BK, GLD, PC	2 x 7.2W PCB LED 3000K (Inte.)	34.75"L x 4.75"W x 1"H, 46"OAH	90+	1000	860	
B	E21358	BK, GLD, PC	3 x 6W PCB LED 3000K (Inte.)	4.75"L x 4.75"W x 47.25"H, 94.5"OAH	90+	1260	1080	

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC)

E21352-BK, -GLD, **-PC**
Bath Vanity
C

E21354-BK, **-GLD,** -PC
Bath Vanity
D

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E21352	BK, GLD, PC	15W PCB LED 3000K (Inte.)	22.5"W x 3"H x 3.5"Ext.	1.5"	90+	1050	750	
D	E21354	BK, GLD, PC	18W PCB LED 3000K (Inte.)	30.5"W x 3"H x 3.5"Ext.	2.5"	90+	1260	900	

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC)

MONA

Whether used as vanity lighting or above portraits and bookcases, the Mona LED integrated wall sconces are sure to illuminate a masterpiece. The tubular LED frame rotates along the center to position the lighting wherever it is directed unlocking more potential uses for the hard-wired light source. A slim single gang box back plate or an additional cover plate can be used to mount the fixture more conveniently. Available in a rich Gold plated finish or Matte Black powder coat, these sconces pair well in both modern and traditional settings.

MONA

- Dual junction box mounting configuration with additional cover plate for standard junction boxes
- Available in a plated Gold finish or Matte Black powder coat
- Dimmable LED light source, 3000K Color Temperature
- Rotatable light source for portrait or above vanity lighting

E21340-BK, **-GLD**
Bath Vanity
A

E21344-BK, -GLD
Bath Vanity
B

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21340	BK, GLD	14W PCB LED 3000K (Inte.)	18.5"W x 4.25"H x 3"Ext.	2"	90+	980	680	
B	E21344	BK, GLD	18W PCB LED 3000K (Inte.)	30.5"W x 4.25"H x 3"Ext.	2"	90+	1260	900	

Finish Options: Black (BK) Gold (GLD)

ECHO

Surrounded by a metal drum shade in a variety of sizes and finishes, an internal shade constructed of acrylic evenly diffuses bright LED illumination. Designed for simpler installation and in an aesthetically pleasing silhouette, these practical metal drum shades are offered in Matte White both inside and out, or enhanced by gold or black interiors for reduced glare and stylish design. The series also features a chic Black with Gold interior color combination shade. To round out the collection, all these color options are also made compatible with a pendant accessory that quickly converts the lush mount ixtures into drum shade pendants.

ECHO

- Chic metal shades with internal white acrylic drums available as flush mounted or suspended ceiling light fixtures
- Choose from warm to cool color temperatures that include: 2700-3000-3500-4000-5000K
- Available in 4 color options: All Matte White, White with Gold interior, White with Black interior, or Black with Gold interior
- 3 sizes available: 13" – 16" – 24"
- LED integrated light sources with both high voltage and range voltage universally dimmable options

CCT SELECT

E51015-BKGLD**,** -WT, **-WTBK**, -WTGLD

Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E51015	BKGLD, WT, WTBK, WTGLD	40W PCB LED 2700-5000K (Inte.)	24"L x 24"W x 5"H, 37"OAH	90+	3200	2400	

Finish Options: Black (BK) Gold (GLD) White (WT)

ECHO

- Chic metal shades with internal white acrylic drums available as flush mounted or suspended ceiling light fixtures
- Choose from warm to cool color temperatures that include: 2700-3000-3500-4000-5000K
- Available in 4 color options: All Matte White, White with Gold interior, White with Black interior, or Black with Gold interior
- 3 sizes available: 13” – 16” – 24”
- LED integrated light sources with both high voltage and range voltage universally dimmable options

CCT SELECT

E51013-BKGLD, -WT, -WTBK, **-WTGLD**
Pendant
A

E51011-BKGLD, -WT, -WTBK, -WTGLD
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E51013	BKGLD, WT, WTBK, WTGLD	25W PCB LED 2700-5000K (Inte.)	16"L x 16"W x 10.75"H, 122"OAH	90+	2100	1500	
B	E51011	BKGLD, WT, WTBK, WTGLD	20W PCB LED 2700-5000K (Inte.)	13"L x 13"W x 10"H, 121"OAH	90+	1600	1200	

Finish Options: Black (BK) Gold (GLD) White (WT)

E51010-BKGLD**,** -WT, **-WTBK**, -WTGLD
Flush Mount

C

E51012-BKGLD**, -WT**, -WTBK, -WTGLD
Flush Mount

D

E51014-BKGLD, -WT, -WTBK, -WTGLD
Flush Mount

E

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E51010	BKGLD, WT, WTBK, WTGLD	20W PCB LED 2700-5000K (Inte.)	13"L x 13"W x 3.5"H	90+	1600	1200	
D	E51012	BKGLD, WT, WTBK, WTGLD	25W PCB LED 2700-5000K (Inte.)	16"L x 16"W x 4.25"H	90+	2000	1500	
E	E51014	BKGLD, WT, WTBK, WTGLD	40W PCB LED 2700-5000K (Inte.)	24"L x 24"W x 4.25"H	90+	3200	2400	

Finish Options: Black (BK) Gold (GLD) White (WT)

PLEAT

Pleated cylinders shades formed by White plaster cast molds are contrasted with matte Black hardware to provide a crisp, contemporary design. JA8 Listed LED GU10 lamps included that brightly illuminate spaces below with excellent color rendering. A surface mount option features a joint that can be positioned to direct the light. The joint is made so that it can function on both wall and ceiling applications, with the added feature of directing the shades to exact positions required.

• Wall Mount Option

- Cast White Plaster shades with pleated texture
- Dimmable LED GU10 lamps provided, JA8 Listed
- Adjustable joint on surface mount configuration directs light
- Two tone White plaster with Black accents

E25039-WTBK
Wall/Flush Mount

A

E25038-WTBK
Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25039	WTBK	1 x 7W GU10 LED 3000K (Incl.)	3.25"W x 6"H	90+	810	700	JA8 bulb (Incl.)
B	E25038	WTBK	1 x 7W GU10 LED 3000K (Incl.)	3.25"L x 3.25"W x 12.5"H, 131.75"OAH	90+	490	450	JA8 bulb (Incl.)

Finish: White/Black (WTBK)

PIPETTE

Slender Clear glass tubes sheath a Polished Chrome rod that supports a small and bright LED lamp. The glass is etched at a bisecting line where the lamp illuminates to softly diffuse the light. This reduces any glare while brightly and provides even illumination both outward and below. Available in two tube lengths, the pendants are also available in multiples to create a modern candle-like cluster. An additional surface mounted option supports the glass on a structure that allows it to hang freely for use as a ceiling flush mounted fixture or sharp 90 degree suspension of the glass when mounted to a wall. JA8 Listed LED G9 lamps in 3000K are provided for convenience and energy efficiency.

PIPETTE

- Available in 12” and 18” glass tube lengths
- Clear glass with etched bottom half to reduce glare
- Dimmable LED G9 lamps provided, JA8 Listed
- Single and Multi-light pendants configurations

E31099-93PC
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E31099	93PC	17 X 4W G9 LED 3000K (Incl.)	47.25"L x 23.5"W x 18"H, 138"OAH	90+	7650	5000	JA8 bulb (Incl.)

Finish: Clear/Frosted glass (93) Polished Chrome (PC)

PIPETTE

- Available in 12” and 18” glass tube lengths
- Clear glass with etched bottom half to reduce glare
- Dimmable LED G9 lamps provided, JA8 Listed
- Single and Multi-light pendants configurations

E31093-93PC
Pendant
A

E31095-93PC
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E31093	93PC	3 X 4W G9 LED 3000K (Incl.)	11.75"L x 11.75"W x 12"H, 138"OAH	90+	1350	950	JA8 bulb (Incl.)
B	E31095	93PC	3 X 4W G9 LED 3000K (Incl.)	11.75"L x 11.75"W x 18"H, 138"OAH	90+	1350	950	JA8 bulb (Incl.)

Finish: Clear/Frosted glass (93) Polished Chrome (PC)

E31090-93PC
Ceiling/Wall Mount

E

• Ceiling Mount Option

E31091-93PC
Pendant

C

E31092-93PC
Pendant

D

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E31091	93PC	1 X 4W G9 LED 3000K (Incl.)	1.25"L x 1.25"W x 12"H, 138"OAH		90+	450	350	JA8 bulb (Incl.)
D	E31092	93PC	1 X 4W G9 LED 3000K (Incl.)	1.25"L x 1.25"W x 18"H, 138"OAH		90+	450	350	JA8 bulb (Incl.)
E	E31090	93PC	1 X 4W G9 LED 3000K (Incl.)	4.75"W x 13.25"H x 4"Ext.	2.25"	90+	450	350	JA8 bulb (Incl.)

Finish: Clear/Frosted glass (93) Polished Chrome (PC)

RAMPART

Sharp rectilinear metal lines surround a squared LED housing that shines both upwards and downwards, creating an intriguing pattern of light. This collection offers a full range of products that suits exterior and interiors without bounds. Available in a variety of sconce sizes, as well as an additional pendant and post mount option, the design is completed in a matte Black finish that complements most settings.

RAMPART

- Corrosive-resistant Aluminum construction
- Squared rods surround LED housing
- Up/Down Lighting
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated
- Available as a pendant, post mount, and 3 sizes of wall sconce in Matte Black

E30114-BK
Outdoor Wall

A

E30116-BK
Outdoor Wall

B

E30117-BK
Outdoor Wall

C

	ITEM #	FINISH	LAMPING	DIMENSION	BP	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30114	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 11.75"H x 2.5"Ext.	4.5"W x 4.5"H	6"	90+	840	600	
B	E30116	BK	2 x 6W PCB LED 3000K (Inte.)	6.25"W x 14"H x 2.5"Ext.	4.25"W x 3"H	7"	90+	840	600	
C	E30117	BK	2 x 15W PCB LED 3000K (Inte.)	8"W x 22"H x 3.5"Ext.	5.25"W x 5.25"H	11"	90+	1500	1060	

Finish: Black (BK)

E30112-BK
Outdoor Wall
D

E30119-BK
Outdoor Pendant
E

E30110-BK
Outdoor Post
F

	ITEM #	FINISH	LAMPING	DIMENSION	BP	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
D	E30112	BK	2 x 4W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 2.5"Ext.	4.5"W x 4.5"H	4"	90+	540	300	
E	E30119	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 11.75"H, 60"OAH			90+	540	300	
F	E30110	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 15"H			90+	540	300	

Finish: Black (BK)

TOTEM

Zigzag towers of ribbed glass and a textured black frame. The ribbed glass texture is back lit by integrated LED strips housed within that shine bright illumination against a white reflective backdrop. With a 3" extension, these wall sconces add visual interest to your interior or exterior space, and meet ADA requirements for use down corridors and other public spaces.

TOTEM

- Sculptural frames in a textured Black finish
- Clear Ribbed glass is backlit
- 4 sizes of pocket sconces ranging from 5” heights to 24”
- LED integrated 3000K
- ADA Compliant

E30122-144BK
Outdoor Wall
A

Mounts up/down

E30123-144BK
Outdoor Wall
B

E30124-144BK
Outdoor Wall
C

E30126-144BK
Outdoor Wall
D

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30122	144BK	2 x 6W PCB LED 3000K (Inte.)	5"W x 5"H x 4"Ext.	2.25"	90+	960	570	
B	E30123	144BK	2 x 8W PCB LED 3000K (Inte.)	6"W x 16"H x 3"Ext.	8"	90+	1280	560	
C	E30124	144BK	2 x 10W PCB LED 3000K (Inte.)	6"W x 20"H x 3"Ext.	10"	90+	1600	700	
D	E30126	144BK	2 x 12W PCB LED 3000K (Inte.)	6"W x 24"H x 3"Ext.	12"	90+	1920	850	

Finish: Clear Ribbed glass (144) Black (BK)

GRAVITY

An elliptical shape in Gold finish is illuminated by dedicated LED lighting and secured to a disc in contrasting black finish making a modern silhouette rated for outdoor applications. Suitable for wet locations, the fixture is constructed of corrosive resistant aluminum channel finished in UV-rated outdoor powder coats and sealed within the frame to prevent water intrusion. With an extension less than 4 inches, this attractive sconce series is also inherently ADA compliant for indoor public spaces where needed.

GRAVITY

- Two tone Matte Black and Gold finish
- Constructed of anti-corrosive aluminum channel and sealed for wet locations
- LED integrated, 3000K
- ADA Compliant extension

E42102-BKGLD
Outdoor Wall
A

E42104-BKGLD
Outdoor Wall
B

E42106-BKGLD
Outdoor Wall
C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E42102	BKGLD	11W PCB LED 3000K (Inte.)	6"W x 13"H x 1.75"Ext.	10.5"	90+	500	250	
B	E42104	BKGLD	13W PCB LED 3000K (Inte.)	6"W x 15.5"H x 1.75"Ext.	13"	90+	580	350	
C	E42106	BKGLD	15W PCB LED 3000K (Inte.)	6"W x 18"H x 1.75"Ext.	15.5"	90+	670	450	

Finish: Black/Gold (BKGLD)

TECTONIC

An enigmatic light source projects from the wall, obscured by two panels with an organic textural relief and split down the center to cast soft ambient light. Open at the top and bottom as well, the light shines both upwards and downwards and signals the source of its illumination through the crevice that it creeps out from. Finished in Matte Black externally, the interior of the sconces are powder coated antique brass to add warmth to the rustic glow. Available in 3 sizes, this ADA compliant sconce series adds mystique to the spaces it's installed.

TECTONIC

- Unique cast aluminum with elevated relief patterns
- Exterior in Black finish, interior in Antique Brass for warm ambient light
- LED integrated, 3000K
- Available in 3 sizes, all ADA compliant extensions

E30142-BKAB
Outdoor Wall
A

E30144-BKAB
Outdoor Wall
B

E30146-BKAB
Outdoor Wall
C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30142	BKAB	2 x 8W PCB LED 3000K (Inte.)	4.75"W x 14"H x 3.75"Ext.	2.25"	90+	1280	480	
B	E30144	BKAB	2 x 10W PCB LED 3000K (Inte.)	4.75"W x 18"H x 3.75"Ext.	2.75"	90+	1600	520	
C	E30146	BKAB	2 x 12W PCB LED 3000K (Inte.)	4.75"W x 22"H x 3.75"Ext.	3.5"	90+	1920	560	

Finish: Black/Antique Brass (BKAB)

RUNE

Artisanal cast glass slabs are supported by a central Die Cast Aluminum housing that is finished in an outdoor rated Black powder coat. Emphasizing the natural beauty of the glass' imperfect contours, the sconces humbly illuminate these casually luxurious materials. Available in 3 configurations that represent 3 sizes of the collection, the sconces provide sufficient light as they showcase artistic glass craftsmanship.

RUNE

- Cast glass blocks supported by corrosive-resistant Aluminum brackets
- Dimmable LED light source, 3000K Color Temperature
- Available in 3 size configurations

E30132-24BK
Outdoor Wall

A

E30134-24BK
Outdoor Wall

B

E30136-24BK
Outdoor Wall

C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30132	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 12"H x 2"Ext.	6"	90+	1280	650	
B	E30134	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 15.5"H x 2"Ext.	6"	90+	1280	690	
C	E30136	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 19"H x 2"Ext.	9.5"	90+	1280	690	

Finish: Clear glass (24) Black (BK)

ALCOVE

Die cast aluminum frames accommodate a niche that features a decorative panel of stainless steel in a Gold finish. Two strips of dedicated LED lighting illuminate the washboard form that in its contrasting Gold hue creates a warmer ambient light source for your exterior.

ALCOVE

- Stainless steel corrugated panels in Gold finish
- Two tone Black with Gold outdoor rated powder coat
- Corrosive-resistant Aluminum with Stainless Steel
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated

E30102-BKGLD
Outdoor Wall
A

E30104-BKGLD
Outdoor Wall
B

E30106-BKGLD
Outdoor Wall
C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30102	BKGLD	2 x 9W PCB LED 3000K (Inte.)	6.5"W x 10"H x 2.5"Ext.	5"	90+	1440	300	
B	E30104	BKGLD	2 x 12W PCB LED 3000K (Inte.)	6.5"W x 14"H x 2.5"Ext.	7"	90+	1920	470	
C	E30106	BKGLD	2 x 18W PCB LED 3000K (Inte.)	6.5"W x 20"H x 2.5"Ext.	10"	90+	2880	600	

Finish: Black/Gold (BKGLD)

TOWER

A box of UV-rated acrylic is constructed of precise miter cut corners and silk screened white on its interior to form a tower of evenly distributed LED illumination. For wet locations, the LED light source is completely sealed and provides softer omnidirectional illumination to add security and sufficiently brighten spaces. The die cast aluminum frame is finished in a black outdoor rated powder coat for longer lasting color in outdoor settings.TOWER – A box of UV-rated acrylic is constructed of precise miter cut corners and silk screened white on its interior to form a tower of evenly distributed LED illumination. For wet locations, the LED light source is completely sealed and provides softer omnidirectional illumination to add security and sufficiently brighten spaces. The die cast aluminum frame is finished in a black outdoor rated powder coat for longer lasting color in outdoor settings.

TOWER

- Clear acrylic boxes are miter cut and silk screened white on their interior
- Evenly distributed lighting with high lumen output
- Constructed of corrosive-resistant Aluminum
- Sandy Black outdoor rated powder coat
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated

E30182-01BK
Outdoor Wall

A

Mounts up/down

E30184-01BK
Outdoor Wall

B

E30186-01BK
Outdoor Wall

C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30182	01BK	15W PCB LED 3000K (Inte.)	8"W x 15"H x 4"Ext.	7.5"	90+	1200	1170	
B	E30184	01BK	18W PCB LED 3000K (Inte.)	8"W x 18"H x 4"Ext.	9"	90+	1440	1270	
C	E30186	01BK	22W PCB LED 3000K (Inte.)	8"W x 22"H x 4"Ext.	11"	90+	1760	1760	

Finish: White Acrylic (01) Black (BK)

BRIK

Low profile LED up and down wall sconce which can be used interior or exterior are available in both Black and White. The flat face provides a place for numbers which makes these great for multi-family installations.

BRIK

- Machined Aluminum construction
- ADA compliant
- Available in White and Black
- Wet location rated
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac or ELV dimmers

E23212-BK, **-WT**
Interior/Exterior Wall Sconce

A

E23214-BK, -WT
Interior/Exterior Wall Sconce

B

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23212	BK, WT	8W PCB LED 3000K (Integrated)	4.75"W x 4.75"H x 1.5"Ext.	2.25"	80+	640	440	
B	E23214	BK, WT	10W PCB LED 2700K (Integrated)	6.25"W x 6.25"H x 1.5"Ext.	3.25"	80+	800	650	

Finish options: Black (BK) White (WT)

BLOK

The classic cube form has become a staple in modern lighting design. This option has been specified to minimal extension for ADA compliance. The smaller downlight size takes into consideration Night Sky requirements in some locations while it and the larger 2-Light option can be used in corridor spaces for both commercial and hospitality requirements. This product offering is not only commercially rated, but economically priced with IP ratings that allow installations either indoors or in the great outdoors. The high powered LED light engine is low voltage and includes a range voltage driver to conveniently meet various site requirements.

BLOK

- Cubes constructed of corrosive-resistant Aluminum
- ADA Compliant
- Down-light and Up/Down Light Configurations
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated

E23216-BK, **-WT**
Outdoor Wall

A

E23218-BK, -WT
Outdoor Wall

B

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23216	BK, WT	1 x 8W PCB LED 3000K (Inte.)	4.75"W x 4.75"H x 4"Ext.	2.25"	80+	630	440	
B	E23218	BK, WT	2 x 8W PCB LED 3000K (Inte.)	6.25"W x 6.25"H x 4"Ext.	3.25"	80+	1080	820	

Finish options: Black (BK) White (WT)

MODULAR

A series of shade options provide a variety of lighting designs suited to your application. The cast aluminum disc has a slight curve softening its form and designed to complement shade options available. Choose from Dark Sky compliant down-lights using flat lenses and directional light or from several UV-rated acrylic lens options that create domes, spheres, or cylinders. The integrated LED lights provide ample functional lighting, while the minimal forms translate the sconce's usage between indoor and outdoor applications.

MODULAR

- Modular sconce design constructed of corrosive-resistant Aluminum
- Select from cylindrical and dome glass shades or minimal flat lenses
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Energy Star and JA8 Listed
- Available in Black finish
- Wet Location Rated

E30160-BK
Interior/Exterior Wall Sconce
A

E30161-10BK
Wall Mount
B

E30170-BK
Interior/Exterior Wall Sconce
C

E30171-10BK
Wall Mount
D

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	INIT.	DEL.	Additional Information
A	E30160	BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	640	450	
B	E30161	10BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	640	450	
C	E30170	BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1280	900	
D	E30171	10BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1280	840	

Finish: Clear/White (10) Black (BK)

MODULAR

- Modular sconce design constructed of corrosive-resistant Aluminum
- Select from cylindrical and dome glass shades or minimal flat lenses
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Energy Star and JA8 Listed
- Available in Black finish
- Wet Location Rated

E30164-BK
Wall Mount
A

E30165-10BK
Wall Mount
B

E30175-10BK
Wall Mount
C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30164	BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	640	475	
B	E30165	10BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	640	450	
C	E30175	10BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1280	800	

Finish: Clear/White (10) Black (BK)

INDEX

E11011....36
E11013....36
E11015....35
E11019....34
E11040....24
E11041....24
E21260....32
E21262....31
E21263....32
E21266....30
E21340....42
E21344....42
E21352....40
E21354....40
E21355....39
E21357....38
E21358....39
E23212....70
E23214....70
E23216....72
E23218....72
E23510....21
E23511....22
E23512....22
E23513....21
E23514....20
E24211....16
E24213....16
E24217....15
E24219....14
E24220....28
E24221....27
E24225....28
E24227....27
E24229....26
E24616....18
E24770....4
E24771....4
E24773....2
E24774....3
E24871....12
E24873....9
E24874....8
E24875....8
E24877....12
E24878....10
E24880....11
E24964....6
E24966....6
E24968....6
E25038....48
E25039....48
E30102....66
E30104....66
E30106....66
E30110....56
E30112....56
E30114....55
E30116....55
E30117....55
E30119....56
E30122....58
E30123....58
E30124....58
E30126....58
E30132....64
E30134....64
E30136....64
E30142....62
E30144....62
E30146....62
E30160....74
E30161....74
E30164....75
E30165....75
E30170....74
E30171....74
E30175....75
E30182....68
E30184....68
E30186....68
E31090....52
E31091....52
E31092....52
E31093....51
E31095....51
E31099....50
E42102....60
E42104....60
E42106....60
E51010....46
E51011....45
E51012....46
E51013....45
E51014....46
E51015....44

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BI40T8E12CL120V	I	E12	40	40W Incandescent E12 T8 120V Bulb Clear
	BI40T10E26IF120V	I	E26	40	40W Incandescent MB T10 120V Bulb Inside Frost
	BI60T10E26IF120V	I	E26	60	60W Incandescent MB T10 120V Bulb Inside Frost
	BI40ST58E26CL120V	I	E26	40	40W Incandescent MB ST58 120V Bulb Clear
	BI60ST64E26CL120V	I	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BL9E26FT120V30	L	E26	9	9W LED E26 3000K 120V Bulb Frost
	BL12E26FT120V30	L	E26	12	12W LED E26 3000K 120V Bulb Frost
	BL16E26FT120V30	L	E26	16	16W LED E26 3000K 120V Bulb Frost
	BL5GU10FT120V30	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear, T24 JA8 Compliant
	BL7GU10FT120V30	L	GU10	7	7W Dimmable LED GU10 3000K 120V Bulb Clear
	BL1-2G4FT12V30	L	G4	1.2	1.2W LED DC AC 12V 3000K CRI80
	BL2G4CL12V	L	G4	2	2W LED G4 12V 3000K Bulb Clear (See Supp Descr)
	BL2G9CL120V30	L	G9	2	2W LED G9 3000K CRI80 Clear
	BL3G9CL120V30	L	G9	3	3W LED G9 3000K CRI80 Clear
	BL2-2G9FT120V30	L	G9	2.2	2.2W LED G9 3000K CRI80 Frost
	BL2-3G9CL120V35	L	G9	2.3	2.3W LED G9 3500K CRI80 Clear
	BL2-9G9CL120V27	L	G9	2.9	2.9W LED G9 2700K CRI80 Clear
	BL2-9G9CL120V35	L	G9	2.9	2.9W LED G9 3500K CRI80 Clear
	BL4G9CL120V830	L	G9	4	4W LED G9 3000K CRI90 Clear
	BX10G4CL12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BX10G4FT12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BX20G4CL12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BX20G4FT12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BX25G9CL12V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BX25G9FT120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BX40G9CL120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BX40G9FT120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BX50G9CL120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BX50G9FT120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BH35GU10CL120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BH50GU10CL120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear

CF - Compact Fluorescent F - Fluorescent H - Halogen I - Incandescent L - LED X - Xenon

FINISHES, GLASS

Code	Finish
AB	Antique Brass
AL	Aluminum
BC	Black Chrome
BCN	Brushed Champagne
BGM	Brushed Gunmetal
BK	Black
GLD	Gold
PC	Polished Chrome
SN	Satin Nickel
WT	White

Code	Glass
01	White
10	Clear/White
24	Clear
93	Clear/Frosted
118	Champagne Bubble
122	Clear Crystal
133	Patterned Acrylic
138	Smoke
144	Clear Ribbed

Warranty and Other Information

- For specific and detailed warranty information, ask your ET2 Contemporary Lighting sales representative or visit www.et2online.com/warranty.
- ET2 Contemporary Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a echanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Lamps are not included unless otherwise noted.
- Printed in China

ET2 Contemporary Lighting is a trademark of Maxim Lighting International, Inc.
StarStrand and CounterMax are registered trademarks of Maxim Lighting International, Inc.
All designs, logos, products and images © Copyright 2022 ET2 Contemporary Lighting.
All Rights Reserved.

#ET2lighting

ET2 Contemporary Lighting™

LETCAT2206
$5.00

A MAXIM GROUP COMPANY

#ET2lighting

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 626.956.4226

Dallas Trade Mart: 214.748.8455
Showroom: 3901
Email: info@et2online.com
Web: www.et2online.com

ET2 Contemporary Lighting and all designs, logos and images © 2022 ET2 Contemporary Lighting. All Rights Reserved.