

ET2

2024 WINTER SUPPLEMENT



Contemporary Lighting™

COLLECTIONS

Acropolis	179	Echo	131	Pleat	129
Alcove	203	Embosse	163	Polo	117
Alumilux	221	Entanglement	5	Pulse	43
Amulet	1	Folio	181	Quasar	27
Axle	59	Foster	107	Rampart	199
Basilica	9	Fuse	155	Reeds	65
Berliner	111	Fuse Outdoor	185	Reveal	23
Blok	211	Gravity	195	Reveal Outdoor	183
Bombona	119	Hemisphere	113	Rhythm	11
Bookkeeper	151	Highball	125	Rinkle	35
Brik	209	Highlander	175	Rune	193
Bubble	137	Ice Cube	61	Serpentine	83
Burst	45	Joist	103	Slant	139
Carmen	73	Latitude	159	Smokestack	191
Cauldron	213	Liquid	187	Sonata	31
Continuum	147	Loop	149	Souffle	135
Continuum-Track	167	Maglev	189	Stillo	93
Coronation	53	Manta	29	Syndicate	51
Cortex	87	Marsh	55	Tectonic	197
Coulee	177	Martini	15	Totem	219
Crossbar WiZ Color	157	Modular	215	Tower	205
Cubed	207	Mona	153	Travertine	101
Cuff	21	Nodes	77	Unity	75
Curvo	81	Pearl	63	Ziggurat	141
Dewdrop	121	Penrose	69		
Diaphane	89	Phoenix	115		
Dispatch	105	Pierce	17		
Dorian	143	Pipette	97		
Doric	161	Pitch	109		
Dram	165	Planetary	49		

Finishes	226	Index	223	Shade	226
Glass	226	Lamping	227	Warranty	228

LEGEND

ADA Compliant

Adjustable

Emergency Backup Battery Included

Energy Star Certified

CCT Select

Installs Up or Down

Installs Horizontally or Vertically

California Title 24

Slope

Dask Sky

LED

Rotate

For Wet Location

For Damp Location

Dimmable using standard dimmer. Lutron® CL dimmers are recommended.

HCO | Height from Center of Outlet
OAH | Overall Height

AMULET

Circular bands, like ornaments, descend from thin low voltage cables in a variety of configurations. An evenly diffused LED tube spans the distance of the circular wavy glass shades creating a dazzling lighting effect. A contrasting two-tone Black and Natural Aged Brass finish supports this ornament as seen on the large LED wall sconce.





AMULET


- Clear, Water Glass circular band shades
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E24035-24BKNAB

Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24035	24BKNAB	5 x 9.5W PCB LED 3000K (Inte.)	20.25"L x 20.25"W x 22"H, 143"OAH	90+	4000	2400	


Finish: Clear glass (24) Black/Natural Aged Brass (BKNAB)

AMULET

- Clear, Water Glass circular band shades
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility




E24031-24BKNAB
Pendant
A





E24033-24BKNAB
Pendant
B




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24031	24BKNAB	1 x 9W PCB LED 3000K (Inte.)	8"L x 8.5"W x 21.75"H, 143"OAH	90+	800	480	
B	E24033	24BKNAB	3 x 9.5W PCB LED 3000K (Inte.)	17.5"L x 17.5"W x 22"H, 143"OAH	90+	2400	1440	

Finish: Clear glass (24) Black/Natural Aged Brass (BKNAB)



E24030-24BKNAB
Wall Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E24030	24BKNAB	1 x 8W PCB LED 3000K (Inte.)	8.5"W x 5"H x 10"Ext.	4"	90+	640	400	LED DIM DAMP

Finish: Clear glass (24) Black/Natural Aged Brass (BKNAB)

ENTANGLEMENT

A network of wire and crystal are suspended within a box frame illuminated from above. The light panel above highlights the iridescence of the crystal while providing ample illumination to the space below.






ENTANGLEMENT

- K9 Crystal jewels suspended in aircraft cable sculpture
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility





E21254-20BK
Pendant
A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21254	20BK	73.5W PCB LED 3000K (Inte.)	27.5"L x 27.5"W x 12.75"H, 134.5"OAH	90+	4400	1800	LED DIM


Finish: Crystal (20) Black (BK)

ENTANGLEMENT


- K9 Crystal jewels suspended in aircraft cable sculpture
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility

E21253-20BK
Pendant

A







E21256-20BK
Linear Pendant


B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21253	20BK	39.5W PCB LED 3000K (Inte.)	41.75"L x 11.5"W x 12.75"H, 134.5"OAH	90+	2370	1570	LED DIM
B	E21256	20BK	59W PCB LED 3000K (Inte.)	47.25"L x 10"W x 6.75"H, 129"OAH	90+	3550	1900	LED DIM

Finish: Crystal (20) Black (BK)




E21250-20BK
Flush Mount
C





E21251-20BK
Pendant
D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E21250	20BK	36.5W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 8"H	90+	2200	1500	LED DIM
D	E21251	20BK	11W PCB LED 3000K (Inte.)	6"L x 6"W x 12.75"H, 134.5"OAH	90+	660	390	LED DIM

Finish: Crystal (20) Black (BK)

BASILICA

Architecturally inspired, these scalloped domes demonstrate biophilic, coastal, and archetypal geometry in their form. Constructed of concrete in a neutral Chalky White finish, the collection complements a variety of interiors and shares a sophisticated playfulness in design. Available in two sizes of pendants as well as a coordinating wall sconce with LED lamping included.









BASILICA

- Naturally porous travertine components
- Constructed of Solid Concrete in Chalky White
- Coordinating Off-White Rayon Cord with matching hardware
- LED Lamps included



E25140-CHK
Wall Mount
A





E25141-CHK
Pendant
B



E25142-CHK
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25140	CHK	1 x 7W GU10 LED 3000K (Incl.)	8"W x 7.5"H x 4"Ext.	4"	90+	600	450	
B	E25141	CHK	1 x 6W MB LED 3000K (Incl.)	13.75"L x 13.75"W x 5.25"H,125.5"OAH		90+	600	450	
C	E25142	CHK	1 x 6W MB LED 3000K (Incl.)	19.5"L x 19.5"W x 6.25"H,126.5"OAH		90+	600	450	

Finish: Chalky White (CHK)

RHYTHM

Ablaze with omnidirectional LED light radiating from the center of perfectly ribbed spheres, the lustrous glow within accentuates the repeating pattern on the glass' exterior. With minimal hardware visible outside the glass, select from Polished Chrome or Gold to match your interior's decor.






RHYTHM

- Solid clear ribbed glass shades
- Omnidirectional low voltage LED
- 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E24646-144GLD, -144PC
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24646	144GLD, 144PC	9 x 5W PCB LED 3000K (Inte.)	21.75"L x 21.75"W x 5"H, 124.5"OAH	90+	3600	2250	LED DIM

Finish Options: Clear Ribbed glass (144) Gold (GLD) Polished Chrome (PC)


RHYTHM

- Solid clear ribbed glass shades
- Omnidirectional low voltage LED
- 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E24648-144GLD, **-144PC**
Linear Pendant

A





	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24648	144GLD, 144PC	10 x 5W PCB LED 3000K (Inte.)	33.5"L x 11"W x 5"H, 124.5"OAH	90+	4000	2500	LED DIM

Finish Options: Clear Ribbed glass (144) Gold (GLD) Polished Chrome (PC)




E24643-144GLD, -144PC
Pendant
B





E24641-144GLD, **-144PC**
Pendant
C




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24643	144GLD, 144PC	3 x 5W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 5"H, 135"OAH	90+	1200	750	
C	E24641	144GLD, 144PC	1 x 5W PCB LED 3000K (Inte.)	4.25"L x 4.25"W x 5"H, 137"OAH	90+	400	250	

Finish Options: Clear Ribbed glass (144) Gold (GLD) Polished Chrome (PC)



E11093-10NAB
Pendant
A



MARTINI

Class and character describe these unique LED light pendants. Start by taking a spike in Natural Aged Bass and stick it through multiple layers of glass globe shades. The outer layer is an oversized Clear glass with a slanted opening exposing a smaller White glass globe inside illuminated by the LED concealed within it. It's serving a martini and bright ideas.





MARTINI


- Clear/White glass with Natural Aged Brass hardware
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility






• Frosted globe can be installed top or bottom

E11091-10NAB
Pendant
B






E11092-10NAB
Pendant
C





E11096-10NAB
Pendant
D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11093	10NAB	1 x 12W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 19.75"H, 66"OAH	90+	960	840	
B	E11091	10NAB	1 x 7W PCB LED 3000K (Inte.)	7.75"L x 7.75"W x 12.5"H, 58.75"OAH	90+	560	490	
C	E11092	10NAB	1 x 10W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 18.25"H, 65"OAH	90+	800	700	
D	E11096	10NAB	4 x 8.5W PCB LED 3000K (Inte.)	27.5"L x 23.75"W x 18.25"H, 64.25"OAH	90+	2720	2060	

Finish: Clear/White glass (10) Natural Aged Brass (NAB)

PIERCE

An elongated profile with piercing statement, this series of pendants feature thin black wires that support a tapered metal pendant. Recessed in this form is a high powered LED that illuminates a brilliantly faceted crystal element with etched details inside its form to capture light and enhance its beauty. Available in Gold or Matte Black, the design complements both modern and many transitional interiors. A coordinating ADA compliant wall sconce was designed with a rigid stem for public spaces and has been sealed for use in damp locations.





PIERCE

- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility




E24230-122BK, -122GLD
Chandelier

A



E24221-122BK, **-122GLD**
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24230	122BK, 122GLD	16 x 3W PCB LED 3000K (Inte.)	24.75"L x 24.75"W x 19"H, 140.75"OAH	90+	2200	1150	
B	E24221	122BK, 122GLD	1 x 3W PCB LED 3000K (Inte.)	2.25"L x 2.25"W x 19"H, 141"OAH	90+	350	220	

Finish Options: Clear Crystal (122) Black (BK) Gold (GLD)

PIERCE

- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E24225-122BK, -122GLD
Pendant
A




E24229-122BK**, -122GLD**
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24225	122BK, 122GLD	5 x 3W PCB LED 3000K (Inte.)	13"L x 13"W x 19"H, 141"OAH	90+	1050	560	
B	E24229	122BK, 122GLD	12 x 3W PCB LED 3000K (Inte.)	24.75"L x 24.75"W x 19"H, 141"OAH	90+	2200	1060	

Finish Options: Clear Crystal (122) Black (BK) Gold (GLD)






E24227-122BK, -122GLD
Pendant
C



E24220-122BK**, -122GLD**
ADA Compliant Wall Mount
D




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E24227	122BK, 122GLD	9 x 3W PCB LED 3000K (Inte.)	19"L x 19"W x 19"H, 141"OAH		80+	1500	800	
D	E24220	122BK, 122GLD	1 x 3W PCB LED 3000K (Inte.)	2.25"W x 20.75"H x 4"Ext.	2.25"	80+	350	220	

Finish Options: Clear Crystal (122) Black (BK) Gold (GLD)

E22945-BKGLD
Pendant

A



CUFF


Varied lengths of Matte Black cylinders feature a cuffed edge in Gold and suspend on thin black wire. Available in multiple configurations, this integrated LED pendant collection provides an attractive design for economical pricing.

CUFF

- Various pendant configurations
- LED Integrated, 3000K Color Temperature
- Range Voltage 120-277V Input
- Dimmable with Triac and ELV at 120V




E22943-BKGLD
Pendant
B





E22941-BKGLD
Pendant
C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E22945	BKGLD	5 x 8W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 8.75"H, 129.5"OAH	90+	3600	1200	
B	E22943	BKGLD	3 x 9W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 8.75"H, 129.5"OAH	90+	2160	770	
C	E22941	BKGLD	1 x 10W PCB LED 3000K (Inte.)	3.25"L x 3.25"W x 8.75"H, 129.5"OAH	90+	800	220	

Finish: Black/Gold (BKGLD)

REVEAL

Tubular pendants finished in Satin Nickel or Matte Black in contrasting Satin Brass or Gold bands respectively. Light shines downward from the bottom of the pendant as well as a reveal of light behind the band.






- Two-tone finishes including: Matte Black/Gold and Satin Nickel/Satin Brass
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers



E24758-BKGLD, -SNSBR
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24758	BKGLD, SNSBR	8 x 6W PCB LED 3000K (Integrated)	32"L x 9.75"W x 12.25"H, 134"OAH	90+	3840	930	

Finish Options: Black/Gold (BKGLD) Satin Nickel/Satin Brass (SNSBR)


REVEAL

- Two-tone finishes including: Matte Black/Gold and Satin Nickel/Satin Brass
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers



E24757-BKGLD, **-SNSBR**
Pendant

A




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24757	BKGLD, SNSBR	7 x 6W PCB LED 3000K (Integrated)	18"L x 18"W x 12.25"H, 134"OAH	90+	3360	820	


Finish Options: Black/Gold (BKGLD) Satin Nickel/Satin Brass (SNSBR)



E24753-BKGLD, -SNSBR
Pendant


B





E24751-BKGLD, **-SNSBR**
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24753	BKGLD, SNSBR	3 x 6W PCB LED 3000K (Integrated)	11"L x 11"W x 12.25"H, 134"OAH	90+	1440	350	
C	E24751	BKGLD, SNSBR	1 x 6W PCB LED 3000K (Integrated)	2.75"L x 2.75"W x 12.25"H, 134"OAH	90+	480	120	

Finish Options: Black/Gold (BKGLD) Satin Nickel/Satin Brass (SNSBR)

QUASAR

A arrangement of stainless steel and light guided acrylic form elongated rhombus shapes discreetly lit by LED. On the larger size pendants an additional aircraft cable kit is provided so that you can mount the pendants either vertically or horizontally at various angles. Finished in Polished Chrome, these pendants are out of this world.






QUASAR


- Constructed of Stainless Steel and PMMA Light Guide Acrylic
- Additional aircraft cable kit allows for vertical or horizontal mounting for two larger pendants
- Polished Chrome finish
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E24891-133PC
Mini Pendant

A






E24894-133PC
Pendant

B

• Convertible to vertical mounting



E24895-133PC
Pendant

C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24891	133PC	1 x 8W PCB LED 3000K (Inte.)	5.5"L x 5.5"W x 20.5"H, 140"OAH	90+	720	560	
B	E24894	133PC	3 x 2.2W PCB LED 3000K (Inte.)	35.5"L x 5.25"W x 5.25"H, 122.25"OAH	90+	590	460	
C	E24895	133PC	3 x 5W PCB LED 3000K (Inte.)	51.25"L x 7.75"W x 7.75"H, 123.5"OAH	90+	1350	1050	

Finish: Patterned Acrylic (133) Polished Chrome (PC)

MANTA

A singular panel of transparent acrylic softly folds at its center in an undulating shape and curl. The acrylic is designed with a patterned etching along its surface that features a frosted edge. This allows the LED light to be captured in a mesmerizing effect that accentuates the organic form. The LED is concealed within a Gold plated housing that adds warmth to the overall design. A coordinating sconce features the same curled acrylic material and extends 4 inches for ADA compliant applications.






MANTA

- Formed transparent acrylic with unique pattern
- Gold Plated finish
- 3000K Color Temperature, CRI 90+
- Compatible with Triac and ELV dimmers



E24711-144GLD
Wall Mount


A





E24714-144GLD
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24711	144GLD	12W PCB LED 3000K (Inte.)	4.75"W x 16.5"H x 4"Ext.	8.25"	90+	840	700	
B	E24714	144GLD	44W PCB LED 3000K (Inte.)	47"L x 9.75"W x 8.5"H, 128"OAH		90+	3080	2300	

Finish: Clear Ribbed glass (144) Gold (GLD)

SONATA

Composed of gently curving aluminum channels in Matte Black that support a patterned translucent acrylic arranged in groups of vertical stripes, this series of pendants and coordinating ADA sconce express a musical quality in brilliant LED light. The wall sconce visibly suggests the shape of a piano, while the pendants return inward where they bend at the ends in an instrumental, elegant shape. A story told in simple forms, the collection is illuminated by dedicated LED light sources concealed within the frames enhancing the translucent undulating slabs of patterned acrylic. Their sculptural form is sure to add wonder to both classical and modern settings.






SONATA




- Vertically striped translucent acrylic panes are bent by hand
- Stark contrasting Matte Black aluminum frame
- Integrated LED in a Neutral White 3000K color temperature
- ADA compliant wall sconce
- Dimmable with Electronic Low Voltage Dimmer switches
- Configurations include Pendants, Wall Sconce, and Flush Mounts



E24779-133BK
Flush Mount
A



E24775-133BK
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24779	133BK	35W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 7"H	90+	2450	1320	
B	E24775	133BK	42W PCB LED 3000K (Inte.)	59"L x 17"W x 6"H, 126"OAH	90+	2940	1420	

Finish: Patterned Acrylic (133) Black (BK)

SONATA

- Vertically striped translucent acrylic panes are bent by hand
- Stark contrasting Matte Black aluminum frame
- Integrated LED in a Neutral White 3000K color temperature
- ADA compliant wall sconce
- Dimmable with Electronic Low Voltage Dimmer switches
- Configurations include Pendants, Wall Sconce, and Flush Mounts



E24770-133BK
ADA Compliant Wall Mount
A




E24774-133BK
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24770	133BK	10W PCB LED 3000K (Inte.)	11.75"W x 15"H x 4"Ext.	4.75"	80+	500	310	
B	E24774	133BK	54W PCB LED 3000K (Inte.)	47.25"L x 10"W x 7"H, 128.5"OAH		80+	2700	1250	

Finish: Patterned Acrylic (133) Black (BK)




E24771-133BK
Pendant
C





E24773-133BK
Pendant
D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E24771	133BK	24W PCB LED 3000K (Inte.)	14"L x 12.75"W x 6.75"H, 128.5"OAH	80+	1200	760	
D	E24773	133BK	30W PCB LED 3000K (Inte.)	35.5"L x 7.75"W x 7"H, 128.5"OAH	80+	1500	780	

Finish: Patterned Acrylic (133) Black (BK)



RINKLE MODULAR


An airy arrangement of abstract forms, the Rinkle pendants feature sheets of transparent acrylic shaped by hand. The light guided acrylic captures the glow of energy efficient LEDs recessed within strips of shining stainless steel, obscuring the source of illumination. Delicately suspended by a series of thin wires, the pendants appear to be floating in an adjustable configuration of weightless light sculpture. Available in Polished Chrome, French Gold, and Brushed Gunmetal, its unique design adds a showstopping element to interior spaces.

RINKLE MODULAR

- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner
- Available in Polished Chrome, Brushed Gunmetal or French Gold



E24883-133BGM, -133FG, -133PC
Pendant
A




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24883	133BGM, 133FG, 133PC	33W PCB LED 3000K (Inte.)	57.5"L x 16.5"W x 13.25"H, 133"OAH	90+	2640	1500	LED DIM

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)

RINKLE MODULAR


- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner
- Available in Polished Chrome, Brushed Gunmetal or French Gold





E24881-133BGM, -133FG, **-133PC**
Pendant
A






E24882-133BGM, **-133FG**, -133PC
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24881	133BGM, 133FG, 133PC	8W PCB LED 3000K (Inte.)	21.5"L x 9.75"W x 11"H, 130"OAH	90+	630	350	LED DIM
B	E24882	133BGM, 133FG, 133PC	21W PCB LED 3000K (Inte.)	42"L x 16"W x 13.25"H, 133"OAH	90+	1680	950	LED DIM

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)





E24873-133BGM, -133FG, -133PC
Pendant

C


	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E24873	133BGM, 133FG, 133PC	36W PCB LED 3000K (Inte.)	50.5"L x 15"W x 15.75"H, 135.5"OAH	90+	2760	1750	LED DIM

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)

RINKLE

- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner
- Available in Polished Chrome, Brushed Gunmetal or French Gold





E24880-133BGM, **-133FG**, -133PC
Pendant

A


	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24880	133BGM, 133FG, 133PC	66W PCB LED 3000K (Inte.)	36.25"L x 36.25"W x 15.75"H, 197.25"OAH	90+	5280	3500	LED DIM

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)



E24877-133BGM, -133FG, **-133PC**
Pendant


B





E24871-133BGM, -133FG, -133PC
ADA Compliant Wall Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24877	133BGM, 133FG, 133PC	35W PCB LED 3000K (Inte.)	27.5"L x 27.5"W x 15.75"H, 135.5"OAH		90+	2800	2000	
C	E24871	133BGM, 133FG, 133PC	4.5W PCB LED 3000K (Inte.)	9.25"W x 16.5"H x 6.25"Ext.	7.75"	90+	350	210	


Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)

RINKLE


- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Coordinating floor lamp available
- Multiple design awards winner
- Available in Polished Chrome, Brushed Gunmetal or French Gold



E24874-133BGM, -133FG, -133PC
Pendant
A







E24875-133BGM, **-133FG,** -133PC
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24874	133BGM, 133FG, 133PC	10W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 15.75"H, 135.25"OAH	90+	800	600	LED DIM
B	E24875	133BGM, 133FG, 133PC	15W PCB LED 3000K (Inte.)	21.5"L x 21.5"W x 15.75"H, 135.25"OAH	90+	1200	900	LED DIM

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)



E24878-133BGM, -133FG, **-133PC**
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E24878	133BGM, 133FG, 133PC	33W PCB LED 3000K (Inte.)	35.5"L x 23.5"W x 15.75"H, 135.5"OAH	90+	2600	1850	LED DIM

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)



PULSE


Ridged acrylic profiles extend in two halves along a coordinating aluminum extrusion in Polished Chrome. As if in motion, the form creates a frequency of light that is illuminated from internal LED integrated light sources. Available in a variety of configurations, this series is great for modern interiors.

PULSE

- Clear Ridged Acrylic Lens
- Polished Chrome Finish
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers




E24695-75PC
Pendant
A






E24693-75PC
Pendant
B





E24691-75PC
Pendant
C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24695	75PC	5 x 6W PCB LED 3000K (Inte.)	15"L x 15"W x 4.75"H, 124.25"OAH	90+	2700	2100	
B	E24693	75PC	3 x 6W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 4.75"H, 124.25"OAH	90+	1620	1260	
C	E24691	75PC	1 x 6W PCB LED 3000K (Inte.)	4.75"L x 4.75"W x 4.75"H, 128.5"OAH	90+	540	420	

Finish: Clear Acrylic (75) Polished Chrome (PC)

BURST

Clusters of glass globes in various sizes and color are suspended from a central point and burst outward. Configurations include a 4-Light, 9-Light, and 12-Light cluster and can be mounted close to the ceiling or included down rods to extend the height. Choose from options of Clear or Frosted glass globe clusters paired with Satin Nickel frames for an airy transitional design or be bold with Mirror Smoked glass or a varied combination of the glass including amber tinted suspended on a Matte Black frame with thin black cables. Small-scaled LED G4 lamps are included with the fixtures and centered in the glass accentuating the scale of the glass.






BURST

- Clusters of threaded glass spheres in multiple sizes and finishes
- Clear, Frosted, Smoked, and Amber tinted glass options
- Low-voltage LED G4 lamp in 3000K Color Temperature included
- Additional down rods can be eliminated for closer to ceiling installations
- Dimmable with ELV dimmers





E25088-18GLD, -142BK, **-148BK**
Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25088	18GLD, 142BK, 148BK	20 x 1.8W G4 LED 3000K (Incl.)	35.25"L x 35.25"W x 59.25"H, 103"OAH	90+	3600	2520	LED DIM

Finish Options: Clear glass (18) Graduating Smoke glass (142) Multi-Color glass (148)
Gold (GLD) Black (BK)


BURST

- Clusters of threaded glass spheres in multiple sizes and finishes
- Clear, Frosted, Smoked, and Amber tinted glass options
- Low-voltage LED G4 lamp in 3000K Color Temperature included
- Additional down rods can be eliminated for closer to ceiling installations
- Dimmable with ELV dimmers

Mount Without Stems For Shorter Height







E25089-18SN, -54SN, -142BK, **-148BK**
Pendant


A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25089	18SN, 54SN, 142BK, 148BK	12 x 1.8W G4 LED 3000K (Incl.)	27"L x 27"W x 47.25"H, 91.25"OAH	80+	2160	1750	LED DIM

Finish Options: Clear glass (18) Translucent Frost glass (54) Graduating Smoke glass (142) Multi-Color glass (148) Satin Nickel (SN) Black (BK)




E25087-18SN, -54SN, -142BK, -148BK
Pendant
B





E25084-18SN, -54SN, **-142BK**, -148BK
Pendant
C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E25087	18SN, 54SN, 142BK, 148BK	9 x 1.8W G4 LED 3000K (Incl.)	19.75"L x 19.75"W x 43.25"H, 87.25"OAH	80+	1620	1300	
C	E25084	18SN, 54SN, 142BK, 148BK	4 x 1.8W G4 LED 3000K (Incl.)	17"L x 17"W x 39.5"H, 83.25"OAH	80+	720	580	

Finish Options: Clear glass (18) Translucent Frost glass (54) Graduating Smoke glass (142) Multi-Color glass (148)
Satin Nickel (SN) Black (BK)



E24182-148GLD
Wall Mount

A

PLANETARY

Swooping curves of round tubes support ribbed and tinted glass in a galaxy of light. The Gold frame supports glass globe shades colored in Amber and Smoke tints that encase an LED G9 lamp provided. Available in two size pendants and a wall sconce, the collection is sure to draw attention.







PLANETARY

- Finished in a Gold powder coat
- Combination of Smoke Grey and Amber Ribbed Glass
- LED G9 Lamps included




E24185-148GLD
Chandelier
B








E24188-148GLD
Chandelier
C





	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24182	148GLD	2 x 3W G9 LED 3000K (Incl.)	11.5"W x 10.5"H x 10"Ext.	3.5"	80+	600	400	
B	E24185	148GLD	5 x 3W G9 LED 3000K (Incl.)	23.25"L x 23.25"W x 11.25"H, 129.25"OAH		80+	1500	1000	
C	E24188	148GLD	8 x 3W G9 LED 3000K (Incl.)	33.75"L x 33.75"W x 12.75"H, 130"OAH		80+	2400	1600	

Finish: Multi-Color glass (148) Gold (GLD)

SYNDICATE

Segmented by bright LED rings finished in Matte Black, glass shades of an hourglass shape are combined into various configurations. The hand-blown glass is entirely transparent and varies in size creating an undulating pattern. All together, the series includes pendants, flush mounts, and portable lamps.








SYNDICATE

- Blown Clear glass shades
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources




E21380-18BK
Flush Mount
A






E21389-18BK
Floor Lamp
B






E21384-18BK
Pendant
C





E21382-18BK
Pendant
D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21380	18BK	2 x 8W PCB LED 3000K (Inte.)	8.75"L x 8.75"W x 11.25"H	90+	960	720	
B	E21389	18BK	5 x 8W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 62"H	90+	2400	1800	
C	E21384	18BK	4 x 8W PCB LED 3000K (Inte.)	8.75"L x 8.75"W x 44.25"H, 88"OAH	90+	1800	1350	
D	E21382	18BK	2 x 8W PCB LED 3000K (Inte.)	8.75"L x 8.75"W x 18.75"H, 62.5"OAH	90+	960	720	

Finish: Clear glass (18) Black (BK)

CORONATION

A robust black metal frame is connected by a series of arches that are individually illuminated with LED technology. The form creates the vision of a crown and constructed in a similar fashion that emulates the Roman aqueducts.






CORONATION

- Matte Black finish
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources



E24864-BK
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24864	BK	98W PCB LED 3000K (Inte.)	39.25"L x 39.25"W x 10.25"H, 133.25"OAH	90+	4800	3000	LED DIM

Finish: Black (BK)

MARSH

Drawing the outdoors in, the inspiration for this piece combines iconic modern lighting with biophilic forms. Long slender armatures descend in organic slopes to domed, ovoid shades that appear leaf-like. Finished in Matte Black the collection features coordinating low voltage garden lights that blend into outdoor spaces while providing useful illumination.






MARSH

- Matte Black finish
- AC Integrated (No Driver) Indoor Lighting Fixtures
- 12V Low Voltage Coordinating Garden Lighting
- LED Integrated, 3000K Color temperature






E24092-BK
Wall Mount
A



• Convertible to Semi-Flush Mount

E24095-BK
Pendant/Semi-Flush Mount
B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24092	BK	2 x 9W PCB LED 3000K (Inte.)	33.25"W x 28"H x 21.25"Ext.	19.75"	90+	1800	900	LED DIM LAMP
B	E24095	BK	5 x 9W PCB LED 3000K (Inte.)	36"L x 36"W x 43"H, 89"OAH		90+	4500	1900	LED DIM

Finish: Black (BK)


MARSH

- Matte Black finish
- AC Integrated (No Driver) Indoor Lighting Fixtures
- 12V Low Voltage Coordinating Garden Lighting
- LED Integrated, 3000K Color temperature



E24094-BK
Semi-Flush Mount

A




• Convertable to Semi-Flush Mount




E24093-BK
Pendant/Semi-Flush Mount

B




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24094	BK	3 x 9W PCB LED 3000K (Inte.)	32"L x 32"W x 8"H	90+	2700	1200	
B	E24093	BK	3 x 9W PCB LED 3000K (Inte.)	28"L x 28"W x 32.75"H, 78.75"OAH	90+	2700	1200	

Finish: Black (BK)



E24090-BK
Garden Light
12V
C





E24099-BK
Garden Light
12V
D

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E24090	BK	1 x 5W 12V PCB LED 3000K (Inte.)	13"L x 6"W x 30"H	90+	500	300	LED DIM WET 12V
D	E24099	BK	3 x 5W 12V PCB LED 3000K (Inte.)	25"L x 25"W x 41"H	90+	1500	900	LED DIM WET 12V

Finish: Black (BK)

AXLE

Suspended by an axle of Gold pins, a Clear glass orb is illuminated with a sleek continuing line of evenly diffused LED in a white acrylic cylinder. The elongated nature of the Gold metalwork is elegantly vertical in size with a pop of playful interest and light. Available as a hanging pendant or oversized wall sconce, the dramatic two-tone design provides interest and functional light.






- Plated Gold finish
- Clear glass
- Innovative LED tube encased in white glass
- CRI 90+, 3000K
- Dimmable with both Triac and Electric Low Voltage Dimmers
- Available as a hanging pendant and large sized wall sconce




E11040-24GLD
Pendant
A





E11041-24GLD
Wall Mount
B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11040	24GLD	11.2W PCB LED 3000K (Inte.)	8"L x 8"W x 22"H, 144"OAH		90+	1050	950	LED DIM
B	E11041	24GLD	10W PCB LED 3000K (Inte.)	8"W x 15.75"H x 9"Ext.	8"	90+	900	720	LED DIM DAMP

Finish: Clear glass (24) Glod (GLD)


ICE CUBE

Like melting ice, these oversized cube pendants support cast glass shades from highly polished stainless steel frames. Select from two finish combinations: a Clear glass shade and Polished Chrome frame or soften the look with warm Amber glass and a polished French Gold frame. Available in a variety of configurations, these pendants will make your space cool.




E24683-26FG, -28PC
Pendant

A









ICE CUBE

- Cast glass in Clear or Amber tint
- Polished Chrome and French Gold finish
- LED G9 Bulbs Included
- Dimming Compatible with Triac and ELV dimmers






E24689-26FG, **-28PC**
Pendant
B



E24681-26FG, -28PC
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24683	26FG, 28PC	3 x 3W G9 LED 3000K (Incl.)	18.5"L x 18.5"W x 8.75"H, 128"OAH	80+	900	630	
B	E24689	26FG, 28PC	9 x 3W G9 LED 3000K (Incl.)	33.5"L x 33.5"W x 8.75"H, 128"OAH	80+	2700	1890	
C	E24681	26FG, 28PC	1 x 3W G9 LED 3000K (Incl.)	8.25"L x 7"W x 8.75"H, 128"OAH	80+	300	210	

Finish Options: Amber glass (26) Clear Murano glass (28) French Gold (FG) Polished Chrome (PC)



E24075-BKNAB
Chandelier

A

PEARL

An artistic and flexible design concept, crystal orbs are illuminated behind curved Naturally Aged Brass shades. The oversized panes are mounted to LED light housings that can rotate to provide either ambient indirect lighting that is directed upwards at the crystal for a glowing effect, or these LEDs can be rotated to shine downward for ample lighting. The two-arm wall sconce has a longer extension in the arm with individual light switches on the backplate to be used for directed task lighting great for bedside applications or creating a space within a room that will serve as task lighting.






PEARL


- Two tone Naturally Aged Brass and matte Black finish
- Oversized swing arm sconces with individual switches at mounting
- K9 clear crystal orb accents
- Individually rotatable shades easily directs light where desired
- LED Integrated, 3000K Color Temperature
- Dimmable with most Triac and ELV dimmers

Individually Direct Lightsource




E24072-BKNAB
Wall Mount

B



E24073-BKNAB
Chandelier

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24075	BKNAB	6 x 6W LED 3000K (Inte.)	47.25"L x 47.25"W x 22"H, 65.25"OAH		90+	3600	1850	
B	E24072	BKNAB	2 x 5W LED 3000K (Inte.)	11.75"W x 11.75"H x 26.5 "Ext.	6"	90+	1000	650	
C	E24073	BKNAB	3 x 6W LED 3000K (Inte.)	39.25"L x 39.25"W x 15.75"H, 59"OAH		90+	1800	1000	

Finish: Black (BK) Natural Aged Brass (NAB)

REEDS

Reeded glass tubes are paired with ribbed aluminum LED housings in your choice of Gold or matte Black finishes. The interior frosted glass diffusers soften the high-powered LED boards concealed within. The low-voltage light sources are driven by a commercially rated range voltage LED drivers with universal dimming, allowing them to be used in both residential and decorative commercial or hospitality applications. ADA compliant sconces are a welcome companion to the series as well as the fully metal stem hung pendant option designed without glass and uses a JA8 Listed LED GU10 lamp instead of dedicated LED.






REEDS



- Available in Gold or matte Black finishes
- Stem hung single pendants feature elongated housings, no glass, and LED GU10 lamping that is included
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature
- Refer to SKU for dimmer compatibility
- Range voltage input 120-277V options with universal 3-in-1 dimming

E11019-144BK, -144GLD
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11019	144BK, 144GLD	12 x 5W PCB LED 3000K (Inte.)	20.75"L x 20.75"W x 17"H, 137"OAH	90+	4800	2880	LED DIM 120-277V input

Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD)


REEDS

- Available in Gold or matte Black finishes
- Stem hung single pendants feature elongated housings, no glass, and LED GU10 lamping that is included
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature
- Refer to SKU for dimmer compatibility
- Range voltage input 120-277V options with universal 3-in-1 dimming



E11013-144BK, -144GLD
Pendant


A






E11015-144BK, **-144GLD**
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI	INIT.	DEL.	Additional Information
A	E11013	144BK, 144GLD	3 x 5W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 17"H, 137"OAH	90+	1200	720	LED DIM 120-277V input
B	E11015	144BK, 144GLD	5 x 5W PCB LED 3000K (Inte.)	13.75"L x 13.75"W x 17"H, 137"OAH	90+	2000	1800	LED DIM 120-277V input


Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD)



E11011-144BK, **-144GLD**
Pendant
C




E11012-BK, -GLD
Pendant
D





E11010-144BK, **-144GLD**
Wall Mount
E



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E11011	144BK, 144GLD	1 x 5W PCB LED 3000K (Inte.)	2.25"L x 2.25"W x 17"H, 137"OAH		90+	400	240	120-277V input
D	E11012	BK, GLD	1 x 7W GU10 LED 3000K (Incl.)	2.25"L x 2.25"W x 17.75"H, 62.5"OAH		90+	450	360	120V input
E	E11010	144BK, 144GLD	1 x 5W PCB LED 3000K (Inte.)	5"W x 16"H x 3.75"Ext.	2.75"	90+	400	240	120-277V input

Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD)

PENROSE

A cubist work of art, the Penrose collection carefully calculates the structural form of a cube space when corners do not meet. This tracery of this shape is emphasized by its dedicated LED light source housed within aluminum channels and then cast in various directions. Available in Matte Black or Gold, this series is a feat of human engineering in design. Translating a mathematical challenge into a sculptural work of art with the function of delivering light to interior spaces.






PENROSE

- Sculptural engineering where joints do not meet along the outline
- Dimmable LED integration casts light in all directions along the frame
- Cube and rectilinear pendants with coordinating ADA compliant sconce and 24” vanity lighting
- Available in Black or painted Gold



E21266-BK, -GLD
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21266	BK, GLD	108W PCB LED 3000K (Inte.)	38”L x 16”W x 16”H, 138”OAH	90+	5400	3420	


Finish Options: Black (BK) Gold (GLD)

PENROSE

- Sculptural engineering where joints do not meet along the outline
- Dimmable LED integration casts light in all directions along the frame
- Cube and rectilinear pendants with coordinating ADA compliant sconce and 24” vanity lighting
- Available in Black or painted Gold




E21261-BK, **-GLD**
Pendant
A





E21262-BK, -GLD
Pendant
B




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21261	BK, GLD	23W PCB LED 3000K (Inte.)	7"L x 7"W x 18"H, 140"OAH	90+	1840	810	
B	E21262	BK, GLD	54W PCB LED 3000K (Inte.)	16"L x 16"W x 16"H, 138"OAH	90+	2700	1700	


Finish Options: Black (BK) Gold (GLD)



E21260-BK, -GLD
ADA Compliant Wall Mount


C





E21263-BK, **-GLD**
Wall Mount


D





E21269-BK, -GLD
Wall Mount

E



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E21260	BK, GLD	14W PCB LED 3000K (Inte.)	7"W x 17.75"H x 2.25"Ext.	9"	90+	700	470	
D	E21263	BK, GLD	30W PCB LED 3000K (Inte.)	8.5"W x 24"H x 7"Ext.	12"	90+	1500	950	
E	E21269	BK, GLD	23W PCB LED 3000K (Inte.)	12"W x 18"H x 4.5"Ext.	9"	90+	1840	650	

Finish Options: Black (BK) Gold (GLD)




CARMEN

Poetic and organic in design, the undulating form of the metal shade appears to float effortlessly on a slender frame. Abstract discs of LED lighting are encased in round, adjustable heads so that the light can be directed upwards for indirect lighting reflected on the internal white painted face of the shade or the light sources can be rotated downward to provide bright illumination exactly where needed. The simple, sculptural form adds dimension in its scale evocative of a manta ray or the seductive quality of a woman wearing a large floppy hat.

CARMEN

- Abstract undulating metal shades partly conceal light source while reflecting light downward
- Rotatable LED discs direct light where desired
- Available in 3 sizes and 2 finish combinations: White shades with black hardware or Black exterior/ White interior shade with Satin Brass hardware



E24964-WTBK, -WTBKGLD
Pendant
A



Rotatable Panel Directs Lighting

E24966-WTBK, **-WTBKGLD**
Pendant
B



E24968-WTBK, -WTBKGLD
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24964	WTBK, WTBKGLD	7W PCB LED 3000K (Inte.)	16.5"L x 16.5"W x 6"H, 51.75"OAH	90+	560	420	
B	E24966	WTBK, WTBKGLD	14W PCB LED 3000K (Inte.)	24"L x 24"W x 8"H, 53.75"OAH	90+	1120	720	
C	E24968	WTBK, WTBKGLD	21W PCB LED 3000K (Inte.)	32"L x 32"W x 10.75"H, 54.5"OAH	90+	1680	960	

Finish Options: White (WT) Black (BK) Gold (GLD)

UNITY

Abstract shapes of stainless steel are finished in Brushed Champagne or Black Chrome and intersect to create an intriguing sculpture of light. Unity provides both art and illumination for those searching for a unique lighting piece.






UNITY


- Constructed of Stainless Steel in your choice of Brushed Champagne or Black Chrome
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility





E24616-BC, -BCN
Pendant
A





E24618-BC, **-BCN**
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24616	BC, BCN	50W PCB LED 3000K (Integrated)	55"L x 16.5"W x 12"H, 131.75"OAH	90+	4800	2500	
B	E24618	BC, BCN	64W PCB LED 3000K (Integrated)	69"L x 11.75"W x 15.25"H, 135"OAH	90+	6000	3200	

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)

NODES

Introducing a new take on the now classically modern LED ring, large illuminated spheres act as “nodes” to support the tapered aluminum channel while also providing additional down light. Featuring a CCT selectable switch, the collection conveniently allows end users to select from warmer white light to energizing bright white lighting in 5 color temperature options. The convenient functionality is matched with its performance, meeting California’s JA8 Title 24 requirements. Rated to deliver higher lumens per watt and power sources that supports range voltage input and 3 in one dimming, this product is designed to meet the requirements of both home and commercial projects.






NODES

- CCT Selectable LED integrated rings
- Choose from warm to cool color temperatures that include: 2700-3000-3500-4000-5000K
- Available in Satin Nickel, Matte Black, and plated Gold finishes
- California Title 24 JA8 listed LED products
- 120-277V input
- Dimmable with Electronic Low Voltage (ELV) dimmers



E23514-AL, -BK, **-GLD**
Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23514	AL, BK, GLD	50W PCB LED 2700-5000K (Inte.)	40"L x 40"W x 2.75"H, 104"OAH	90+	4000	3500	JA8 Bulb Incl.

Finish Options: Aluminum (AL) Black (BK) Gold (GLD)

NODES

- CCT Selectable LED integrated rings
- Choose from warm to cool color temperatures that include: 2700-3000-3500-4000-5000K
- Available in Satin Nickel, Matte Black, and plated Gold finishes
- California Title 24 JA8 listed LED products
- 120-277V input
- Dimmable with Electronic Low Voltage (ELV) dimmers



Wall Mounted




E23510-AL, **-BK**, -GLD
Flush/Wall Mount

B





Rotate to direct light



E23513-AL, -BK, -GLD
Pendant


A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23513	AL, BK, GLD	40W PCB LED 2700-5000K (Inte.)	32"L x 32"W x 2.75"H, 108"OAH	90+	3200	2800	JA8 Bulb Incl.
B	E23510	AL, BK, GLD	10W PCB LED 2700-5000K (Inte.)	4.75"L x 4.75"W x 5.5"H	90+	800	700	

Finish Options: Aluminum (AL) Black (BK) Gold (GLD)




E23512-AL, **-BK**, -GLD
Pendant
C





E23511-AL, -BK, **-GLD**
Pendant
D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E23512	AL, BK, GLD	35W PCB LED 2700-5000K (Inte.)	24"L x 24"W x 2.75"H, 110"OAH	90+	2800	2450	JA8 Bulb Incl.
D	E23511	AL, BK, GLD	24W PCB LED 2700-5000K (Inte.)	18"L x 18"W x 2.75"H, 120"OAH	90+	1920	1680	JA8 Bulb Incl.

Finish Options: Aluminum (AL) Black (BK) Gold (GLD)



CURVO


A double stacked ring of undulating forms creates an interesting pattern of modern design. Finished in Matte Black, the LED faces inward reducing glare while providing ample illumination. Available in two sizes of pendants.

CURVO

- Available as a 20” and 40” double stacked ring
- LED Integrated, 3000K Color Temperature
- Range Voltage 120-277V Input
- Dimmable with Triac, ELV,
  and 0-10V Dimmer Compatibility




E22922-BK
Pendant
A





E22924-BK
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E22922	BK	40W PCB LED 3000K (Inte.)	20"L x 20"W x 4.75"H, 127"OAH	90+	3200	1100	
B	E22924	BK	80W PCB LED 3000K (Inte.)	38.75"L x 38.75"W x 6.75"H, 129"OAH	90+	6400	2200	

Finish: Black (BK)

SERPENTINE

Spiraling sinews of LED tape light swirl in a snake like formation. Aluminum channels in Black are illuminated by strips of LED tape evenly diffused across the silicone lens. Available in two sizes of pendants and a semi flush mount, these contemporary forms are sure to make a statement.






SERPENTINE

- LED Integrated, 3000K Color Temperature
- Range Voltage 120-277V Input
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E30668-BK
Linear Pendant
A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30668	BK	78W PCB LED 3000K (Inte.)	56.5"L x 16.25"W x 15.75"H, 61.5"OAH	90+	6240	4640	LED DIM


Finish: Black (BK)

SERPENTINE

- LED Integrated, 3000K Color Temperature
- Range Voltage 120-277V Input
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E30664-BK
Pendant
A





	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30664	BK	39W PCB LED 3000K (Inte.)	25"L x 24.75"W x 15.5"H, 62"OAH	90+	3120	2930	

Finish: Black (BK)



E30660-BK
Semi-Flush Mount
B





E30662-BK
Pendant
C


	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E30660	BK	39W PCB LED 3000K (Inte.)	32.25"L x 13"W x 19"H	90+	3120	2930	
C	E30662	BK	39W PCB LED 3000K (Inte.)	32.25"L x 13"W x 17.25"H, 64"OAH	90+	3120	2930	

Finish: Black (BK)



E11060-144BK, -144NAB, -144PC
Wall Mount

A



CORTEX

A central, cylinder diffuser of opal white acrylic diffuses LED lighting within a cavity of thin ribbed glass of various lengths. Both imaginative and functional, the bright pendants encase an additional down light recessed within a Polished Chrome, Naturally Aged Brass or Matte Black housing casting light downward.





CORTEX

- External ribbed glass with internal white acrylic diffuser
- Additional down light at bottom
- Available in Gold, Polished Chrome, or matte Black finishes
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources



E11061-144BK, -144NAB, -144PC
Pendant
B



E11062-144BK, **-144NAB**, -144PC
Pendant
C



E11063-144BK, -144NAB, **-144PC**
Pendant
D

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11060	144BK,144NAB 144PC	10W PCB LED 3000K (Inte.)	4.75"W x 14.5"H x 2.5"Ext.	13"	90+	800	600	LED DIM DAMP
B	E11061	144BK,144NAB 144PC	7.5W PCB LED 3000K (Inte.)	1.5"L x 1.5"W x 10.75"H, 133.25"OAH		90+	600	450	LED DIM
C	E11062	144BK,144NAB 144PC	10W PCB LED 3000K (Inte.)	1.5"L x 1.5"W x 14.5"H, 137.25"OAH		90+	800	600	LED DIM
D	E11063	144BK,144NAB 144PC	12.5W PCB LED 3000K (Inte.)	1.5"L x 1.5"W x 18.5"H, 141"OAH		90+	1000	800	LED DIM

Finish Options: Clear Ribbed glass (144) Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)

DIAPHANE

Hexagonal tubes of various lengths support blocks of naturally translucent rock crystal. Each stone varies in diaphaneity making a unique display of refracted light. Available in a plated soft Gold or Matte Black, this luxurious LED pendant light cluster and coordinating wall sconce accentuates the beauty of the natural quartz material.






DIAPHANE

- Available in Gold or matte Black finishes
- Natural rock crystal diffusers vary in pattern
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature






E11032-95BK, -95GLD
Pendant
A



E11030-95BK, **-95GLD**
Wall Mount
B




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11032	95BK, 95GLD	12 x 5W PCB LED 3000K (Inte.)	27.5"L x 27.5"W x 23.75"H, 147"OAH		90+	5200	4200	
B	E11030	95BK, 95GLD	1 x 5W PCB LED 3000K (Inte.)	4.75"W x 15.75"H x 4.5"Ext.	3.5"	90+	400	240	

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)

DIAPHANE

- Available in Gold or matte Black finishes
- Natural rock crystal diffusers vary in pattern
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature



E11023-95BK, **-95GLD**
Pendant
A




E11029-95BK, -95GLD
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11023	95BK, 95GLD	3 x 5W PCB LED 3000K (Inte.)	9.75"L x 9.75"W x 23.75"H, 147"OAH	90+	1200	540	
B	E11029	95BK, 95GLD	9 x 5W PCB LED 3000K (Inte.)	15"L x 15"W x 32.5"H, 147"OAH	90+	4000	3860	

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)




E11020-95BK, **-95GLD**
Pendant
C






E11021-95BK, **-95GLD**
Pendant
D





E11022-95BK, -95GLD
Pendant
E



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E11020	95BK, 95GLD	5W PCB LED 3000K (Inte.)	1.5"W x 15.75"H, 133.75"OAH	90+	450	300	
D	E11021	95BK, 95GLD	5W PCB LED 3000K (Inte.)	1.5"W x 19.75"H, 137.75"OAH	90+	450	300	
E	E11022	95BK, 95GLD	5W PCB LED 3000K (Inte.)	1.5"W x 23.75"H, 141.75"OAH	90+	450	300	

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)

STILLO

The classic teardrop glass shade is elevated in a luxurious collection of pendant configurations using substantially dense glass that are hand blown in elongated forms and curated into various color combinations. Suspended within the long, slender glass is a similarly long and slender socket to illuminate an energy efficient LED G4 lamp at the base of the glass. The slender tube running within the glass also supports the glass with elegantly flat thumb screws in coordinating finishes. Choose from Matte Black metal with Mirror Smoked glass for a moodier ambience, crystal Clear glass that accentuates the thickness of the glass walls paired with transitional Satin Nickel metalwork, or celebrate the design with effervescent Bubble glass and plated Gold metalwork.





STILLO




- Thick glass shades are Hand Blown in organic teardrop shapes
- Available in a variety of coordinating finish combinations: Satin Nickel with Crystal Clear glass, Matte Black with Mirror Smoked glass, or plated Gold with fizzy Bubble glass
- Dimmable low-voltage LED G4 lamps provided
- Neutral White 3000K Color Temperature

E24219-138BK**, -118GLD**, -122SN

Pendant

A




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24219	138BK, 118GLD, 122SN	18 x 1.5W G4 LED 3000K (Incl.)	25.5"L x 25.5"W x 18"H, 137.5"OAH	80+	3600	2700	LED DIM

Finish Options: Champagne Bubble glass (118) Clear Crystal (122) Smoke glass (138) Black (BK) Gold (GLD) Satin Nickle (SN)

STILLO

- Thick glass shades are Hand Blown in organic teardrop shapes
- Available in a variety of coordinating finish combinations: Satin Nickel with Crystal Clear glass, Matte Black with Mirror Smoked glass, or plated Gold with fizzy Bubble glass
- Dimmable low-voltage LED G4 lamps provided
- Neutral White 3000K Color Temperature





E24217-138BK**, -118GLD**, -122SN
Pendant


A

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24217	138BK, 118GLD, 122SN	9 x 1.5W G4 LED 3000K (Incl.)	16.25"L x 16.25"W x 18"H, 137.5"OAH	80+	1800	1350	LED DIM

Finish Options: Champagne Bubble glass (118) Clear Crystal (122) Smoke glass (138) Black (BK) Gold (GLD) Satin Nickle (SN)




E24213-138BK, -118GLD, **-122SN**
Pendant
B





E24211-138BK, -118GLD, -122SN
Pendant
C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24213	138BK, 118GLD, 122SN	3 x 1.5W G4 LED 3000K (Incl.)	10"L x 10"W x 18"H, 137.5"OAH	80+	600	450	LED DIM
C	E24211	138BK, 118GLD, 122SN	1 x 1.5W G4 LED 3000K (Incl.)	5.25"L x 5.25"W x 18"H, 137.5"OAH	80+	200	150	LED DIM

Finish Options: Champagne Bubble glass (118) Clear Crystal (122) Smoke glass (138) Black (BK) Gold (GLD) Satin Nickle (SN)

PIPETTE

Slender Clear glass tubes sheath a Polished Chrome rod that supports a small and bright LED lamp. The glass is etched at a bisecting line where the lamp illuminates to softly diffuse the light. This reduces any glare while brightly and provides even illumination both outward and below. Available in two tube lengths, the pendants are also available in multiples to create a modern candle-like cluster. An additional surface mounted option supports the glass on a structure that allows it to hang freely for use as a ceiling flush mounted fixture or sharp 90 degree suspension of the glass when mounted to a wall. JA8 Listed LED G9 lamps in 3000K are provided for convenience and energy efficiency.






PIPETTE

- Available in 12” and 18” glass tube lengths
- Clear glass with etched bottom half to reduce glare
- Dimmable LED G9 lamps provided, JA8 Listed
- Single and Multi-light pendants configurations





E31099-93PC
Pendant
A


	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E31099	93PC	17 x 4W G9 LED 3000K (Incl.)	47.25”L x 23.5”W x 18”H, 138”OAH	90+	7650	5000	JA8 bulb (Incl.)

Finish: Clear/Frosted glass (93) Polished Chrome (PC)

PIPETTE


- Available in 12” and 18” glass tube lengths
- Clear glass with etched bottom half to reduce glare
- Dimmable LED G9 lamps provided, JA8 Listed
- Single and Multi-light pendants configurations





E31093-93PC
Pendant
A






E31095-93PC
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E31093	93PC	3 x 4W G9 LED 3000K (Incl.)	11.75"L x 11.75"W x 12"H, 138"OAH	90+	1350	950	JA8 bulb (Incl.)
B	E31095	93PC	3 x 4W G9 LED 3000K (Incl.)	11.75"L x 11.75"W x 18"H, 138"OAH	90+	1350	950	JA8 bulb (Incl.)

Finish: Clear/Frosted glass (93) Polished Chrome (PC)




E31091-93PC
Pendant
C






E31092-93PC
Pendant
D





E31090-93PC
Ceiling/Wall Mount
E



• Ceiling Mount Option



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E31091	93PC	1 x 4W G9 LED 3000K (Incl.)	1.25"L x 1.25"W x 12"H, 138"OAH		90+	450	350	JA8 bulb (Incl.)
D	E31092	93PC	1 x 4W G9 LED 3000K (Incl.)	1.25"L x 1.25"W x 18"H, 138"OAH		90+	450	350	JA8 bulb (Incl.)
E	E31090	93PC	1 x 4W G9 LED 3000K (Incl.)	4.75"W x 13.25"H x 4"Ext.	2.25"	90+	450	350	JA8 bulb (Incl.)

Finish: Clear/Frosted glass (93) Polished Chrome (PC)

TRAVERTINE


For thousands of years, the use of this stone has been integral to our building history. Now reimagined in a modern context, columns of Travertine have been assembled with LED tubes in an attractively minimalist composition. The perfect neutral for a space that is searching for more organic elements. Available in sconce and multiple configurations of pendants.

TRAVERTINE

- Naturally porous travertine components
- Additional downlighting within the vertical assemblies: pendants and sconces
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility




E11051-01TVGLD
Mini Pendant
A





E11050-01TVGLD
Wall Mount
B





E11056-01TVGLD
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11051	01TVGLD	2 x 5.5W PCB LED 3000K (Inte.)	2.5"L x 2.5"W x 15"H, 137"OAH		90+	1000	900	
B	E11050	01TVGLD	2 x 4.5W PCB LED 3000K (Inte.)	5.5"W x 12.75"H x 4"Ext.	2"	90+	810	630	
C	E11056	01TVGLD	3 x 9W PCB LED 3000K (Inte.)	53.75"L x 2.5"W x 3"H, 125"OAH		90+	2500	1900	

Finish: White glass (01) Travertine (TV) Gold (GLD)

JOIST

Lengths of wood in Walnut finish frame an LED omni directional light source. Whether surface mounted or suspended as a pendant, this collection provides a natural touch to an otherwise modern, minimalist design.






JOIST

- Solid wood frame in Walnut finish
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Compatible with Triac, ELV, and 0-10V Dimmers




E24932-WNBK
Pendant
A






E24930-WNBK
Wall Mount
B





E24938-WNBK
Wall Mount
C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24932	WNBK	28W PCB LED 3000K (Inte.)	45.25"L x 2"W x 4"H, 125.5"OAH		90+	2240	1680	LED DIM
B	E24930	WNBK	13W PCB LED 3000K (Inte.)	21.75"W x 4.75"H x 2"Ext.	2.25"	90+	1040	780	LED DIM DAMP
C	E24938	WNBK	30W PCB LED 3000K (Inte.)	45.25"W x 4.75"H x 2"Ext.	2.25"	90+	2400	1800	LED DIM DAMP

Finish: Walnut/Black (WNBK)

DISPATCH

Send a message on the wire. Two semi-spherical frosted glass domes are separated by a tube of LED light and suspended by Tobacco Brown leather straps. The frames are complete in a contrasting Natural Aged Brass finish making the contemporary design softer and more applicable to traditional settings.






DISPATCH

- Frosted Glass Shades
- Matte White Acrylic LED evenly diffused
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources




E24088-90NAB
Pendant
A





E24089-90NAB
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24088	90NAB	14W PCB LED 3000K (Inte.)	17.25"L x 11.75"W x 34"H, 78.5"OAH	90+	1260	750	
B	E24089	90NAB	18W PCB LED 3000K (Inte.)	22.5"L x 15.75"W x 42.25"H, 86"OAH	90+	1620	1130	

Finish: Frosted glass (90) Natural Aged Brass (NAB)


FOSTER

At the center of these aluminum spun pendants rests an acrylic reveal opening the top of the fixture to cast light both above and from within the structure. With three size options and finish options that include Black with a gold interior, grey with a black interior, and white with a gold interior, these pendants pair well with both modern and more traditional aesthetics.







- Available in 3 finish combinations: Black with Gold, Grey with Black interior, and White with Gold Interior
- LED Lamps Included, JA8 Compliant
- Compatible with Triac and ELV Dimmers



E34606-54BKGLD, -54GYBK, **-54WTGLD**
Pendant
A



E34604-54BKGLD, **-54GYBK**, -54WTGLD
Pendant
B



E34602-54BKGLD, -54GYBK, -54WTGLD
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E34606	54BKGLD, 54GYBK, 54WTGLD	7W MB LED 3000K (Incl.)	19.75"L x 19.75"W x 14.75"H, 137.5"OAH	90+	700	630	JA8 bulb (Incl.)
B	E34604	54BKGLD, 54GYBK, 54WTGLD	7W MB LED 3000K (Incl.)	15.75"L x 15.75"W x 11.75"H, 134"OAH	90+	700	630	JA8 bulb (Incl.)
C	E34602	54BKGLD, 54GYBK, 54WTGLD	7W MB LED 3000K (Incl.)	9.75"L x 9.75"W x 7.25"H, 130"OAH	90+	700	630	JA8 bulb (Incl.)

Finish Options: Translucent Frost glass (54) Black/Gold (BKGLD) Grey/Black (GYBK) White/Gold (WTGLD)

PITCH


Sleek and simply, the effortlessly chic oversized cone pendants add a modern touch to elevate your space. A surprisingly bright single light source is recessed within a secondary smaller aperture cone shade painted white on its interior to reflect more and beam additional lighting downward without glare. This distinctive cut off accentuates the black finish on the surfaces between two cones. Available in Black and Antique Brass, this pendant series exemplifies the enduring elegance of the cone form in design.





PITCH

- Available in matte Black and Antique Brass options
- Dual shades in cone shape with secondary smaller shade painted white on its interior for amplified light source
- Dimmable JA8 Listed LED lamps included



E34501-AB, **-BK**
Pendant
A

E34502-AB, -BK
Pendant
B

E34506-AB, -BK
Pendant
D

E34503-AB, **-BK**
Pendant
E

E34508-BK
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E34501	AB, BK	9W MB LED 3000K (Incl.)	13.75"L x 13.75"W x 16.5"H, 139.25"OAH	90+	900	650	JA8 bulb (Incl.)
B	E34502	AB, BK	9W MB LED 3000K (Incl.)	21.5"L x 21.5"W x 13.25"H, 136"OAH	90+	900	650	JA8 bulb (Incl.)
C	E34508	BK	16W MB LED 3000K (Incl.)	51"L x 51"W x 17"H, 140"OAH	90+	1600	1440	
D	E34506	AB, BK	16W MB LED 3000K (Incl.)	29.5"L x 29.5"W x 30.75"H, 153.5"OAH	90+	1600	1440	
E	E34503	AB, BK	12W MB LED 3000K (Incl.)	29.5"L x 29.5"W x 9"H, 131.75"OAH	90+	900	650	JA8 bulb (Incl.)

Finish Options: Antique Brass (AB) Black (BK)

BERLINER

Wide flat discs house LED engines that disappear when viewed at the pendants edge. Supported at their center by thin tubes and black cable, machined aluminum housings feature laterally cut concentric circles drawing inspiration from the grooves in a vinyl record. Finished in your choice of matte Black, Antique Brass, or Antique Copper, the modern design feels vintage and retro widening the range of compatibility within architectural aesthetics.







BERLINER

- Available in matte Black, Antique Copper, and Antique Brass options
- Ultra-thin profile supported at center with machined aluminum LED housing
- AC 120V input dedicated LED light source at 3000K Color Temperature
- Dimmable with Triac and ELV dimmers



E34001-AB, -ACP, -BK
Pendant
A





E34002-AB, -ACP, **-BK**
Pendant
B


	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E34001	AB, ACP, BK	8W PCB LED 3000K (Inte.)	13.75"L x 13.75"W x 6.75"H, 129.5"OAH	90+	720	580	
B	E34002	AB, ACP, BK	12W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 9"H, 132"OAH	90+	1080	860	

Finish Options: Antique Brass (AB) Antique Copper (ACP) Black (BK)

HEMISPHERE


Constructed of double thick aluminum which has a hammered interior finish polished so to not only be beautiful but multiply the lumen output. High polish enamel paints finish the exterior for the ultimate reflective surface. The larger sizes are fitted with commercial grade LED and multi-volt input drivers that dim with both ELV and 0-10V functions.







HEMISPHERE


- Heavy grade aluminum spinning with hammered detail on interior
- Exterior finished in your choice of reflective Black or White
- Available in Glossy Black with Aluminum Interior or Gold Interior
- 24" and 31" models use multi-volt drivers with both ELV and 0-10V dimming options
- 3000K Color Temperature, CRI 90+








E24900-GBAL, -GBGLD, -GWAL
Pendant
A



E24902-GBAL, **-GBGLD,** -GWAL
Pendant
B



E24904-GBAL, **-GBGLD,** -GWAL
Pendant
C





E24906-GBAL, -GBGLD, -**GWAL**
Pendant
D


	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24900	GBAL, GBGLD, GWAL	10W PCB LED 3000K (Inte.)	9"L x 9"W x 5"H, 126"OAH	90+	950	480	
B	E24902	GBAL, GBGLD, GWAL	15W PCB LED 3000K (Inte.)	14"L x 14"W x 8"H, 129"OAH	90+	1500	720	
C	E24904	GBAL, GBGLD, GWAL	20W PCB LED 3000K (Inte.)	24"L x 24"W x 13"H, 134"OAH	90+	1900	960	120-277V input ELV and 0-10V dimming options
D	E24906	GBAL, GBGLD, GWAL	30W PCB LED 3000K (Inte.)	31"L x 31"W x 17"H, 136"OAH	90+	2900	1440	120-277V input ELV and 0-10V dimming options

Finish options: Glossy Black shade (GB) Gold (GLD) Glossy White shade (GW) Aluminum (AL)

PHOENIX

Both modern and industrial, the angular lines of these aluminum spun shades refresh a classic concept in a clean, contemporary execution. The shades - available in Brick, Black, and a Pale Gray powder coated finish, feature multiple joints and peaks in their form and at their bottom intentionally return inward. The shape at the bottom is not only attractive, but a cleverly conceived method to support a wire network of Black steel that forms a cage without visible hardware. Illuminated from within the spun metal shades in 3 varying sizes and shapes, the LED lamp provided shines light below and disperses through the wireway creating a beautiful radiating light pattern.

E11394-BKGLD, **-BRKBK**, -GYBK
Pendant
A









PHOENIX


- Available in matte Black, Brick, and light Gray finish options
- Matte Black cage assemblies on bottom
- Dimmable JA8 Listed LED lamps included



E11395-BKGLD, -BRKBK, **-GYBK**
Pendant
B



E11392-BKGLD, **-BRKBK**, -GYBK
Pendant
C



E11390-BKGLD, -BRKBK, -GYBK
Pendant
D

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11394	BKGLD, BRKBK, GYBK	12W MB LED 3000K (Incl.)	18.5"L x 18.5"W x 17"H, 140.25"OAH	90+	900	650	JA8 bulb (Incl.)
B	E11395	BKGLD, BRKBK, GYBK	9W MB LED 3000K (Incl.)	15.5"L x 15.5"W x 8.25"H, 131.25"OAH	90+	810	650	JA8 bulb (Incl.)
C	E11392	BKGLD, BRKBK, GYBK	9W MB LED 3000K (Incl.)	15.75"L x 15.75"W x 19"H, 142.25"OAH	90+	900	650	JA8 bulb (Incl.)
D	E11390	BKGLD, BRKBK, GYBK	9W MB LED 3000K (Incl.)	9"L x 9"W x 11.25"H, 134.5"OAH	90+	900	650	JA8 bulb (Incl.)

Finish Options: Black/Gold (BKGLD) Brick/Black (BRKBK) Grey/Black (GYBK)

POLO

Modern, Clear glass cylinders suspended by streamlined pole structures that brightly illuminate surfaces below with high powered integrated LED. Select from two finishes, Black or Gold, and two sizes of pendants, 9 or 12.5 inch diameters, as well as a coordinating wall sconce.






POLO

- Available in Black or Gold finish
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E26380-18BK, **-18GLD**
Wall Mount

A





E26382-18BK, -18GLD
Pendant

B



E26381-18BK, **-18GLD**
Mini Pendant

C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E26380	18BK, 18GLD	7W PCB LED 3000K (Inte.)	5"W x 9"H x 6.75"Ext.	2.5"	90+	560	360	
B	E26382	18BK, 18GLD	22W PCB LED 3000K (Inte.)	12.5"L x 12.5"W x 8.25"H, 52.5"OAH		90+	1760	990	
C	E26381	18BK, 18GLD	10W PCB LED 3000K (Inte.)	8.75"L x 7.75"W x 12"H, 56.25"OAH		90+	800	450	

Finish Options: Clear glass (18) Black (BK) Gold (GLD)




BOMBONA


Large cylindrical glass shades feature a unique return as they are illuminated with LED integrated light sources. Available in 3 varying proportions, a combination of which adds a moody, contemporary styling to your interior space.

BOMBONA


- Gradient Grey Smoke Glass
- Matte Black Finish
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers



E20254-142BK
Pendant
A



E20255-142BK
Pendant
B



E20256-142BK
Pendant
C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E20254	142BK	22W PCB LED 3000K (Inte.)	12"W x 10"H, 55.25"OAH	90+	1810	990	LED DIM
B	E20255	142BK	22W PCB LED 3000K (Inte.)	16"W x 7"H, 52.75"OAH	90+	1810	990	LED DIM
C	E20256	142BK	22W PCB LED 3000K (Inte.)	12"W x 16"H, 61.5"OAH	90+	1810	990	LED DIM

Finish: Graduating Smoke glass (142) Black(BK)

DEWDROP

Suspended from slim cords, drops of blown glass encase a recessed LED light source casting light along the thick bottomed glass. Available in Polished Chrome with clear glass or Matte Black with Mirror Smoked Glass, this simple design adds a statement to light.






DEWDROP

- Finishes Include: Black with Mirror Smoke glass or Polished Chrome with Clear glass
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E21569-18PC, **-142BK**
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21569	18PC, 142BK	15 x 8W PCB LED 3000K (Inte.)	33.75"L x 33.75"W x 6.75"H, 188.5"OAH	90+	8400	4200	LED DIM

Finish Options: Clear glass (18) Graduating Smoke glass (142) Black (BK) Polished Chrome (PC)


DEWDROP

- Finishes Include: Black with Mirror Smoke glass or Polished Chrome with Clear glass
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E21566-18PC, -142BK
Linear Pendant

A




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21566	18PC, 142BK	10 x 8W PCB LED 3000K (Inte.)	30.5"L x 12.75"W x 6.75"H, 128"OAH	90+	6400	3200	LED DIM


Finish Options: Clear glass (18) Graduating Smoke glass (142) Black (BK) Polished Chrome (PC)



E21561-18PC, **-142BK**
Mini Pendant


B





E21562-18PC, -142BK
Pendant


C





E21563-18PC, **-142BK**
Pendant

D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E21561	18PC, 142BK	1 x 7W PCB LED 3000K (Inte.)	4"L x 4"W x 6.75"H, 128"OAH	90+	560	280	
C	E21562	18PC, 142BK	1 x 10W PCB LED 3000K (Inte.)	7.75"L x 7.75"W x 13.75"H, 135"OAH	90+	800	400	
D	E21563	18PC, 142BK	3 x 8W PCB LED 3000K (Inte.)	15"L x 15"W x 6.75"H, 128.25"OAH	90+	1920	960	

Finish Options: Clear glass (18) Graduating Smoke glass (142) Black (BK) Polished Chrome (PC)

HIGHBALL

Minimalist in form and futuristic in styling, a gradient color effect applied to cylindrical glass shades provides a dynamic lighting effect. A Polished Gunmetal LED housing supports the glass adds a mirror like effect to the highly reflective glass. The resulting effect is a replication of the LED light along the length of the glass. Available in a mirrored Gradient Smoke or Gradient Amber glass, the finishes remarkably coordinate with many interior color palettes.





HIGHBALL


- Polished Gunmetal finish
- Glass options include: (142) Mirror Smoke or (05) Amber
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E21189-05GM, -142GM

Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21189	05GM, 142GM	9 x 8W PCB LED 3000K (Inte.)	22.75"L x 22.75"W x 12.5"H, 130"OAH	90+	5680	3240	LED DIM

Finish Options: Amber glass (05) Graduating Smoke glass (142) Gunmetal (GM)


HIGHBALL

- Polished Gunmetal finish
- Glass options include: (142) Mirror Smoke or (05) Amber
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E21183-05GM, -142GM
Pendant


A





E21185-05GM, -**142GM**
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21183	05GM, 142GM	3 x 9W PCB LED 3000K (Inte.)	12.5"L x 12.5"W x 12.5"H, 130"OAH	90+	2160	1080	
B	E21185	05GM, 142GM	5 x 8W PCB LED 3000K (Inte.)	16.5"L x 16.5"W x 12.5"H, 130"OAH	90+	3600	1800	

Finish Options: Amber glass (05) Graduating Smoke glass (142) Gunmetal (GM)



E21181-05GM, **-142GM**
Mini Pendant


C





E21180-05GM, -142GM
Wall Mount

E






• Removable backplate



E21182-05GM, -142GM
Table Lamp

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E21181	05GM, 142GM	1 x 10W PCB LED 3000K (Inte.)	4"L x 4"W x 8.5"H, 130"OAH		90+	800	400	
D	E21182	05GM, 142GM	1 x 10W PCB LED 3000K (Inte.)	4"L x 4"W x 14.25"H		90+	800	400	
E	E21180	05GM, 142GM	1 x 10W PCB LED 3000K (Inte.)	5"W x 15"H x 4"Ext.	12.5"	90+	800	400	

Finish Options: Amber glass (05) Graduating Smoke glass (142) Gunmetal (GM)




PLEAT

Pleated cylinders shades formed by White plaster cast molds are contrasted with matte Black hardware to provide a crisp, contemporary design. JA8 Listed LED GU10 lamps included that brightly illuminate spaces below with excellent color rendering. A surface mount option features a joint that can be positioned to direct the light. The joint is made so that it can function on both wall and ceiling applications, with the added feature of directing the shades to exact positions required.



PLEAT

- Cast White Plaster shades with pleated texture
- Dimmable LED GU10 lamps provided, JA8 Listed
- Adjustable joint on surface mount configuration directs light
- Two tone White plaster with Black accents




- Wall Mount Option



E25039-WTBK
Wall/Flush Mount


A





E25038-WTBK
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25039	WTBK	1 x 7W GU10 LED 3000K (Incl.)	3.25"W x 6"H	90+	810	700	JA8 bulb (Incl.)
B	E25038	WTBK	1 x 7W GU10 LED 3000K (Incl.)	3.25"L x 3.25"W x 12.5"H, 131.75"OAH	90+	490	450	JA8 bulb (Incl.)

Finish: White/Black (WTBK)



ECHO

Surrounded by a metal drum shade in a variety of sizes and finishes, an internal shade constructed of acrylic evenly diffuses bright LED illumination. Designed for simpler installation and in an aesthetically pleasing silhouette, these practical metal drum shades are offered in Matte White both inside and out, or enhanced by gold or black interiors for reduced glare and stylish design. The series also features a chic Black with Gold interior color combination shade. To round out the collection, all these color options are also made compatible with a pendant accessory that quickly converts the lush mount ixtures into drum shade pendants.

ECHO




- Chic metal shades with internal white acrylic drums available as flush mounted or suspended ceiling light fixtures
- Choose from warm to cool color temperatures that include: 2700-3000-3500-4000-5000K
- Available in 4 color options: All Matte White, White with Gold interior, White with Black interior, or Black with Gold interior
- 3 sizes available: 13” – 16” – 24”
- LED integrated light sources with both high voltage and range voltage universally dimmable options



E51015-BKGLD, -WT, **-WTBK**, -WTGLD

Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E51015	BKGLD, WT, WTBK, WTGLD	40W PCB LED 2700-5000K (Inte.)	24”L x 24”W x 5”H, 37”OAH	90+	3200	2400	

Finish Options: Black (BK) Gold (GLD) White (WT)


ECHO

- Chic metal shades with internal white acrylic drums available as flush mounted or suspended ceiling light fixtures
- Choose from warm to cool color temperatures that include: 2700-3000-3500-4000-5000K
- Available in 4 color options: All Matte White, White with Gold interior, White with Black interior, or Black with Gold interior
- 3 sizes available: 13” – 16” – 24”
- LED integrated light sources with both high voltage and range voltage universally dimmable options



E51013-BKGLD, -WT, -WTBK, **-WTGLD**
Pendant


A





E51011-BKGLD, -WT, -WTBK, -WTGLD
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E51013	BKGLD, WT, WTBK, WTGLD	25W PCB LED 2700-5000K (Inte.)	16”L x 16”W x 10.75”H, 122”OAH	90+	2100	1500	
B	E51011	BKGLD, WT, WTBK, WTGLD	20W PCB LED 2700-5000K (Inte.)	13”L x 13”W x 10”H, 121”OAH	90+	1600	1200	


Finish Options: Black (BK) Gold (GLD) White (WT)



E51010-BKGLD, -WT, **-WTBK**, -WTGLD
Flush Mount


C





E51012-BKGLD, **-WT**, -WTBK, -WTGLD
Flush Mount

D





E51014-BKGLD, -WT, -WTBK, -WTGLD
Flush Mount

E



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E51010	BKGLD, WT, WTBK, WTGLD	20W PCB LED 2700-5000K (Inte.)	13"L x 13"W x 3.5"H	90+	1600	1200	
D	E51012	BKGLD, WT, WTBK, WTGLD	25W PCB LED 2700-5000K (Inte.)	16"L x 16"W x 4.25"H	90+	2000	1500	
E	E51014	BKGLD, WT, WTBK, WTGLD	40W PCB LED 2700-5000K (Inte.)	24"L x 24"W x 4.25"H	90+	3200	2400	

Finish Options: Black (BK) Gold (GLD) White (WT)

SOUFFLE

Deep pans of cast concrete in a traditional scalloped edge house LED integrated light sources behind curved opal white acrylic diffusers. Reminisce in the classical forms that benefits from the organic texture of cast concrete to add character to the design. Inspired by ramekins, these delectable LED treats are available in Chalk White, Terra Cotta, and Grey.






SOUFFLE

- Cast concrete lamp bodies
- White acrylic diffusers evenly and softly diffuse lighting
- Available in Chalky White, Terra Cotta, and Gray Aggregate
- Damp location rated
- LED dimmable with Triac and ELV dimmers




E25050-CHK, -GY, **-TRC**
Flush Mount
A







E25051-CHK, **-GY,** -TRC
Flush Mount
B





E25058-CHK, -GY, -TRC
Flush Mount
C





E25052-CHK, **-GY,** -TRC
Pendant
D

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25050	CHK, GY, TRC	15W PCB LED 3000K (Inte.)	10.5"L x 10.5"W x 3.25"H	90+	840	680	
B	E25051	CHK, GY, TRC	25W PCB LED 3000K (Inte.)	13.25"L x 13.25"W x 3.75"H	90+	1320	1120	
C	E25058	CHK, GY, TRC	30W PCB LED 3000K (Inte.)	18"L x 18"W x 4.5"H	90+	1700	1350	
D	E25052	CHK, GY, TRC	7W MB LED 3000K (Incl.)	5.75"L x 5.75"W x 8.5"H, 127.25"OAH	90+	700	600	JA8 bulb (Incl.)

Finish Options: Chalky White (CHK) Gray (GY) Terra Cotta (TRC)



BUBBLE


Double bubble, this series of flush mounts feature a Clear acrylic shade that encases an internal frosted shade. Integrated LED technology evenly illuminates the inner shades available in two sizes.

BUBBLE

- Clear Acrylic Exterior with Frosted Interior
- Damp location rated
- LED Integrated, 3000K
- Compatible with Triac and ELV dimmers




E51021-10WT
Flush Mount
A





E51022-10WT
Flush Mount
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E51021	10WT	16W PCB LED 3000K (Inte.)	13.75"L x 13.75"W x 3.25"H	90+	840	720	
B	E51022	10WT	24W PCB LED 3000K (Inte.)	18"L x 18"W x 4"H	90+	1920	1680	

Finish: Clear/White glass (10) White (WT)

SLANT

A distinctive slant defines this series of flush mounts. Finished in an exterior sandy Matte White finish with an interior in Gold, the flush mounts add unique flair to your ceiling. The smallest model is wet location rated and can be used on wall as well.






SLANT

- Matte White Exterior with Gold Interior
- Damp location rated
- LED Integrated, 3000K
- Compatible with Triac and ELV dimmers





• Wall Mount Option



E51030-WTGLD
Flush/Wall Mount


A





E51032-WTGLD
Flush Mount


B





E51034-WTGLD
Flush Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E51030	WTGLD	12W PCB LED 3000K (Inte.)	12"L x 12"W x 4"H	90+	840	540	
B	E51032	WTGLD	42W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 4.75"H	90+	2940	1320	
C	E51034	WTGLD	88W PCB LED 3000K (Inte.)	31.5"L x 31.5"W x 4.75"H	90+	6160	3150	

Finish: White/Gold (WTGLD)

ZIGGURAT

Two tiers appear to spiral in this series of flush mounts. Finished in matte White, this subtle form is available in 3 sizes including an extra large 31.5" diameter bright enough for hospitality applications.






ZIGGURAT

- Matte White Finish
- Damp location rated
- LED Integrated, 3000K
- Compatible with Triac and ELV dimmers






E51042-WT
Flush Mount
A




E51044-WT
Flush Mount
B





E51046-WT
Flush Mount
C




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E51042	WT	63W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 4.75"H	90+	4410	2000	
B	E51044	WT	86W PCB LED 3000K (Inte.)	24"L x 24"W x 4.75"H	90+	6020	3000	
C	E51046	WT	155W PCB LED 3000K (Inte.)	31.5"L x 31.5"W x 4.75"H	90+	10,850	5050	

Finish: White (WT)

E21357-BK, -GLD, -PC
Pendant


A




DORIAN

A bold and timeless sconce, Dorian features a sleek, square block support with two cylinder LED tubes that extend horizontally. These tubes rotate individually to position the LED light. The collection features linear and vertical pendant configurations with slender profiles. The elongated vertical pendants are perfect to light lofty spaces. Individual segments rotate to direct the light along areas such as stairwells and can highlight artwork and collectible displayed at taller heights. The wall-mounted sconces offer similar features with additional streamlined back plate designs that mounts to either a single gang junction box or common 3-0 or 4-0 boxes with cover plate included. The sconces work well as portrait lighting, integrated into shelving, or above bath vanities. Two options for extension including one that extends less than four inches for ADA compliance. Available in Matte Black, Polished Chrome, and plated Gold, this collection is a subtle, handsome design with timeless appeal.






- Slender round profile with rotatable light source
- Available in Gold, Polished Chrome, or Matte Black
- ADA compliant sconces
- Dual mounting sconce applications for single gang or 3-0/4-0 junction boxes
- LED integrated 3000K color temperature
- Sconces offered with ADA compliant and extended dimensions for portrait lighting



E21358-BK, -GLD, -PC
Pendant

B



E21355-BK, -GLD, **-PC**
Pendant

C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21357	BK, GLD, PC	3 x 6W PCB LED 3000K (Inte.)	47.5"L x 4.75"W x 1"H, 44.5"OAH	90+	1260	1080	
B	E21358	BK, GLD, PC	3 x 6W PCB LED 3000K (Inte.)	4.75"L x 4.75"W x 47.25"H, 94.5"OAH	90+	1260	1080	
C	E21355	BK, GLD, PC	2 x 7.2W PCB LED 3000K (Inte.)	34.75"L x 4.75"W x 1"H, 46"OAH	90+	1000	860	

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC)


DORIAN

- Slender round profile with rotatable light source
- Available in Gold, Polished Chrome, or Matte Black
- ADA compliant sconces
- Dual mounting sconce applications for single gang or 3-0/4-0 junction boxes
- LED integrated 3000K color temperature
- Sconces offered with ADA compliant and extended dimensions for portrait lighting



E21351-BK, **-GLD**, -PC
Picture Light


A






E21353-BK, -GLD, **-PC**
Picture Light

B




Removable backplate



E21356-BK, -GLD, -PC
Picture Light

C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21351	BK, GLD, PC	12W PCB LED 3000K (Inte.)	19"W x 4.5"H x 8.75"Ext.	2"	90+	800	575	LED DIM
B	E21353	BK, GLD, PC	15W PCB LED 3000K (Inte.)	23"W x 4.5"H x 8.75"Ext.	2"	90+	1050	750	LED DIM
C	E21356	BK, GLD, PC	18W PCB LED 3000K (Inte.)	30.75"W x 4.5"H x 8.75"Ext.	2"	90+	1260	900	LED DIM

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC)



E21352-BK, -GLD, **-PC**
Bath Vanity


D





E21354-BK, **-GLD,** -PC
Bath Vanity

E



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
D	E21352	BK, GLD, PC	15W PCB LED 3000K (Inte.)	22.5"W x 3"H x 3.5"Ext.	1.5"	90+	1050	750	
E	E21354	BK, GLD, PC	18W PCB LED 3000K (Inte.)	30.5"W x 3"H x 3.5"Ext.	2.5"	90+	1260	900	

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC)


CONTINUUM

Elongated tubes of LED light are housed in incredibly small 1" diameter aluminum and suspended by nearly invisible support cables. Engineered to connect the various lengths end-to-end or with use of the rigid, angled adapters, adds endless applications for creativity and function. Each length includes a power feed within a surface mounted canopy and non-electrical support cables that standoff using ceiling anchors. With no additional power source components required, the continuous run pendants in this series are a welcome convenience for commercial applications. Lengths range from 36" to impressive 96" long. Individually, the fixtures provide ample lighting downward with minimal disruption to the architectural sight lines of a space. Available in Black, White, and brushed Aluminum finishes these are exemplary streamlined forms with functional purpose.

CONTINUUM





EMSC2600-BK, -SA, -WT
Connector Joint



Linkable end to end

- 1 inch diameter tubes of aluminum available in Black White and Brushed Aluminum
- White acrylic diffuser evenly distributes light source
- Pendant lengths range from 3ft – 8ft
- Each pendant comes with mounting canopy and power source with cable standoffs
- Continuous-run design allows for connections end to end or with use of angled connectors (sold separately)
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources






E26008-90BK, -90SA, -90WT
Pendant
A




E26003-90BK, -90SA, **-90WT**
Pendant
B





E26004-90BK, **-90SA**, -90WT
Pendant
C




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E26008	90BK, 90SA, 90WT	68W PCB LED 3000K-4000K (Inte.)	93.75"L x 1.5"W x 1.25"H, 121"OAH	90+	5250	4200	
B	E26003	90BK, 90SA, 90WT	28W PCB LED 3000K-4000K (Inte.)	38.5"L x 1.5"W x 1.25"H, 121"OAH	90+	2250	1800	
C	E26004	90BK, 90SA, 90WT	34W PCB LED 3000K-4000K (Inte.)	47"L x 1.5"W x 1.25"H, 121"OAH	90+	2650	2100	

Finish Options: Frosted glass (90) Black (BK) Satin Aluminum (SA) White (WT)

LOOP


A single loop of fixed omnidirectional LED light is fixed to a full backplate in either Polished Chrome or Gold. The backplate can be mounted to a horizontally installed single gang junction box or on a standard 4-inch junction box with the cover plate included.






LOOP

- Available in Polished Chrome or Gold
- Dual Mount back plate: Fits on a single gang junction box or standard 4 inch junction box
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility




E23432-01GLD, **-01PC**
Wall Mount
A






E23434-01GLD, -01PC
Wall Mount
B





E23436-01GLD, **-01PC**
Wall Mount
C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23432	01GLD, 01PC	12W PCB LED 3000K (Inte.)	24"W x 3.25"H x 4"Ext.	1.5"	90+	1020	800	
B	E23434	01GLD, 01PC	14W PCB LED 3000K (Inte.)	30"W x 3.25"H x 4"Ext.	1.5"	90+	1190	1000	
C	E23436	01GLD, 01PC	16W PCB LED 3000K (Inte.)	36"W x 3.25"H x 4"Ext.	1.5"	90+	1360	1200	

Finish Options: White glass (01) Gold (GLD) Polished Chrome (PC)

BOOKKEEPER

A directional light source that can be used as a vanity sconce or portrait lighting. The fixture features a curved metal panel that directs the light precisely where desired, while a dual mount junction box allows you to install it seamlessly on a horizontally installed single gang junction box or standard 3-0 or 4-0 junction box with the cover plate included. Available in Black, Polished Chrome, and Natural Aged Brass.






BOOKKEEPER

- Available in Matte Black, Polished Chrome, or Natural Aged Brass
- Dual Mount back plate: Fits on a single gang junction box or standard 3-0/4-0 junction box
- LED Integrated, 3000K Color Temperature
- Range Voltage 120-277V Input
- Compatible with Triac, ELV, and 0-10V Dimmer



E21392-BK, -NAB, **-PC**
Wall Mount

A




Removable backplate





E21393-BK, -NAB, -PC
Wall Mount


B



- Rotates







	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21392	BK, NAB, PC	17W PCB LED 3000K (Inte.)	20.25"W x 4.75"H x 6"Ext.	2.5"	90+	1300	930	
B	E21393	BK, NAB, PC	28W PCB LED 3000K (Inte.)	30"W x 4.75"H x 6"Ext.	2.5"	90+	2100	1460	

Finish Options: Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)

MONA


Whether used as vanity lighting or above portraits and bookcases, the Mona LED integrated wall sconces are sure to illuminate a masterpiece. The tubular LED frame rotates along the center to position the lighting wherever it is directed unlocking more potential uses for the hard-wired light source. A slim single gang box back plate or an additional cover plate can be used to mount the fixture more conveniently. Available in a rich Gold plated finish or Matte Black powder coat, these sconces pair well in both modern and traditional settings.






MONA

- Dual junction box mounting configuration with additional cover plate for standard junction boxes
- Available in a plated Gold finish or Matte Black powder coat
- Dimmable LED light source, 3000K Color Temperature
- Rotatable light source for portrait or above vanity lighting




E21340-BK, -**GLD**
Bath Vanity
A





E21344-BK, -GLD
Bath Vanity
B




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E21340	BK, GLD	14W PCB LED 3000K (Inte.)	18.5"W x 4.25"H x 3"Ext.	2"	90+	980	680	
B	E21344	BK, GLD	18W PCB LED 3000K (Inte.)	30.5"W x 4.25"H x 3"Ext.	2"	90+	1260	900	

Finish Options: Black (BK) Gold (GLD)

FUSE

Within the void of clear glass, a white cylindrical tube of LED light extends in two directions. The evenly distributed light source can be adjusted to 5 selectable color temperatures, from warm 2700k to a cool 5000K and neutral white light sources in between. Available in three finish options: matte Black, Natural Aged Brass, and Polished Chrome, these sconces are great for use in bathrooms and along corridors with extensions less than 4 inches for ADA compliance.






FUSE


- Dual Mount Structure installs to either single gang box or standard 3-0 and 4-0 with use of cover plate included
- Available in Natural Aged Brass, Polished Chrome, or Matte Black finishes
- ADA Compliant
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers



E23442-144BK, -144NAB, -144PC
Bath Vanity


A





E23443-144BK, **-144NAB**, -144PC
Bath Vanity

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23442	144BK, 144NAB, 144PC	13W PCB LED 2700-5000K (Inte.)	23.25"W x 4.75"H x 3.25"Ext.	2.5"	90+	1000	600	
B	E23443	144BK, 144NAB, 144PC	15W PCB LED 2700-5000K (Inte.)	30"W x 4.75"H x 3.25"Ext.	2.5"	90+	1400	900	

Finish Options: Clear Ribbed glass (144) Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)

CROSSBAR WiZ Color

Have fun with these LED pendant lights connected by Wiz with full color adjustability. The pendants are Wifi-enabled allowing you to control the lights from your phone or through WiZ enabled devices. Additional angled accessories allow you to connect the pendants end to end or at angles for endless configurations. Perfect for entertaining and streamlined for a simple design aesthetic, the Crossbar Connected by WiZ pairs well with other Smart Home enabled devices.




Color Ambience Light Control





CROSSBAR WiZ Color

- Matte Black finish and Frosted Acrylic
- Connected by WiZ Color
- Range voltage 120-277V input



E36104-BK
Pendant
A





E36106-BK
Pendant
B



End-End Connector
EMSC36100
4"W x 1"H



120° Angle Connector
EMSC36101
4"W x 1.25"H



90° Angle Connector
EMSC36102
4"W x 1.75"H

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E36104	BK	50W PCB LED (Integrated)	48"L x 1.25"W x 3.75"H, 126.5"OAH	90+	4450	1100	
B	E36106	BK	65W PCB LED (Integrated)	60"L x 1.25"W x 3.75"H, 126.5"OAH	90+	6000	1600	

Finish: Black (BK)

LATITUDE

Soft oval forms offer a modern and playful touch to this LED wall mounted sconce. The face of the fixture is a light guided White acrylic diffuser that even illuminates the edge lit LED light source. The sleek shape is made even more attractive by the bright illumination provided by the fixture itself. Great for use in bathrooms or corridors, the fixture is ADA compliant and available in 4 lengths. A recessed housing behind the fixture not only mounts the fixture with an attractive extension that makes it appear to be floating off the wall, but it also features a 5-step color temperature select switch allowing you to discreetly adjust the LED lighting to 5 settings ranging from a warmer 2700K to 3000-3500-4000 and daylight white 5000K. These additional product features thereby give more latitude to the design applications without special requests.






- Available in Black, Satin Nickel, Polished Chrome, or Gold finishes
- Accessible and inconspicuous dip-switch sets CCT at 5 options: 2700-3000-3500-4000-5000K
- Damp location rated and ADA compliant
- AC 120V LED Integrated
- Dimmable with Triac and ELV dimmers




E23421-BK, -GLD, -PC, **-SN**
Bath Vanity
A






E23422-BK, **-GLD**, -PC, -SN
Bath Vanity
B






E23423-BK, -GLD, **-PC**, -SN
Bath Vanity
C





E23424-BK, -GLD, -PC, -SN
Bath Vanity
D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E23421	BK, GLD, PC, SN	15W PCB LED 2700-5000K (Inte.)	18"W x 5"H x 2.5"Ext.	9"	90+	1500	1050	
B	E23422	BK, GLD, PC, SN	20W PCB LED 2700-5000K (Inte.)	24"W x 5"H x 2.5"Ext.	12"	90+	2000	1350	
C	E23423	BK, GLD, PC, SN	25W PCB LED 2700-5000K (Inte.)	30"W x 5"H x 2.5"Ext.	15"	90+	3000	1700	
D	E23424	BK, GLD, PC, SN	30W PCB LED 2700-5000K (Inte.)	36"W x 5"H x 2.5"Ext.	18"	90+	3500	2150	

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC) Satin Nickel (SN)

DORIC

Clear ribbed glass encases a tube of opal white acrylic evenly illuminated by LED. The ends of the glass shade are fitted with knurled cylinder forms that suspend the sconces from their mounting plates. Dual mounted options are available for this series allowing it to be installed on single gang junction boxes. Available in Natural Aged Brass, Polished Chrome, or Matte Black finishes.









DORIC


- External ribbed glass with internal white acrylic diffuser
- Knurled End Caps add decorative detail
- Dual Mount Structure installs to either single gang box or standard 3-0 and 4-0 with use of cover plate included
- Available in Natural Aged Brass, Polished Chrome, or Matte Black finishes
- ADA Compliant
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers



E23480-144BK, **-144NAB**, -144PC
Bath Vanity


A





E23482-144BK, -144NAB, -144PC
Bath Vanity


B





E23484-144BK, -144NAB, **-144PC**
Bath Vanity

C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23480	144BK, 144NAB, 144PC	12W PCB LED 3000K (Inte.)	19"W x 4.75"H x 3"Ext.	2.5"	90+	1080	750	
B	E23482	144BK, 144NAB, 144PC	16W PCB LED 3000K (Inte.)	25.5"W x 4.75"H x 3"Ext.	2.5"	90+	1440	1000	
C	E23484	144BK, 144NAB, 144PC	18W PCB LED 3000K (Inte.)	30"W x 4.75"H x 3"Ext.	2.5"	90+	1620	1130	

Finish Options: Clear Ribbed glass (144) Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)

EMBOSSE

Simple and elegant LED surface mounts in archetypal shapes can be used on walls as lighted mirrors or blend seamlessly as a coordinating detail of a bathroom mirror providing enough light output to effectively illuminate a vanity space. Considering a different approach to this concept, these LED surface mounts are also produced with a warmer, Bronze tinted mirror adding an element of moodiness and drama to the reflective surface. The result is a transformation of the overall ambience that opens the design up to additional install applications.






EMBOSSE

- Highly reflective mirror available in classic or Bronze tint
- Simple installation with access to driver from behind face plate
- Damp location rated and ADA compliant
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources




E22791-PBZ, -PC
Wall Mount
A





E22794-PBZ, **-PC**
Bath Vanity
B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E22791	PBZ, PC	9W PCB LED 3000K (Inte.)	8"W x 8"H x 1.75"Ext.	4"	90+	900	200	
B	E22794	PBZ, PC	18W PCB LED 3000K (Inte.)	24"W x 7"H x 1.75"Ext.	12"	90+	1800	470	

Finish Options: Polished Bronze (PBZ) Polished Chrome (PC)

DRAM

Dual Cylinder glass shades diffuse LED light bulbs concealed within rounded caps in Black powder coat. The single sconce is wet located with intention to be used outdoors, while the complementary 3-Light wall sconce is perfect for use in transitional to more modern bathrooms. The LED lamp provided is T24 JA8 compliant and Energy Star listed.






DRAM

- Dual glass shades thread onto frame
- Matte Black frames in outdoor rated powder coat
- Choice of Clear or Amber glass
- Wet Location rated sconces
- Dimmable JA8 Listed LED GU10 lamps included



E30191-93BK
Outdoor Wall


A





E30194-93BK
Outdoor Wall


C





E30192-93BK
Outdoor Wall


B





E30193-93BK
Bath Vanity

D




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30191	93BK	1 x 7W GU10 LED 3000K (Incl.)	4.75"W x 11.75"H x 4.75"Ext.	2.5"	450	320	JA8 bulb (Incl.)
B	E30192	93BK	1 x 7W GU10 LED 3000K (Incl.)	4.75"W x 14.75"H x 4.75"Ext.	2.5"	450	320	JA8 bulb (Incl.)
C	E30194	93BK	2 x 7W GU10 LED 3000K (Incl.)	4.75"W x 23"H x 4.75"Ext.	2.5"	900	640	JA8 bulb (Incl.)
D	E30193	93BK	3 x 7W GU10 LED 3000K (Incl.)	22"W x 8.75"H x 6"Ext.	2.5"	1350	960	JA8 bulb (Incl.)

Finish: Frost/Clear Acrylic (93) Black (BK)

CONTINUUM - TRACK

The next generation of track lighting is here with the ultra-slim Continuum series from ET2. Field adjustable track lengths can be extended, connected, or cut to fit the space they are installed. On them, a variety of low voltage light sources can be quickly snapped into place adding and directing light exactly where desired. Various power feed options are available including recessed, on-track, or integrated dimmable driver and switch. Available in Matte Black or Matte White, the track lengths can even be painted to match the exact paint color of the surfaces they are installed. This adaptable track system makes it simple to design the lighting in your space according to your vision and is only limited to your imagination.





CONTINUUM-TRACK


- Ultra Slim Track System mounts to Walls and Ceilings
- Available in Matte Black or Matte White
- Various Connectors Sold Separately
- Compatible lighting accessories allow flexibility in design
- Choice of Power Feed Installation
- Simple surface mounted installation
- 24V Low Voltage System



TRACK

ETRK25080-BK, -WT 33"L
ETRK25150-BK, **-WT** 60"L
ETRK25200-BK, -WT 80"L

LINE DRAWING OF TRACK DIMENSION >>



*screw spacing every 20 inches

TRACK CONNECTORS

A



End-To- End Connector
ETMSC180-2END-BK, -WT
1.25"L x 0.75"W x 0.25"H

B



Wall to Ceiling Connector
ETMSC90-W2C-BK, -WT
1"L x 0.75"W x 1"H

C



90° Corner Connector
ETMSC90-2WALL-BK, **-WT**
1"L x 1"W x 0.25"H

D




3-Way Corner 90° "T" Connector
ETMSC90-3TW-BK, -WT
2.75"L x 1.75"W x 0.25"H

E




4-Way Corner 90° "X" Connector
ETMSC90-4XW-BK, -WT
2.75"L x 2.75"W x 0.25"H



POWER FEEDS & MODULES



96W On-Track Driver
ETDRV001-24100-BK, **-WT**
11.5"L x 1"W x 2.25"H
Includes 48" Plug



Dimmable Driver & Switch
SWT898-2460WT 60W
SWT898-2475WT 75W
2.25"L x 2"W x 4.25"H



Electricity Module and Cover Plate
(Driver not included)
ETMSC01-BK, -WT
5"L x 5"W x 0.25"H

CONTINUUM-TRACK LIGHT


- Flat Lens Diffuser with even light distribution
- Available with adjustable gimbal
- 3 Lengths Available: 5" - 9" - 13.5"
- 24V LED, 3000K Color Temperature


STANDARD LENS



ETL26212-BK, -WT
Track Light


A





ETL25212-BK, -WT
Track Light

D





100°
Standard lens




ETL26216-BK, **-WT**
Track Light

B







100°
Standard lens
w/Gimbal



ETL25216-BK, **-WT**
Track Light


E






ETL26218-BK, -WT
Track Light


C




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	ETL26212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 1.5"H	90+	600	300	
B	ETL26216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 1.5"H	90+	900	450	
C	ETL26218	BK, WT	12W PCB LED 3000K (Inte.)	13.5"L x 1"W x 1.5"H	90+	1500	750	
D	ETL25212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 2.25"H	90+	600	300	
E	ETL25216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 2.25"H	90+	900	450	

Finish Options: Black (BK) White (WT)






ETL23212-BK, **-WT**
Track Light
F




24°
Optical lens
w/Gimbal





ETL23216-BK, -WT
Track Light
G






ETL24212-BK, **-WT**
Track Light
H






24°
Optical lens




ETL24216-BK, -WT
Track Light
I




ANTI-GLARE LENS







80°
Anti-glare lens



ETL28212-BK, -WT
Track Light
J



ETL28216-BK, **-WT**
Track Light
K



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
F	ETL23212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 2.25"H	90+	550	450	
G	ETL23216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 2.25"H	90+	800	675	
H	ETL24212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 1.5"H	90+	550	450	
I	ETL24216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 1.5"H	90+	800	675	
J	ETL28212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 1.5"H	90+	600	250	
K	ETL28216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 1.5"H	90+	900	350	

Finish Options: Black (BK) White (WT)

CONTINUUM-TRACK LIGHT


- Corner Modules Illuminate at 90 degrees
- 24V Low Voltage LED, 3000K Color Temperature
- 90 degree single surface module
- 90 degree Wall to Ceiling Module
- Flat PMMA Acrylic Diffusers
- Available in Black and White

Corner Light

90 degrees, Single surface



ETL29212-BK, **-WT**
Track Light
A




Wall-to-Ceiling Light


90 degrees, Two Plane surface




ETL29222-BK, -WT
Track Light
B





WALL WASHERS






ETL29223-BK
Track Wall Wash
C








ETL29224-BK
Track Wall Wash
D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	ETL29212	BK, WT	15W PCB LED 3000K (Inte.)	9"L x 9"W x 1.5"H	90+	1500	950	
B	ETL29222	BK, WT	15W PCB LED 3000K (Inte.)	9"L x 1"W x 9"H	90+	1500	950	
C	ETL29223	BK	5W PCB LED 3000K (Inte.)	6.5"L x 6.5"W x 1.5"H	90+	450	350	
D	ETL29224	BK	5W PCB LED 3000K (Inte.)	6.5"L x 6.5"W x 1.5"H	90+	450	350	

Finish Options: Black (BK) White (WT)

TUBE LIGHT




ETL21232-BK, **-WT**
Track Tube Light
E

READING LIGHT

FLEXIBLE ARM HOLDS POSITION
With Touch Switch



ETL21216-BK, **-BKGLD**
Track Read Light
F



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
E	ETL21232	BK, WT	12W PCB LED 3000K (Inte.)	19.75"L x 1.25"W x 3"H	90+	1100	850	
F	ETL21216	BK, BKGLD	2W PCB LED 3000K (Inte.)	5.75"L x 1"W x 17.5"H	90+	200	150	


Finish Options: Black (BK) White (WT) Black/Gold (BKGLD)


CONTINUUM-SPOT LIGHT

- Spot Lights to direct light where needed
- Different apertures and lumen packages available
- Available in Black and White with Black interior
- Adjustable Beam Angle Model
- 24V Low Voltage LED 3000K Color Temperature




ETL21214-BK
Track Light
A





80°
Wide optic lens





SUNSET LENS
ETL21214-114BK






	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	ETL21214	BK, 114BK	5W PCB LED 3000K (Inte.)	5.75"L x 2.75"W x 4.25"H	90+	450	350	

Finish: Black (BK)








ETL21210-BK, **-WTBK**
Spot Light
B







ETL21211-BK
Spot Light
C

PUSH-PULL
BEAM ANGLE ADJUSTMENT







ETL21212-BK
Spot Light
D

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	ETL21210	BK, WTBK	7W PCB LED 3000K (Inte.)	5.75"L x 1.5"W x 5.75"H	90+	650	500	
C	ETL21211	BK	12W PCB LED 3000K (Inte.)	5.75"L x 2.5"W x 4.25"H	90+	1100	850	
D	ETL21212	BK	10W PCB LED 3000K (Inte.)	5.75"L x 2"W x 4.75"H	90+	900	300	

Finish Options: Black (BK) White/Black (WTBK)



HIGHLANDER

A pattern of tartan linen is etched onto a glass that encloses an internally lit shadow box. The back plate features a polished stainless steel plate adding an almost infinite dimension to the pattern. Constructed of aluminum in Matte Black finish and 304 grade Stainless Steel, the product is also suitable for installations outdoors.






HIGHLANDER

- Constructed of aluminum and 304 grade Stainless Steel
- Linen pattern etched onto glass cover
- AC LED Integrated (no driver)
- 3000K Color Temperature
- Suitable for use outdoors







• Flush Mount Option




E30220-99BK
Wall Mount/Flush Mount
A







E30221-99BK
Bath Vanity/Flush Mount
B





E30222-99BK
Bath Vanity/Flush Mount
C





E30223-99BK
Bath Vanity/Flush Mount
D

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30220	99BK	12W PCB LED 3000K (Inte.)	6"W x 12"H x 1.75"Ext.	6"	90+	900	500	
B	E30221	99BK	20W PCB LED 3000K (Inte.)	6"W x 15.75"H x 1.75"Ext.	7.5"	90+	1500	900	
C	E30222	99BK	30W PCB LED 3000K (Inte.)	6"W x 23.75"H x 1.75"Ext.	11.5"	90+	2250	1250	
D	E30223	99BK	36.5W PCB LED 3000K (Inte.)	6"W x 30"H x 1.75"Ext.	15"	90+	2500	1350	

Finish: Linen glass (99) Black (BK)

COULEE

Like bridges over a babbling brook, this collection of sconces features a reflective black stainless steel with a wave-like water ripple texture. This decorative detail is fabricated using 304 Grade stainless steel and the sconce's frame is constructed of non-corrosive aluminum. Great for emulating a water feature indoors and suitable for outdoor applications.






COULEE

- Constructed of aluminum
- Matte Black finish
- Textured 304 Grade Stainless Steel in Polished Black
- AC LED Integrated (no driver)
- 3000K Color Temperature
- ADA Compliant
- Suitable for Outdoor Applications
- Dimmable with Triac and ELV



E30260-125BK
Outdoor Wall


A





E30262-125BK
Outdoor Wall


B





E30264-125BK
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30260	125BK	1 x 8W PCB LED 3000K (Inte.)	6.25"W x 7.75"H x 2.25"Ext.	3.5"	90+	450	250	
B	E30262	125BK	3 x 8W PCB LED 3000K (Inte.)	6.25"W x 14.5"H x 2.25"Ext.	7"	90+	1120	650	
C	E30264	125BK	4 x 8W PCB LED 3000K (Inte.)	6.25"W x 20.5"H x 2.25"Ext.	10"	90+	2240	1350	

Finish: Polished Black (125) Black (BK)

ACROPOLIS

A colonnade of faceted crystal columns form these rectangular wall sconces suitable for wet locations. The crystals are backlit with an evenly distributed LED light source that is set within non-corrosive Aluminum and Stainless Steel frames. With an extension compliant for ADA applications, this collection can be used on the interior or exterior of any space.






ACROPOLIS

- Faceted Crystal Rods
- Non-corrosive frame of Matte Black or Natural Aged Brass
- ADA Compliant
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers



E30230-122BK, -122NAB
Outdoor Wall


A





E30232-122BK, **-122NAB**
Outdoor Wall


B





E30234-122BK, -122NAB
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30230	122BK, 122NAB	15W PCB LED 3000K (Inte.)	6"W x 14"H x 3.25"Ext.	7"	90+	1050	680	
B	E30232	122BK, 122NAB	18W PCB LED 3000K (Inte.)	8"W x 18"H x 3.25"Ext.	9"	90+	1260	810	
C	E30234	122BK, 122NAB	22W PCB LED 3000K (Inte.)	8"W x 22"H x 3.25"Ext.	11"	90+	1540	990	

Finish Options: Clear Crystal (122) Black (BK) Natural Aged Brass (NAB)



FOLIO


The soft fold of a rigid aluminum frame provides a look suitable for both interior and exterior applications. Select from a sandy Black exterior with Gold interior or Satin Aluminum with a White interior.

- Non-corrosive Aluminum Frame
- Available in Black with Gold Interior or Satin Aluminum with White interior
- ADA Compliant
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers



E30151-BKGLD, -SAWT
Outdoor Wall


A





E30152-BKGLD, **-SAWT**
Outdoor Wall


B





E30156-BKGLD, -SAWT
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30151	BKGLD, SAWT	2 x 5W PCB LED 3000K (Inte.)	6.25"W x 9.75"H x 3.25"Ext.	5"	90+	700	450	
B	E30152	BKGLD, SAWT	2 x 10W PCB LED 3000K (Inte.)	6.25"W x 13.75"H x 3.25"Ext.	7"	90+	1400	900	
C	E30156	BKGLD, SAWT	2 x 15W PCB LED 3000K (Inte.)	6.25"W x 20"H x 3.25"Ext.	10"	90+	2100	1350	

Finish Options: Black/Gold (BKGLD) Satin Aluminum/White (SAWT)

REVEAL

Inspired by the best-selling indoor series, this popular collection has now been made to enhance your outdoors. Tubular shaped sconces finished in Sandy Black with a Gold stainless steel band provide light from the bottom as well as a reveal behind the band. The soft glow of light from the band creates a beautiful lighting effect. Made of non-corrosive materials for longevity outdoors, this collection will suit both indoor and outdoor applications.








REVEAL

- Non-corrosive Aluminum Frame
- Finished in two-tone Matte Black and Gold
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers



E34752-BKGLD
Outdoor Wall


A





E34754-BKGLD
Outdoor Wall


B





E34756-BKGLD
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E34752	BKGLD	2 x 6W PCB LED 3000K (Inte.)	5"W x 5.25"H x 6"Ext.	2.25"	90+	910	590	LED DIM WET
B	E34754	BKGLD	3 x 6W PCB LED 3000K (Inte.)	5"W x 12"H x 6.25"Ext.	6"	90+	1500	1260	LED DIM WET
C	E34756	BKGLD	3 x 6W PCB LED 3000K (Inte.)	5"W x 18"H x 6.25"Ext.	9"	90+	1500	1260	LED DIM WET

Finish: Black/Gold (BKGLD)

FUSE OUTDOOR

Within a solid tube of Clear glass, a White cylindrical acrylic tube encases omnidirectional LED light. Its frame is constructed of aluminum finished in Matte Black and extends less than 4 inches from the wall for ADA compliance making this collection suitable for indoor and outdoor applications.






FUSE OUTDOOR

- Constructed of aluminum
- Matte Black finish
- Solid Clear Glass tube encases white acrylic diffuser
- LED Integrated, 3000K Color Temperature
- ADA Compliant
- Suitable for Outdoor Applications
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E30254-10BKGLD
Outdoor Wall


A





E30252-10BKGLD
Outdoor Wall

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30254	10BKGLD	19W PCB LED 3000K (Inte.)	4.75"W x 26.5"H x 4.25"Ext.	13"	90+	1330	990	
B	E30252	10BKGLD	12.5W PCB LED 3000K (Inte.)	4.75"W x 18.5"H x 4.25"Ext.	13"	90+	875	650	

Finish: Clear/White glass (10) Black/Gold (BKGLD)

LIQUID

A water feature that seemingly flows down a narrow, elongated channel constructed of aluminum. Finished in Black the decorative plate is fabricated using 304 Grade Stainless Steel in a Polished Black finish making these impressive sconces suitable for outdoor applications.






LIQUID

- Constructed of aluminum
- Matte Black finish
- Textured 304 Grade Stainless Steel in Polished Black
- AC LED Integrated (no driver)
- 3000K Color Temperature
- ADA Compliant
- Suitable for Outdoor Applications
- Dimmable with Triac and ELV



E30286-125BK
Outdoor Wall


A





E30285-125BK
Outdoor Wall


B





E30283-125BK
Outdoor Wall


C





E30282-125BK
Outdoor Wall

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30286	125BK	2 x 30W PCB LED 3000K (Inte.)	5"W x 72"H x 2.5"Ext.	36"	90+	2400	1680	
B	E30285	125BK	2 x 26W PCB LED 3000K (Inte.)	5"W x 60"H x 2.5"Ext.	30"	90+	2080	1460	
C	E30283	125BK	2 x 15W PCB LED 3000K (Inte.)	5"W x 30"H x 2.5"Ext.	15"	90+	1200	840	
D	E30282	125BK	2 x 11W PCB LED 3000K (Inte.)	5"W x 18"H x 2.5"Ext.	9"	90+	880	620	

Finish: Polished Black (125) Black (BK)

MAGLEV

Large aluminum extrusions with indirect lighting highlights cut outs in this architectural outlook. Directed outwards toward the cutouts, these sconces are rated for outdoor applications. Select from Black or Architectural Bronze finishes and two sizes of sconce, one of which is scaled for larger façade applications.








MAGLEV

- Non-corrosive Aluminum Frame
- Available in Black or Architectural Bronze
- ADA Compliant
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers



E30214-ABZ, **-BK**
Outdoor Wall


A





E30218-ABZ, -BK
Outdoor Wall

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30214	ABZ, BK	18W PCB LED 3000K (Inte.)	6.25"W x 17.75"H x 3.25"Ext.	9"	90+	1260	810	
B	E30218	ABZ, BK	36W PCB LED 3000K (Inte.)	6.25"W x 33.5"H x 3.25"Ext.	16.75"	90+	2520	1620	

Finish Options: Architectural Bronze (ABZ) Black (BK)



SMOKESTACK

Segmented glass cylinders in a grey Smoke Gradient filter nostalgic tubular LED lamps. The Matte Black frame adds a dark contrast providing ambient light as a guide to your exterior. Select from 3 sizes of wall sconces, all wet rated.






SMOKESTACK

- Gradient Grey Smoke Glass
- Matte Black Finish
- LED Tubular Lamps Included, 2200K



E26146-142BK
Outdoor Wall


A





E26144-142BK
Outdoor Wall


B





E26142-142BK
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E26146	142BK	1 x 6W MB LED 2200K (Incl.)	6.25"W x 20"H x 6"Ext.	10"	90+	600	420	
B	E26144	142BK	1 x 6W MB LED 2200K (Incl.)	6"W x 16.75"H x 6"Ext.	8.25"	90+	590	400	
C	E26142	142BK	1 x 6W MB LED 2200K (Incl.)	5.75"W x 13.75"H x 5.75"Ext.	7"	90+	590	400	

Finish: Graduating Smoke glass (142) Black (BK)

RUNE

Artisanal cast glass slabs are supported by a central Die Cast Aluminum housing that is finished in an outdoor rated Black powder coat. Emphasizing the natural beauty of the glass' imperfect contours, the sconces humbly illuminate these casually luxurious materials. Available in 3 configurations that represent 3 sizes of the collection, the sconces provide sufficient light as they showcase artistic glass craftsmanship.






RUNE

- Cast glass blocks supported by corrosive-resistant Aluminum brackets
- Dimmable LED light source, 3000K Color Temperature
- Available in 3 size configurations



E30132-24BK
Outdoor Wall


A





E30134-24BK
Outdoor Wall


B





E30136-24BK
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30132	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 12"H x 2"Ext.	6"	90+	1280	650	
B	E30134	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 15.5"H x 2"Ext.	6"	90+	1280	690	
C	E30136	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 19"H x 2"Ext.	9.5"	90+	1280	690	

Finish: Clear glass (24) Black (BK)



GRAVITY

An elliptical shape in Gold finish is illuminated by dedicated LED lighting and secured to a disc in contrasting black finish making a modern silhouette rated for outdoor applications. Suitable for wet locations, the fixture is constructed of corrosive resistant aluminum channel finished in UV-rated outdoor powder coats and sealed within the frame to prevent water intrusion. With an extension less than 4 inches, this attractive sconce series is also inherently ADA compliant for indoor public spaces where needed.





GRAVITY


- Two tone Matte Black and Gold finish
- Constructed of anti-corrosive aluminum channel and sealed for wet locations
- LED integrated, 3000K
- ADA Compliant extension









E42102-BKGLD
Outdoor Wall
A



E42104-BKGLD
Outdoor Wall
B



E42106-BKGLD
Outdoor Wall
C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E42102	BKGLD	11W PCB LED 3000K (Inte.)	6"W x 13"H x 1.75"Ext.	10.5"	90+	500	250	
B	E42104	BKGLD	13W PCB LED 3000K (Inte.)	6"W x 15.5"H x 1.75"Ext.	13"	90+	580	350	
C	E42106	BKGLD	15W PCB LED 3000K (Inte.)	6"W x 18"H x 1.75"Ext.	15.5"	90+	670	450	

Finish: Black/Gold (BKGLD)

TECTONIC

An enigmatic light source projects from the wall, obscured by two panels with an organic textural relief and split down the center to cast soft ambient light. Open at the top and bottom as well, the light shines both upwards and downwards and signals the source of its illumination through the crevice that it creeps out from. Finished in Matte Black externally, the interior of the sconces are powder coated antique brass to add warmth to the rustic glow. Available in 3 sizes, this ADA compliant sconce series adds mystique to the spaces it's installed.






TECTONIC

- Unique cast aluminum with elevated relief patterns
- Exterior in Black finish, interior in Antique Brass for warm ambient light
- LED integrated, 3000K
- Available in 3 sizes, all ADA compliant extensions





E30142-BKAB
Outdoor Wall
A






E30144-BKAB
Outdoor Wall
B





E30146-BKAB
Outdoor Wall
C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30142	BKAB	2 x 8W PCB LED 3000K (Inte.)	4.75"W x 14"H x 3.75"Ext.	2.25"	90+	1280	480	
B	E30144	BKAB	2 x 10W PCB LED 3000K (Inte.)	4.75"W x 18"H x 3.75"Ext.	2.75"	90+	1600	520	
C	E30146	BKAB	2 x 12W PCB LED 3000K (Inte.)	4.75"W x 22"H x 3.75"Ext.	3.5"	90+	1920	560	

Finish: Black/Antique Brass (BKAB)




RAMPART

Sharp rectilinear metal lines surround a squared LED housing that shines both upwards and downwards, creating an intriguing pattern of light. This collection offers a full range of products that suits exterior and interiors without bounds. Available in a variety of sconce sizes, as well as an additional pendant and post mount option, the design is completed in a matte Black finish that complements most settings.








RAMPART

- Corrosive-resistant Aluminum construction
- Squared rods surround LED housing
- Up/Down Lighting
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated
- Available as a pendant, post mount, and 3 sizes of wall sconce in Matte Black



E30114-BK
Outdoor Wall


A





E30116-BK
Outdoor Wall


B





E30117-BK
Outdoor Wall

C




	ITEM #	FINISH	LAMPING	DIMENSION	BP	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30114	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 11.75"H x 2.5"Ext.	4.5"W x 4.5"H	6"	90+	840	600	
B	E30116	BK	2 x 6W PCB LED 3000K (Inte.)	6.25"W x 14"H x 2.5"Ext.	4.25"W x 3"H	7"	90+	840	600	
C	E30117	BK	2 x 15W PCB LED 3000K (Inte.)	8"W x 22"H x 3.5"Ext.	5.25"W x 5.25"H	11"	90+	1500	1060	

Finish: Black (BK)



E30112-BK
Outdoor Wall


D





E30119-BK
Outdoor Pendant


E





E30110-BK
Outdoor Post

F



	ITEM #	FINISH	LAMPING	DIMENSION	BP	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
D	E30112	BK	2 x 4W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 2.5"Ext.	4.5"W x 4.5"H	4"	90+	540	300	
E	E30119	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 11.75"H, 60"OAH			90+	540	300	
F	E30110	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 15"H			90+	540	300	

Finish: Black (BK)

ALCOVE

Die cast aluminum frames accommodate a niche that features a decorative panel of stainless steel in a Gold finish. Two strips of dedicated LED lighting illuminate the washboard form that in its contrasting Gold hue creates a warmer ambient light source for your exterior.






ALCOVE

- Stainless steel corrugated panels in Gold finish
- Two tone Black with Gold outdoor rated powder coat
- Corrosive-resistant Aluminum with Stainless Steel
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated




E30102-BKGLD
Outdoor Wall
A






E30104-BKGLD
Outdoor Wall
B





E30106-BKGLD
Outdoor Wall
C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30102	BKGLD	2 x 9W PCB LED 3000K (Inte.)	6.5"W x 10"H x 2.5"Ext.	5"	90+	1440	300	
B	E30104	BKGLD	2 x 12W PCB LED 3000K (Inte.)	6.5"W x 14"H x 2.5"Ext.	7"	90+	1920	470	
C	E30106	BKGLD	2 x 18W PCB LED 3000K (Inte.)	6.5"W x 20"H x 2.5"Ext.	10"	90+	2880	600	

Finish: Black/Gold (BKGLD)



TOWER

A box of UV-rated acrylic is constructed of precise miter cut corners and silk screened white on its interior to form a tower of evenly distributed LED illumination. For wet locations, the LED light source is completely sealed and provides softer omnidirectional illumination to add security and sufficiently brighten spaces. The die cast aluminum frame is finished in a black outdoor rated powder coat for longer lasting color in outdoor settings.TOWER – A box of UV-rated acrylic is constructed of precise miter cut corners and silk screened white on its interior to form a tower of evenly distributed LED illumination. For wet locations, the LED light source is completely sealed and provides softer omnidirectional illumination to add security and sufficiently brighten spaces. The die cast aluminum frame is finished in a black outdoor rated powder coat for longer lasting color in outdoor settings.






TOWER

- Clear acrylic boxes are miter cut and silk screened white on their interior
- Evenly distributed lighting with high lumen output
- Constructed of corrosive-resistant Aluminum
- Sandy Black outdoor rated powder coat
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated



E30182-01BK
Outdoor Wall

A




Mounts up/down



E30184-01BK
Outdoor Wall


B





E30186-01BK
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30182	01BK	15W PCB LED 3000K (Inte.)	8"W x 15"H x 4"Ext.	7.5"	90+	1200	1170	
B	E30184	01BK	18W PCB LED 3000K (Inte.)	8"W x 18"H x 4"Ext.	9"	90+	1440	1270	
C	E30186	01BK	22W PCB LED 3000K (Inte.)	8"W x 22"H x 4"Ext.	11"	90+	1760	1760	

Finish: White Acrylic (01) Black (BK)

CUBED

A staple in modern design, the square block form is the perfect minimalist accent to your home's interior or exterior elevations. The third iteration in this concept, the cubes are enabled with updated features that include range voltage input for both residential and commercial applications, an adjustable beam angle structure within the die cast housing allows the end user to set the light spread from either the top or bottom individually, and the sconces meet the dimensional extension compliant for ADA applications. Available in Black or Satin Aluminum finishes rated for outdoor, this modern design just got better.






CUBED

- Available in Satin Aluminum and matte Black finishes
- Die Cast Aluminum construction
- Adjustable beam angle spread set within housing
- Wet Location rated and ADA compliant
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources



E23222-BK, -SA
Outdoor Wall


A





E23224-BK, **-SA**
Outdoor Wall

B



Adjustable beam angle spread



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23222	BK, SA	1 x 10W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 2.5"Ext.	2.25"	90+	900	650	
B	E23224	BK, SA	2 x 10W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 2.5"Ext.	3.25"	90+	1800	1150	

Finish Options: Black (BK) Satin Aluminum (SA)



BRIK


Low profile LED up and down wall sconce which can be used interior or exterior are available in Natural Aged Brass, Black, and White. The flat face provides a place for numbers which makes these great for multi-family installations.


- Machined Aluminum construction
- ADA compliant
- Available in Black, White, and Natural Aged Brass
- Wet location rated
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers



E23212-BK, -NAB, **-WT**
Interior/Exterior Wall Sconce


A





E23214-BK, -NAB, -WT
Interior/Exterior Wall Sconce


B





E23215-BK, **-NAB**, -WT
Interior/Exterior Wall Sconce

C





	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23212	BK, NAB, WT	2 x 4W PCB LED 3000K (Inte.)	4.75"W x 4.75"H x 1.5"Ext.	2.25"	90+	800	500	
B	E23214	BK, NAB, WT	2 x 5W PCB LED 3000K (Inte.)	6.25"W x 6.25"H x 1.5"Ext.	3.25"	90+	1000	650	
C	E23215	BK, NAB, WT	2 x 8W PCB LED 3000K (Inte.)	7"W x 14"H x 1.5"Ext.	7.25"	90+	1200	750	

Finish options: Black (BK) Natural Aged Brass (NAB) White (WT)

BLOK

The classic cube form has become a staple in modern lighting design. This option has been specified to minimal extension for ADA compliance. The smaller downlight size takes into consideration Night Sky requirements in some locations while it and the larger 2-Light option can be used in corridor spaces for both commercial and hospitality requirements. This product offering is not only commercially rated, but economically priced with IP ratings that allow installations either indoors or in the great outdoors. The high powered LED light engine is low voltage and includes a range voltage driver to conveniently meet various site requirements.






BLOK

- Cubes constructed of corrosive-resistant Aluminum
- ADA Compliant
- Down-light and Up/Down Light Configurations
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated



E23216-BK, **-WT**
Outdoor Wall


A





E23218-BK, -WT
Outdoor Wall

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23216	BK, WT	1 x 8W PCB LED 3000K (Inte.)	4.75"W x 4.75"H x 4"Ext.	2.25"	80+	630	440	
B	E23218	BK, WT	2 x 8W PCB LED 3000K (Inte.)	6.25"W x 6.25"H x 4"Ext.	3.25"	80+	1080	820	

Finish options: Black (BK) White (WT)

CAULDRON

Drawing inspiration from the Olympic cauldron that begins the iconic games, this series of sconces can be installed facing upwards indoors or downwards in indoor applications. Two sizes of the sconce are available with a Black model constructed of aluminum so it is suitable for outdoor applications.






CAULDRON

- AC LED Integrated (no driver)
- 3000K Color Temperature
- Black finish is Suitable for Outdoor Applications
- Dimmable with Triac and ELV




E30242-BK
Outdoor Wall
A






E30243-GLD
Wall Mount
C






E30244-BK
Outdoor Wall
B





E30245-GLD
Wall Mount
D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30242	BK	12W PCB LED 3000K (Inte.)	6"W x 7"H x 7.75"Ext.	3"	90+	840	600	
B	E30244	BK	17.5W PCB LED 3000K (Inte.)	7"W x 7"H x 8.75"Ext.	3"	90+	1200	900	
C	E30243	GLD	12W PCB LED 3000K (Inte.)	6"W x 7"H x 7.75"Ext.	3"	90+	840	600	
D	E30245	GLD	17.5W PCB LED 3000K (Inte.)	7"W x 7"H x 8.75"Ext.	3"	90+	1200	900	

Finish: Gold (GLD) Black (BK)

MODULAR

A series of shade options fit a streamlined cast aluminum disc with a slight curve. Choose from Dark Sky compliant down-lights using flat lenses or from several glass lens options including Clear prismatic patterns that create domes, spheres, or cylinders. The integrated LED lights provide ample functional lighting, while the minimal forms suit both indoor and outdoor applications.






- Modular sconce design constructed of corrosive-resistant Aluminum
- Select from cylindrical and dome glass shades or minimal flat lenses
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Energy Star and JA8 Listed
- Available in Black finish
- Wet Location Rated




E30162-144BK
Interior/Exterior Wall
A






E30166-144BK
Interior/Exterior Wall
B





E30163-126BK
Interior/Exterior Wall
C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30162	144BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 6.25"H x 6.5"Ext.	2.5"	90+	700	530	LED DIM DS WET
B	E30166	144BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 7.75"H x 6.5"Ext.	3.75"	90+	1500	1040	LED DIM DS WET INSTALL
C	E30163	126BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	700	530	LED DIM DS WET


Finish: Prismatic Clear glass (126) Clear Ribbed glass (144) Black (BK)

MODULAR

- Modular sconce design constructed of corrosive-resistant Aluminum
- Select from cylindrical and dome glass shades or minimal flat lenses
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Energy Star and JA8 Listed
- Available in Black finish
- Wet Location Rated




E30164-BK
Interior/Exterior Wall
A






E30165-10BK
Interior/Exterior Wall
B





E30175-10BK
Interior/Exterior Wall
C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30164	BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	800	600	
B	E30165	10BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	800	600	
C	E30175	10BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1600	1200	

Finish: Clear/White (10) Black (BK)





E30160-BK
Interior/Exterior Wall
D






E30161-10BK
Interior/Exterior Wall
E






E30170-BK
Interior/Exterior Wall
F





E30171-10BK
Interior/Exterior Wall
G



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
D	E30160	BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	800	600	
E	E30161	10BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	800	600	
F	E30170	BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1600	1200	
G	E30171	10BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1600	1200	

Finish: Clear/White (10) Black (BK)



TOTEM

Zigzag towers of ribbed glass and a textured black frame. The ribbed glass texture is back lit by integrated LED strips housed within that shine bright illumination against a white reflective backdrop. With a 3" extension, these wall sconces add visual interest to your interior or exterior space, and meet ADA requirements for use down corridors and other public spaces.






TOTEM

- Sculptural frames in a textured Black finish
- Clear Ribbed glass is backlit
- 4 sizes of pocket sconces ranging from 5” heights to 24”
- LED integrated 3000K
- ADA Compliant



E30122-144BK
Outdoor Wall
A




Mounts up/down






E30123-144BK
Outdoor Wall
B




E30124-144BK
Outdoor Wall
C





E30126-144BK
Outdoor Wall
D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30122	144BK	2 x 6W PCB LED 3000K (Inte.)	5”W x 5”H x 4”Ext.	2.25”	90+	960	570	
B	E30123	144BK	2 x 8W PCB LED 3000K (Inte.)	6”W x 16”H x 3”Ext.	8”	90+	1280	560	
C	E30124	144BK	2 x 10W PCB LED 3000K (Inte.)	6”W x 20”H x 3”Ext.	10”	90+	1600	700	
D	E30126	144BK	2 x 12W PCB LED 3000K (Inte.)	6”W x 24”H x 3”Ext.	12”	90+	1920	850	

Finish: Clear Ribbed glass (144) Black (BK)



ALUMILUX


Low Voltage landscape lighting with even smaller profile for discreet lighting within your garden. Use a 12V landscape transformer, not included with the fixture.

LANDSCAPE SPOT

- 12V Landscape transformer required (not included)
- LED Integrated, 3000K Color Temperature




E41350-BZ, -**SA**
Pathway Light
A





E41351-BK, -BZ, -SA
Pathway Light
B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41350	BZ, SA	3W LED 3000K (Integrated)	3.5"W x 3.75"H	80+	230	90	LED WET 12V
B	E41351	BK, BZ, SA	5W PCB LED 3000K (Integrated)	2.25"W x 8.5"H	90+	500	400	LED WET 12V

Finish Options: Black (BK) Bronze (BZ) Satin Aluminum (SA)

INDEX

E11010....68
E11011....68
E11012....68
E11013....67
E11015....67
E11019....66
E11020....92
E11021....92
E11022....92
E11023....91
E11029....91
E11030....90
E11032....90
E11040....60
E11041....60
E11050....102
E11051....102
E11056....102
E11060....87
E11061....88
E11062....88
E11063....88
E11091....16
E11092....16
E11093....15
E11096....16
E11390....116
E11392....116
E11394....115
E11395....116
E20254....120
E20255....120
E20256....120
E21180....128
E21181....128
E21182....128
E21183....127
E21185....127
E21189....126
E21250....8
E21251....8
E21253....7
E21254....6
E21256....7
E21260....72
E21261....71
E21262....71
E21263....72
E21266....70
E21269....72
E21340....154
E21344....154
E21351....145
E21352....146
E21353....145
E21354....146
E21355....144
E21356....145
E21357....143
E21358....144
E21380....52
E21382....52
E21384....52
E21389....52
E21392....152
E21393....152
E21561....124
E21562....124
E21563....124
E21566....123
E21569....122
E22791....164
E22794....164
E22922....82
E22924....82
E22941....22
E22943....22
E22945....21
E23212....210
E23214....210
E23215....210
E23216....212
E23218....212
E23222....208
E23224....208
E23421....160
E23422....160
E23423....160
E23424....160
E23432....150
E23434....150
E23436....150
E23442....156
E23443....156
E23480....162
E23482....162
E23484....162
E23510....79
E23511....80
E23512....80
E23513....79
E23514....78
E24030....4
E24031....3
E24033....3
E24035....2
E24072....64
E24073....64
E24075....63
E24088....106
E24089....106
E24090....58
E24092....56
E24093....57
E24094....57
E24095....56
E24099....58
E24182....49
E24185....50
E24188....50

E24211.....96
E24213.....96
E24217.....95
E24219.....94
E24220.....20
E24221.....18
E24225.....19
E24227.....20
E24229.....19
E24230.....18
E24616.....76
E24618.....76
E24641.....14
E24643.....14
E24646.....12
E24648.....13
E24681.....62
E24683.....61
E24689.....62
E24691.....44
E24693.....44
E24695.....44
E24711.....30
E24714.....30
E24751.....26
E24753.....26
E24757.....25
E24758.....24
E24770.....33
E24771.....34
E24773.....34
E24774.....33
E24775.....32
E24779.....32
E24864.....54
E24871.....40
E24873.....38
E24874.....41
E24875.....41
E24877.....40
E24878.....42
E24880.....39
E24881.....37
E24882.....37
E24883.....36
E24891.....28
E24894.....28
E24895.....28
E24900.....114
E24902.....114
E24904.....114
E24906.....114
E24930.....104
E24932.....104
E24938.....104
E24964.....74
E24966.....74
E24968.....74
E25038.....130
E25039.....130
E25050.....136
E25051.....136
E25052.....136
E25058.....136
E25084.....48
E25087.....48
E25088.....46
E25089.....47
E25140.....10
E25141.....10
E25142.....10
E26003.....148
E26004.....148
E26008.....148
E26142.....192
E26144.....192
E26146.....192
E26380.....118
E26381.....118
E26382.....118
E30102.....204
E30104.....204
E30106.....204
E30110.....202
E30112.....202
E30114.....201
E30116.....201
E30117.....201
E30119.....202
E30122.....220
E30123.....220
E30124.....220
E30126.....220
E30132.....194
E30134.....194
E30136.....194
E30142.....198
E30144.....198
E30146.....198
E30151.....182
E30152.....182
E30156.....182
E30160.....218
E30161.....218
E30162.....216
E30163.....216
E30164.....217
E30165.....217
E30166.....216
E30170.....218
E30171.....218
E30175.....217
E30182.....206
E30184.....206
E30186.....206
E30191.....166
E30192.....166
E30193.....166
E30194.....166
E30214.....190

INDEX

E30218.....190
E30220.....176
E30221.....176
E30222.....176
E30223.....176
E30230.....180
E30232.....180
E30234.....180
E30242.....214
E30243.....214
E30244.....214
E30245.....214
E30252.....186
E30254.....186
E30260.....178
E30262.....178
E30264.....178
E30282.....188
E30283.....188
E30285.....188
E30286.....188
E30660.....86
E30662.....86
E30664.....85
E30668.....84
E31090.....100
E31091.....100
E31092.....100
E31093.....99
E31095.....99
E31099.....98
E34001.....112
E34002.....112
E34501.....110
E34502.....110
E34503.....110
E34506.....110
E34508.....110
E34602.....108
E34604.....108
E34606.....108
E34752.....184
E34754.....184
E34756.....184
E36104.....158
E36106.....158
E41350.....222
E41351.....222
E42102.....196
E42104.....196
E42106.....196
E51010.....134
E51011.....133
E51012.....134
E51013.....133
E51014.....134
E51015.....132
E51021.....138
E51022.....138
E51030.....140
E51032.....140
E51034.....140
E51042.....142
E51044.....142
E51046.....142
EMSC2600.....148
EMSC36100 158
EMSC36101.....158
EMSC36102.....158
ETDRV001-24100.....168
ETL21210.....174
ETL21211.....174
ETL21212.....174
ETL21214.....173
ETL21216.....172
ETL21232.....172
ETL23212.....170
ETL23216.....170
ETL24212.....170
ETL24216.....170
ETL25212.....169
ETL25216.....169
ETL26212.....169
ETL26216.....169
ETL26218.....169
ETL28212.....170
ETL28216.....170
ETL29212.....171
ETL29222.....171
ETL29223.....171
ETL29224.....171
ETMSC01.....168
ETMSC180-2END.....168
ETMSC90-2WALL.....168
ETMSC90-3TW.....168
ETMSC90-4XW.....168
ETMSC90-W2C.....168
ETRK25080.....168
ETRK25150.....168
ETRK25200.....168
SWT898-2460.....168
SWT898-2475.....168

FINISHES, GLASS, SHADE

Code	Finish
AB	Antique Brass
ABZ	Architectural Bronze
ACP	Antique Copper
AL	Aluminum
BC	Black Chrome
BCN	Brushed Champagne
BGM	Brushed Gunmetal
BK	Black
BRK	Brick
BZ	Bronze
CHK	Chalky White
FG	French Gold
GLD	Gold
GM	Gunmetal
GY	Grey
NAB	Natural Aged Brass
PBZ	Polished Bronze
PC	Polished Chrome
SA	Satin Aluminum
SBR	Satin Brass
SN	Satin Nickel
TRC	Terra Cotta
TV	Travertine
WN	Walnut
WT	White

Code	Glass
01	White
05	Amber
10	Clear/White
18	Clear
20	Crystal
24	Clear
26	Amber
28	Clear Murano
54	Translucent Frost
75	Clear Acrylic
90	Frosted
93	Clear/Frosted
95	Rock Crystal
99	Linen
118	Champagne Bubble
122	Clear Crystal
125	Polished Black Stainless
126	Prismatic Clear
133	Patterned Acrylic
138	Smoke
142	Graduating Smoke
144	Clear Ribbed
148	Multi-Color

Code	Shade
GB	Glossy Black
GW	Glossy White

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BI40T8E12CL120V	I	E12	40	40W Incandescent E12 T8 120V Bulb Clear
	BI40T10E26IF120V	I	E26	40	40W Incandescent MB T10 120V Bulb Inside Frost
	BI60T10E26IF120V	I	E26	60	60W Incandescent MB T10 120V Bulb Inside Frost
	BI40ST58E26CL120V	I	E26	40	40W Incandescent MB ST58 120V Bulb Clear
	BI60ST64E26CL120V	I	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BL6E26FT120V30	L	E26	6	6W LED E26 3000K 120V Bulb Clear
	BL7E26FT120V30	L	E26	7	7W LED E26 3000K 120V Bulb Frost
	BL9E26FT120V30	L	E26	9	9W LED E26 3000K 120V Bulb Frost
	BL12E26FT120V30	L	E26	12	12W LED E26 3000K 120V Bulb Frost
	BL16E26FT120V30	L	E26	16	16W LED E26 3000K 120V Bulb Frost
	BL5GU10FT120V30	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear, T24 JA8 Compliant
	BL7GU10FT120V30	L	GU10	7	7W Dimmable LED GU10 3000K 120V Bulb Clear
	BL1-5G4FT12V30	L	G4	1.5	1.5W LED DC AC 12V 3000K CRI80
	BL1-8G4FT12V30	L	G4	1.8	1.8W LED DC AC 12V 3000K CRI80
	BL2G4CL12V	L	G4	2	2W LED G4 12V 3000K Bulb Clear (See Supp Descr)
	BL2G9CL120V30	L	G9	2	2W LED G9 3000K CRI80 Clear
	BL3G9CL120V30	L	G9	3	3W LED G9 3000K CRI80 Clear
	BL2-2G9FT120V30	L	G9	2.2	2.2W LED G9 3000K CRI80 Frost
	BL2-3G9CL120V35	L	G9	2.3	2.3W LED G9 3500K CRI80 Clear
	BL2-9G9CL120V27	L	G9	2.9	2.9W LED G9 2700K CRI80 Clear
	BL2-9G9CL120V35	L	G9	2.9	2.9W LED G9 3500K CRI80 Clear
	BL4G9CL120V830	L	G9	4	4W LED G9 3000K CRI90 Clear
	BX10G4CL12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BX10G4FT12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BX20G4CL12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BX20G4FT12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BX25G9CL12V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BX25G9FT120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BX40G9CL120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BX40G9FT120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BX50G9CL120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BX50G9FT120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BH35GU10CL120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BH50GU10CL120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear

CF - Compact Fluorescent F - Fluorescent H - Halogen I - Incandescent L - LED X - Xenon

Warranty and Other Information

- For specific and detailed warranty information, ask your ET2 Contemporary Lighting sales representative or visit www.et2online.com/warranty.
- ET2 Contemporary Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a echanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Lamps are not included unless otherwise noted.
- Printed in China

ET2 Contemporary Lighting is a trademark of Maxim Lighting International, Inc.

StarStrand and CounterMax are registered trademarks of Maxim Lighting International, Inc.

All designs, logos, products and images © Copyright 2024 ET2 Contemporary Lighting.

All Rights Reserved.

#ET2lighting

LETCAT2401
$5.00

A MAXIM GROUP COMPANY

#ET2lighting

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 626.956.4226

Dallas Trade Mart: 214.748.8455
Showroom: 3901
Email: info@et2online.com
Web: www.et2online.com

ET2 Contemporary Lighting and all designs, logos and images © 2024 ET2 Contemporary Lighting. All Rights Reserved.